Powered by Chemwatch

BACKPACK USER GUIDE

Version 3.4



CHEMWATCH

Melbourne, Australia

2025

Glossary

ADM	Domain Administrator of the Chemwatch system within your organisation
ADG	Australian Dangerous Goods Code
AuthorITe	Create SDS application module
CAS	Chemical Abstract Substance
CHEMTOURAGE	Chemwatch Entourage for service desk support
COBRA	Control Banding Risk Assessment
COSHH	Control of Substances Hazardous to Health
CREDITE	Create Mixture application module
CW No	Chemwatch Number
DE	Data Extraction
DET	Chemwatch system Data Extraction Tool
DG	Dangerous Goods
DGEN	Document Generator for Labels module
EINECS	European Inventory of Existing Commercial Chemical Substances
GHS	Globally Harmonised System for the Classification of Hazardous Chemicals and Labelling
IFC	International Fire Code, USA
ILO	International Labour Organisation, United Nations
NFPA	National Fire Protection, USA
OEL	Occupational Exposure Limit
PKG	Packing Group for Dangerous Goods
PF	Planfix Chemwatch CRM Ticketing System
PTN	Project Tracking Number
RA	Risk Assessment
SDM	Domain Sub-Administrator of the Chemwatch System within your organisation
SI	International System of Units

Copyright©2025 by Chemwatch. All Rights Reserved

SISOT	ScanIn ScanOut Technology module
SMA	SiSoT Mobile App
SMARTSUITE	Smart Vendor, Gold, Mini SDS, Emergency Response Mobile App
SR	Subsidiary Risk for Dangerous Goods
SSO	Single Sign On
SUSMP	Classification of Medicines and Poisons in Australia
UGD	User Gold Data
UI	User interface
UN	United Nations
VGD	Vendor Gold Data

Copyright©2025 by Chemwatch. All Rights Reserved

Table of Contents

Glossary 1
About the User Guide 7
About the Application 8
About User Login Page 9
About the Feature Meter and UI Panels 12
About Help and Support 19
Incoming Calls 20
About Chat Platform 21
About Chemtourage (Chemwatch Team) 24
Getting to Know Your Chemtourage (Entourage) 25
How to Use your Chemtourage for Chats 26
How to Use your Email Chemtourage 26
1.0 Introduction 28
1.1 New Simple Manifest User Interface 29
1.1.1 Level 1 New Simple Manifest UI 29
1.1.2 Viewing Vendor Document 31
1.1.3 Viewing Gold Document 36
1.1.3 Viewing Mini Document 38
2.0 Search, Create Folders, Add Materials, Edit Quantities and Create Export Report 41
2.1 Search for Materials 41
2.1.1 Search by Material Name 42
2.1.2 Search for Material by Cat Name 77
2.1.3 Search for Material by Vendor Name 81
2.1.4 Search by Cat Name and Vendor Name 85
2.1.5 Search for Material from your OWN Inventory 88
2.1.6 Advanced Search Options 90
2.2 Create Folders 104
2.2.1 Folder Types and Properties 108
2.2.2 Create a Single Storage Folder 112
2.2.3 Create a Manifest Folder Tree 115
2.2.4 Folder Menu and Edit Properties 121
2.2.5 Add Materials 142
2.2.6 Add Volume/Weight to a Material or Product 149

Copyright©2025 by Chemwatch. All Rights Reserved

2.2.7 Copy, Move or Remove Materials 157
2.3 The Manifest Toolbar Hazards Filter 163
2.3.1 Hazards Filter 164
2.3.2 Ingredients Filter 182
2.4 Filtering and Sorting List 186
2.4.1 Hazards Column Filter 186
2.4.2 Quick Search by Cat Name Column Filter 188
2.4.3 Quick Search by Vendor Column Filter 190
2.4.4 Sort List by Volume/Weight 191
2.4.5 Filter the List by Dangerous Good Class (DG) 195
2.4.6 Sort Manifest List by Dangerous Goods Class (DG) 197
2.4.7 Filter the List by Country 199
2.4.8 Sort Manifest List by Country 202
2.4.9 Tracking Materials and Products 204
2.4.10 Add General or SDS Notes for a Material 209
3.0 Create Templates and Export Reports 213
3.1 Generate Reports using Basic Templates 216
3.2 Create Templates using Advanced Tab to Generate Reports 221
3.2.1 Create Template on Manifest Data and Generate a Report 224
3.3 Generate Reports using Theme Formatted Styles 232
3.3.1 Generate a Theme Formatted Style Report in Basic Mode 236
3.3.2 Generate a Theme Formatted Style Report in Advanced Mode 239
3.4 Personal Protective Equipment (PPE) Data Points 244
4.0 Intray Mode 253
4.1 Create an Intray Folder 253
4.2 Adding Material(s) into an Intray Folder 255
4.2.1 Display a Report for a Material in an Intray Folder 256
4.3 Edit an Intray Name 258
4.4 Deleting Material from an Intray Folder 259
4.5 Deleting an Intray Folder 260
5.0 Form Builder (Create Forms) 261
5.1 Creating a Form 265
5.2 Filling in Form 269
6.0 Tools Panel 273
7.0 Query Builder (Advanced Query Search) 277

Copyright©2025 by Chemwatch. All Rights Reserved

7.1 Add/Edit/Delete Query 279
7.2 Add (Create) a Cat Name or Material Name Query 280
7.3 Search by Cat or Material Name Query 281
7.4 Search by a Query that Contains an Operand 282
7.5 Regulation Name Search Query 284
7.5.1 Create a Regulation Name Query 287
7.6 Create and Search by Chemicals of Security Concern 290
8.0 Print, Download and Share Reports 293
8.1 Batch Print Vendor SDS 295
8.2 Save a Batch of Vendor SDS 297
8.3 Email a Batch of Vendor SDS 299
8.4 Batch Print Vendor SDS by Product Update 301
8.4.1 Batch Print Vendor SDS by Products Updated 301
8.4.2 Batch Print Vendor SDS by Issue Date Range 303
8.5 Saving External HTML Links Reports 305
8.6 Print List of Materials 309
9.0 Preferred Names and Part Numbers 313
9.1 Activate Preferred Names Filter Setting 314
9.2 Creating and Editing a Preferred Name 315
9.2.1 Creating a Preferred Name 315
9.2.2 Search for a Material by Preferred Name 317
9.2.3 Editing a Preferred Name 318
9.3 Creating and Editing Part Numbers 319
9.3.1 Opening the Part Number Window from a Simple Search 321
9.3.2 Adding a User Part Number to a Material 323
9.3.3 Search for a Material and add a User Part Number to a Gold SDS 324
9.3.4 Search for a Material and Add a User Part Number to a Vendor SDS 327
9.3.5 Deleting a User Part Number 329
9.3.7 Search by Part Number 331
9.3.8 Part Number Functionality in Other Modules 333
Appendix 335
Summary Structure of an SDS 335
Gold SDS Sample 337
Vendor SDS Sample 338
Mini SDS Sample 339

Copyright©2025 by Chemwatch. All Rights Reserved

Label Sample 340
A List of Default Label Templates 340
Emergency Report Sample– First Aid 342
Emergency Report Sample – Fire Fighting 343
Emergency Report Sample – Spills 344
Emergency Report Sample – CHINA 345
Emergency Report Sample – Advice To Doctor 346
Emergency Report Sample – Environmental 347
Emergency Report Sample – PPE 348
Emergency Report Sample – SOP 349
Emergency Report Sample – Toxicological 350
Emergency Report Sample – Transport, ERG 351
Emergency Report Sample – Additional, Monographs 352
List of Countries 353
Generated Reports using Basic Templates 353
Generated Reports using Basic Formatted Style Templates 356
GHS Pictogram and DG Diamonds 359
Dangerous Goods Classification Descriptions 361
Manifest Hazards Filters and Descriptions 366
Approvals Form Fields Descriptions (Risk Assessments) 374
A Guide to Classification (Wall Chart Graphics) 375
GHS A4 Portrait Label 376
DG Class Segregation Categories 377
Query Builder Search Options 379
NFPA Diamonds 381
IUPAC Chart for the Names of Element Families 383
Chemwatch Elearning 383
Backpack Lite Elearning (Relevant to Basic Users) 383
Backpack 384
Terms and Abbreviations 384

Copyright©2025 by Chemwatch. All Rights Reserved

About the User Guide

The Backpack guide is intended for Backpack users to reference specific topics on how to use the Chemwatch web application. The topics covered are based on the various modules available within the Backpack system; designed to provide businesses and organisations the platform to manage own chemicals as per workplace health and safety requirements. This document is accessible through the manual icon within the user interface of the application.

Modules

Home	Systems Dashboard *Administrator Module*
Chemwatcher *Administrator Module*	Systems Settings *Administrator Settings*
Inventory List and Hazards	

Modules' Features

Query Builder	Download Inventory Data
Feature Meter	Sort and Filter Inventory
Report Generator	Form Builder *Administrator Module*

Information Reference

The information icon is used to share important notes where applicable. Most of the activities covered are illustrated using read-write permissions to all modules except the administrative settings. Users with read only permission who require more privileges within the organisational Backpack system must consult with their Chemwatch System Administrator.

Copyright©2025 by Chemwatch. All Rights Reserved

About the Application

Backpack is a web application supported by the following latest common browsers.

Web Browser	Browser Specification	Recommended
Google Chrome	Latest version of Google Chrome	★★★★★
Firefox	Latest version of Mozilla Firefox	★★★★☆
Edge	Latest version of Microsoft Edge is supported	★★★★☆
Apple PC	Safari (latest version recommended)	★★★★☆

The web application works in both Windows PC and Mac PC which should be connected to the internet. The Chemwatch web application is not supported for the following browsing compatibilities:

- Google chrome browser with touchscreen
- Compatibility mode of internet explorer browser
- Enterprise mode of internet explorer browser

Smarter Suite Mobile App

Smarter Suite is a new mobile application for quick access to health and safety information, chemical inventory management and assets management. This mobile application uses scan-in-scan-out technology, enabling users with full visibility and tracking of the lifecycle of each container. It is compatible with both iOS and android system and can be added to the web application license as an extra package.

Note that the web application is not fully supported for smart phones and tablets.

		Features
Smarter Suite	Chemicals Management	• Smart Vendor • Smart Gold • Smart Mini • Smart ER • Smart Cobra • Smart Labels
	Assets Management	• Search and browse • Inventory • Reconciliation • Settings

For more information about SmartSuite Apps, contact sales@chemwatch.net.

Copyright©2025 by Chemwatch. All Rights Reserved

About User Login Page

Backpack System Online Access

The Chemwatch system is accessible online through the web address link below.

http://jr.chemwatch.net/chemwatch.web


This site uses cookies to store user selected settings between sessions. Use the "**Accept Cookies**" option to allow the site to use cookies and then follow the steps to login manually to the system.



Login Page Descriptions

Item	Login Page	Function	Description
1	**Website cookies**	Cookies acceptance for the site	This site uses cookies to store user selected settings between sessions
2	**Account name**	Account identifier	This is the domain name for the system license package, applicable to all users.
3	**User Login**	User login name	This is the user's login name, may be different from the user's name; specific to each user. Each user login is unique in the system and is based on the role(s), permissions and privileges assigned to the unique user login.


Copyright©2025 by Chemwatch. All Rights Reserved

Item	Login Page	Function	Description
4	Password	Authentication pass identifier	Password for system authentication to login; specific to each user. A password may have at *least 5 characters and not longer than 15.*
	Avoid using a weak password by including special characters such as [$, %, ^, #, @] and work email address. Note that the password will not be visible in text format but will display dots instead of characters as a masking attribute.		
5	Login button	Login button	Press button to login to the system. If Single Sign ON (SSO) is set up for your organisation and enabled for your domain, the login page will not be applicable.
	Remember me 	Checkbox to remember login data	If the checkbox is selected, the browser will remember your previous login for the account and user login. The password will always be required to be entered for security purposes.
	Forgot password?	Change password	This feature allows Chemwatch to send an email for password change. User will be required to reassign a new password.

Domains that have **Single Sign On (SSO)** activated by-pass the login page. If uncertain on how your SSO login works, consult with your organisation's domain administrator of the system.

Upcoming Webinars Registration

Any user interested in Chemwatch Upcoming Webinars and Upcoming Product Training can register from the login page. Click on the "Register" link provided at the bottom of the login page for webinar or product training of interest. The Register link will open a new page to fill in your details to register for the selected webinar.



User Roles and Permissions

The system can be set by the administrator for automatic login or manual login. The types of user profiles may range from basic users with read only, users with edit rights to administer other users with some level of control of the systems settings.

To identify the type of user profile applicable to your login, as provided by the domain administrator of the system within your organisation, refer to the table below. If unsure of your user role or permissions, contact the administrator of Chemwatch application within your organisation for more information or send an email to customerservice@chemwatch.net for support.

Copyright©2025 by Chemwatch. All Rights Reserved

The table below recapitulates the system's functional roles and related permission attributes.

Function	User Profile	Description	Permission
 Domain Administrative Role	Primary Administrator of the system	Entire Access to the system	Full access with read-write permission to the entire system and able to set up users and respective privileges, products and user access management.
 Management Role	Folder Management	Management of specific Folders and/or the system's manifest	Ability to edit, (read-write permission) materials, access to assigned role permissions; to be able to manage data; report generator, dashboards, document filter tools, and many more functions.
 Basic Role	General	General use may have limited access and read function	Ability to read data, search for materials, view various accessible reports as per privileges set by the domain administrator.

Copyright©2025 by Chemwatch. All Rights Reserved

About the Feature Meter and UI Panels


The Feature Meter is a user interface gauge geared towards improving usability of the Backpack application's user interface from simple mode to Basic mode.

What is a "Feature Meter"?



The Feature Meter is a user interface gauge (skill level) intended to enable users to toggle between "Simple and Advanced" screen display of panels, features and functionalities of predefined Chemwatch packages. The primary purpose of this gauge is to provide a clear hierarchy in reducing the appearance of complexity of the user interface to ensure that users can focus on what is important by controlling what is shown on the screen.

The feature meter enables users to toggle between simple to advanced user interfaces. The image below shows the varying user interface colour themes. The feature meter is categorized into the following four-gauge levels.



This solution presents different UI panels with applicable colour themes and product package logos. In this document, all application screen shots are based on the most common "light blue" user interface colour theme and level 2 feature meter.

Skill Level	Mode	Application	Package (Product+Logo)
Level 1	Simple mode user interface	Backpack Lite	BACKPACK LITE
Level 2	Basic mode user interface	Backpack	BACKPACK
Level 3	Normal mode (Intermediate) user interface	GoldFFX	Not applicable in Backpack
Level 4	Advanced mode user interface	Chemeritus	Not applicable in Backpack

The Feature Meter does not affect the standard default buttons and icons – ui language, live help chat, print, download, share, elearning, bulletin and manuals. Editing folders and materials on the grid uses a mouse right click functionality on Windows PC. For a Mac PC, the mouse right click functionality uses a left mouse click.

Copyright©2025 by Chemwatch. All Rights Reserved

Table: Feature Meter Product Features for Backpack


Level (L)	Mode Name (Application)	Package (Product+Logo)	Panel(s) (Features and Functionalities)	Meter Gauge (Active Level)
L1	**Backpack Light mode**	Custom Backpack BACKPACK LITE	**Search Panel** Basic search capabilities to look for materials and display Vendor SDS documents.	UI Simple / Advanced 1 segment on the gauge is active
				
Level (L)	**Mode Name (Application)**	**Package (Product+Logo)**	**Panel (s) (Features and Functionalities)**	**Meter Gauge (Active Level)**
L2	**Simple mode**	Backpack BACKPACK	**Basic** Basic search capabilities to look for materials and display SDS documents, labels and access folders and export reports.	UI Simple / Advanced Two segments on the gauge are active
				



Table: User Interface Elements Descriptions

Module	Feature Element Description	Use
Home	Simple mode  Search panel, SDS, Emergency and Labels (optional). Search for materials by material name or vendor.	Search for materials by various options; to access Vendor, Mini, Gold SDS, Labels and Emergency Reports  . 
Materials List (Register)	View materials and documents (SDS) list.	Access to a list of materials and the respective vendor SDS documents.

Copyright©2025 by Chemwatch. All Rights Reserved

Module	Feature Element Description	Use
Manifest Hazards Filters	Filters: OFF Hazards Filtering provides a menu of various types of hazards categories to filter materials that fall under the selected category.	Filter by various types of hazards and dangerous goods. 
Edit Inventory List	Edit materials and/or quantities in your inventory list.	Copy, move, remove (delete) materials and edit volume/weight of those materials contained in folder/location.
Ingredients	Generate Ingredients report to extrapolate ingredients contained in materials in a folder/location.	Extrapolate ingredients contained in materials in a folder/location and print, share or download the report.
Part No	Create or edit part numbers.	Create or edit user part numbers for materials in folder register.
Preferred Names	Create or edit preferred names.	Create or edit preferred names for materials in folder/location.
Query Builder	Query builder Create search queries using a combination of parameters using the advanced search mode.	Create search criteria to look for materials to find materials that meet those rules determined by operators (contains, equals, start with, does not contain, does not start with, end with, and does not end with).
Materials/Ingredients Mode	Materials/Ingredients view mode 	View materials list or view ingredients list based on the materials contained in the inventory folder/location by material name, hazard/risk statement and volume/weight.
Folder Panel	Folder tree structure contains systems directories; Enterprise, Collection, Folders, Manifest and Deleted.	Allows users with read-write permission to create folders, copy, move, rename, remove folders, print tree and edit folder properties.
Tools Panel	Tools for specific functional attributes as quick access to carry out specific activities in various modules.	Users can utilize the functionality for materials in the various modules such as copy, move, remove, preferred vendor, ingredients In and many more. For details, refer to the Tools Panel section of this user guide.




Copyright©2025 by Chemwatch. All Rights Reserved

Module	Feature Element Description	Use
		
Systems Dashboard 	Systems Dashboard mode 	Generate dashboard statistical data using widgets. Note that not all users may have access to all the administrator's dashboard widgets.


User Tour, Elearning and Manuals




Table: Description of User Tools

Useful Tools	Description	Use
	User tour Step by step knowledge of user interface component	User tour provides user with information about a section of the user interface.
		
	Glossary Chemwatch Glossary of terms	This a useful reference searchable library of scientific terms. This wikiwatch contains over 240 000 hits.

Copyright©2025 by Chemwatch. All Rights Reserved






Elearning

The elearning button provides access to online system learning packages/module


Users can use the variety of elearning tutorials, packages or modules to gain knowledge on how to use the system.




Copyright©2025 by Chemwatch. All Rights Reserved

	Bulletin Chemwatch's bulletin board	Information on any regulatory updates globally.
		
	User Guide Manual for the system	Download the user guide of the system through this button.

Switching UI Panels On/Off Temporarily

The main user interface panels can be temporarily hidden from view through the Panels link  .




Panel Status	Panel Switch Mark
Temporarily turned "OFF" from the user interface (panel hidden from view)	A cross is displayed next to the name of the panel
Turned "ON" from the user interface	A tick is displayed next to the name of the panel

Copyright©2025 by Chemwatch. All Rights Reserved

The user interface panels availability and access depends on privileges assigned to users by the system's administrator. The panels are; ***Search, SDS Labels and Emergency, Tools and Folder Tree***. *Note that your Backpack SDS, Labels and Emergency panel's report types depends on the applicable license package if it includes access to the Chemwatch Gold SDS. Otherwise, the default Backpack Vendor SDS panel is always enabled.*

The Search, SDS and Labels panel and the Folder Tree panel when enabled with Gold SDS available in your product Licence package will display illustrated in the screenshot below.



This is what is termed as Backpack Gold.

Search Panel

This panel contains three tabs that enable user to search by **Simple** mode, **Advanced** mode or **Query Builder** method. Users can also set the country and language parameters to apply them in the search criteria.

There are two database search paths; namely, **Full** and **Own**. Full refers to the entire Chemwatch database collection of millions of SDS and Own refers to a domain's own inventory collection located in the Chemwatch database.

SDS and Labels Panel

This panel allows users to choose the type of document to display for a single material or product at a time by pressing any of the following available options; **Vendor SDS, Gold SDS, Mini SDs, Labels or Emergency Reports** [First Aid, Fire Fighting, Spills, CHINA (Cautionary Hazard Information for Action), Advice to Doctor, Environmental, PPE (Personal Protective Equipment), SOP (Standard Operating Procedure), Toxicological, and Transport (ERG, DGTECSA) or Additional (Monograph).

Folder Tree Panel

This panel provides a system's Folder Structure for the Enterprise to manage a domain's **Folders and Manifest Directories**. Materials and SDS can be added into created folders as part of inventory management and Manifest related stores/locations in a country or region or specific site/building as well as at the storage level.


Copyright©2025 by Chemwatch. All Rights Reserved

About Help and Support

Chemwatch utilizes Live Help tools and a ticketing system to enable users to request support online, submit complaints, issues, bugs or errors and questions through the following tools:

Help Tool	Description
Chat	Live help chat panel is available in the application user interface, positioned on the bottom right corner. This chat panel enables users to come into the chat room to request for Chemwatch help live online (24/7).
Live help	Live help icon is available within the application's user interface, positioned on the top left corner. This live chat icon links to the live help chat room at the bottom right corner of the user interface, which allows users to request for instant online support 24/7.
Calls	Incoming and outgoing calls are integrated with the Chemwatch CRM to enable help and support service teams to create tickets for any follow up actions required for better support and updates about the submitted inquiries.
Emails	Incoming help and support emails are integrated with the Chemwatch CRM to allows help and support service teams to troubleshoot and lodge subsequent tickets for follow-up actions.

Users who have logged into the system will access **Live Chat** and Chemwatch Teams **Chemtourage** at the bottom right corner of the application to make it easier to engage and assist users.




These bars will be shown in a collapsed mode as shown in the image above. When in expanded mode, users will be able to:

- Submit an inquiry through the live chat panel
- Submit an inquiry through the Chemwatch Teams Chemtourage email function
- Make a phone call directory from the Chemwatch Teams Chemtourage call function

Copyright©2025 by Chemwatch. All Rights Reserved

The following table provides further descriptions of these helped and support related tools.

Support	Function	Description
Live chat Live Help Chat	Online instant messaging	The chat form is used for submitting a request for help instantaneously online or submit an inquiry to Chemwatch. Inquiries that require follow up action will be assigned a ticket to track progress until the ticket (task) issue is resolved.
Chemwatch Teams CHEMWATCH TEAM	Making a call chat or email to submit an inquiry	This panel is used to make a call right from the system to direct it to your Chemwatch support team. You can also send an inquiry through the email function or chat with your Chemwatch support team



Incoming Calls

Incoming calls can be made from the Chemwatch Teams panel called the “Chemtourage”. Instead of just being able to message your dedicated team of Chemwatch assistants, the platform has been integrated to any incoming calls to the Chemwatch CRM system for our teams to create and triage tickets.

When the information icon is selected for assistance from a Chemwatch Team, the screen will display a pop-up window with dialing icon option to make a call. This call is automatically registered in the ticketing system.

Copyright©2025 by Chemwatch. All Rights Reserved



About Chat Platform

The Chemwatch **Chat** platform is the gateway to Chemwatch help and support dedicated to providing instant chat service line to users of the web applications to contact us in real time. The live chat form is also linked to the Chemtourage chat icon to communicate with dedicated Chemwatch Teams.

Support	Function	Description
Chemwatch Teams - Chat	Instant messaging	The chat form is used for submitting a request to instantaneously chat online or submit an inquiry.
Chemwatch Teams – Call	Making a call	Use this icon to make a call right from the system to direct it to your Chemwatch support team for the specific department.
Chemwatch Teams – Email	Submit an inquiry or issue through the email icon	You can also send an inquiry or issue through the email function to your Chemwatch support team for the specific department.
Chemwatch Teams – Ticket	Submit an inquiry	Use the ticket icon to submit an inquiry or issue through the chat facility.


How to Use the Live Chat

Upon login to the Chemwatch home page, the live chat and the Chemwatch Teams" Chemtourage bars will be shown side by side as options to use to contact us. These bars are visible across all modules so that an inquiry can be made at any page instantly. The simple steps below illustrate how to use the chat panel to start a conversation online with one of our helpdesk support team.

Copyright©2025 by Chemwatch. All Rights Reserved


Steps: How to Use the Chat Panel

1. Press the **Chat** bar to open the chat panel.




2. **Fill** in the required information in the **Live Chat Panel Edit form** fields.

   - First Name
   - Phone or mobile number
   - Email address



3. Press the **Submit** button.
4. Click the "**I Accept**" Privacy Policy button.



5. **Start the conversation** by typing your inquiry message in the text field and press the Enter key.
6. A Chemwatch **online support team member** will respond to your inquiry or question.

Copyright©2025 by Chemwatch. All Rights Reserved

7. **Close** the chat panel (use the X icon on the top right corner of the panel) once the conversation is completed. You may also rate our service support received by clicking on the hand thumb icon  .

Note that if the inquiry requires follow-up action or further troubleshooting, a ticket will be created, and a notification update will be communicated via email until the issue is resolved.

Chemwatch Support Technical Tools

The Chemwatch team may use the following chat related tools to provide you with better support and navigation through an application issue or query.

Chemwatch takes your privacy and security seriously and your Chemwatch support team will let you know if we can **cobrowse** with you on the Chemwatch web application's user interface and not your browser. The cobrowsing tool is designed not to gain access to your desktop or web browser on your computer for security reasons but to simply collaborate on the Chemwatch system's user interface.

Type of Tool	Use
Screenshots	An Agent might share screenshots within the chat messaging field to provide steps on how to action or carry out tasks. Click on the provided image to view the screenshot in full.
Document links	An Agent might share documentation links within the chat messaging field for more detailed information for your reference. Use the download icon from the chat message displaying the shared file link to save the file on your pc/external drive.
Cobrowsing or screen sharing	The Chemwatch support team may request to cobrowse, or screen share your current application's view of the user interface for navigation, better understanding or further troubleshooting the issue or problem. This feature can also be used to demonstrate how to navigate through the applications site map to a specific feature.

Copyright©2025 by Chemwatch. All Rights Reserved

About Chemtourage (Chemwatch Team)


Chemwatch has developed a customised service, continuing our commitment to an unsurpassed personal service called **Entourage** (also known as the Chemtourage). The login page contains the Chemtourage service teams dedicated to providing support in the various areas of expertise. The Chemwatch support teams include:

- Customer Service Facilitators
- Helpdesk Coordinators
- OHS/WHS Specialists
- Project Managers
- Chemists
- Regulatory Specialists
- IT Specialists

The following functions as discussed in previous topic offers users the ability to connect with Chemwatch help and support teams directly.

Support	Function	Description
Live chat	Instant messaging	The chat form is used for submitting a request for help instantaneously online or submit an inquiry to Chemwatch.
Chemwatch Teams	Making a call, chat, email or submit an inquiry	This panel is used to make a phone call right from the system to direct it to your Chemwatch support team. You can also send an inquiry through the email function or chat with your Chemwatch support team.

Chemtourage has been allocated teams to support users with a specialised area of expertise.



Copyright©2025 by Chemwatch. All Rights Reserved

Getting to Know Your Chemtourage (Entourage)

Business Unit	Service
Customer Service	Client account management, process request for SDS acquisitions, SDS uploads, SDS updates, system set up, customer roll-outs, complaints handling, training requests. Trouble tickets enter your managed query system which ensures timely response, your Customer Service facilitator coordinates the responses from all team members where required.
Chemist	SDS authoring, emergency response, Gold SDS reviews, SDS details inquiries, DOCGEN technical queries, WeWrites, chemical inventory audits.
Helpdesk	Help and support on how to use any of the applications (Backpack, Backpack, Chemeritus, Outback, AuthorITe, SmartSuite, Sisot, Ticketing System, knowledgebase, live chat). Troubleshooting and logging inquiry tickets for any applications bugs, errors, improvements, SDS data related queries and specialised inquiries.
Regulations	General regulatory inquiries and advice. *The specific SDS inquiries should be submitted to the Chemist first.*
IT	Technical issues such as access to applications by network administrators and IT related client-side requirements. *The specific application use related inquiries must be logged with the Helpdesk first.*
Projects	Handles PTN (Project Tracking Number) related inquiries pertaining to inventory uploads, SDS acquisition and registration phase of your projects. *For specific status of your acquisitions, registration phases, check your Chemwatcher module for more details on the status of your PTN.*

Panel Components of The Chemtourage (Entourage)

Chat	Use the chat icon from the Chemtourage panel to start a conversation through the messaging app. Selecting the chat icon will open the chat panel to fill in your details and your inquiry/question. A Chemwatch agent will accept request and start the conversation through text messaging on the chat panel.
Email *(Send To)*	Use the email icon to open the **Send To** panel to submit your inquiry to the respective team for actioning. The Chemtourage email will be receive by the team member to follow up action. If an issue is confirmed to be a data related complaint, system-based error, bug or simply an improvement request, the inquiry may be lodged as ticket. *The selected Chemtourage email icon will default to the allocated "To" email address by default.*


Copyright©2025 by Chemwatch. All Rights Reserved

How to Use your Chemtourage for Chats


The following steps illustrate how to submit an inquiry or question through the live chat in your Chemtourage.

Steps: Accessing the Chemtourage for Chats

1. **Login** to your Chemwatch application.
2. The application defaults to the **Home** page.
3. Click on the Chemwatch Team **Chemtourage upward arrow** located in the bottom middle area of the user interface to expand the panel.



4. Press the desired **service-desk** image to view details, for example, Helpdesk.



5. Click on "**Chat**" bar from the displayed service desk profile.




6. **Type** your **details** and **message** in the live chat form. A service team member will immediately respond to the request for support.

How to Use your Email Chemtourage

The following steps illustrate how to submit an inquiry or question through the Chemtourage email function.


Steps: Accessing the Chemtourage for Chats

1. **Login** to open the Chemwatch application.
2. Application defaults to the **Home** page.
3. Click on the Chemwatch Team **Chemtourage upward arrow** located in the bottom middle area of the user interface to expand the panel.



4. Press the desired **service desk** image to view details, for example, IT Support.


Copyright©2025 by Chemwatch. All Rights Reserved



5. Click on the **Email** icon from the displayed options respective to service desk profile.



6. The Chemtourage email panel will default to the respective recipient service desk Chemtourage email address in the "**To"** email address field. The "**From**" email address will default to donotreply@chemwatch.net and note that if you change this address, your message may not be accepted by spam-filters due to strict security settings. The subject line default to "Chemtourage". Click on the "**Subject**" field to enter the email subject.
7. **Type** your comments or details about your inquiry in the "**Comments**" text field.
8. In the "**Reply to**" email address field, provide us with your work email address for a quicker response from the Chemwatch support team. This email address will also be used to lodge a ticket when applicable and be able to email you back with a response.
9. Once all the fields are filled, click the "**Send**" button to submit your inquiry.



Copyright©2025 by Chemwatch. All Rights Reserved

1.0 Introduction

Backpack is the core Chemwatch web application developed for the management of SDS for chemicals used, stored or transported in the workplace. This system is amalgamated into the following modules, dependent on the current subscription. The following modules are the standard Backpack package.

MODULES

Home

- Search for materials
- Create/edit digital folders mirroring your sites
- Add materials and edit quantities
- Copy, move, remove materials
- Create report template to export data
- View, print, share or download SDS

Chemwatcher

- View the dashboard status of SDS requests
- Get statistics for Age of SDS Breakdown, Availability
- Get status of Vendor SDS Age Status and VGD data
- View PTN History and status of PTNs
- Export PTN history data

Systems Dashboard

- Access to the systems dashboard widgets
- Use widget options to generate data reports representation of data
- Track user activity

Systems Settings

- Create users, folder permissions and privileges
- Create groups, roles where applicable
- Set up filters
- Set up user interface settings
- Apply modules as per licence package

The Backpack application contains a variety of modules and features geared towards managing and generating chemicals related information. The list below provides an overview of available features within the system.

MODULES' FEATURES

Report Generator

- Create a template for specific data points
- Select a theme and format
- Exporting data into spreadsheet format

Download Inventory Data

- Download inventory data in various file formats
- Print list in html or pdf format
- Generate external links for and Vendors. Gold, Mini, Labels data availability depends on licence package.
- Download offline archive data

Form Builder

- Create form templates
- Choose the type of form fields
- Add fields
- Set country and language

Query Builder

- Create a search query
- Select search method for the query
- Set search operands
- Set search to query ingredients also
- Share query

Copyright©2025 by Chemwatch. All Rights Reserved

Backpack features can be upgraded to include ScanIn ScanOut Technology (Sisot) module for managing product container inventory, Approvals and/or IFC/NFPA Filter Feature. This user guide does not include the Sisot and Approvals Modules. For more information, contact customerservice@chemwatch.net to discuss subscription options.

The Chemwatcher module is also not covered in this guide as it is generally accessible to the ADM and/or users that have been granted permission to use this module to track SDS acquisitions and PTN requests on behalf of your organisation. Should you require access to this module, contact your Backpack administrator or contact your Chemwatch Account Manager to provide more information by email; customerservice@chemwatch.net.

1.1 New Simple Manifest User Interface

This section covers the following elements:

→ Level 1 New Simple Manifest UI

→ Instant access to various types of Documents

→ Quick access to Alerts

→ Advanced user interface retainment



1.1.1 Level 1 New Simple Manifest UI

The new intuitive user interface provides users with instant access to:

- Vendor SDS
- Generate one-page Mini SDS with colour-coded hazard alerts.
- Generic automated Risk Assessments, with no need to input additional variables based on jobs.
- Search for products in the search bar and have results automatically highlighted within larger lists and folder trees.
- Generate GHS or DG secondary container labels from simple templates.
- Add/update volumes/weights of products.

Behind the scenes, Folders in your Chemwatch system automatically store SDS and associated data to generate Risk Assessments, labels, and more. Our proprietary algorithms use this data to determine the most likely scenario for your risk assessments and automatically generates them where they don't already exist. Data points include inventory activity and usage, storage, manufacture, and geo-location.

The simplified grid is accessible through the feature metre level 1 gauge.


Copyright©2025 by Chemwatch. All Rights Reserved



Note that all Backpack users will default to this new user interface view. Backpack users will get access to auto labels and auto risk assessments on the fly with a single click. Furthermore, we have included the juxtaposition of documents side by side to enhance the comparison of various reports for any product in your inventory.

Quick access to a newly categorised user interface grid via any folder inventory provides two main header columns:

- Documents
- Alerts



The Documents header is subdivided into four columns. **Documents** are accessible via respective icons for:

- Vendor SDS
- Gold SDS
- Mini SDS
- Label

The Alerts header is subdivided into four columns **Alerts** are accessible via respective icons for:

- Risk Assessment
- Hazard

Copyright©2025 by Chemwatch. All Rights Reserved

- DG
- Regulatory Burden

The tables below provide summaries of the various components of the Documents & Alerts.

Documents

The Documents main header display icons for each subdivided columns that enables users to simply click on each type of document they want to retrieve a report for any product located in a folder.

Cat Name	Vendor SDS	Gold	Mini	Label
Product Name	Manufacturer/ Supplier Safety Data Sheet for the product	Chemwatch Safety Data Sheet for the product	Chemwatch Hazard Summary Safety Data Sheet for the product	Chemwatch product label

Alerts

The Alerts main header displays colour coded icons for each subdivided columns depicting the specific ratings of any product located in your own folder inventory based on Risk Assessment, Hazard, DG, and Regulatory Burden. Data points include inventory activity and usage, storage, manufacture, and geo-location.


Cat Name	Risk Assessment	Hazard	DG	Regulatory Burden
Product Name	**Default Risk Assessment Rating** and access to Risk Assessment Report for the product.	Chemwatch **Hazard Rating** based on GHS for the product.	Dangerous Goods (DG) Classification rating based on Packing Group for the product.	Lightly, Moderately, Highly & Extremely Regulated product.

1.1.2 Viewing Vendor Document

There are two ways to view 'Documents' for Vendor SDS using a single click on the New Simple Manifest UI grid view:

- Single click on the Cat Name (Product Name)
- Single click on the Vendor SDS icon


Copyright©2025 by Chemwatch. All Rights Reserved




A Vendor SDS is a manufacturer/supplier safety data sheet. Backpack users will default to the new user interface whereas GoldFFX and Chemeritus users will still have access to the normal user interface and can switch to lowest level of the feature metre to view the new user interface.

Steps: Viewing Vendor SDS through the Cat (Product) Name

1. Open home module .
2. Default feature metre level 1 – Simple.
3. Click on folder location.



4. The new simple Manifest UI grid display is based on the products (Cat Names) inventory for the selected folder location.
5. Click the **Cat Name** (product) to load the safety data sheet.




Copyright©2025 by Chemwatch. All Rights Reserved

6. The Vendor SDS document displays.


7. The track button will identify folder locations where the product is located by highlighting the respective folder(s).

Note that the Deleted folder directory has been removed from the tree structure in the “New Simple Manifest UI”.



8. Click “Open Mini” button to view Mini SDS.


9. Click “Open Risk Assessment” button to view report.




Copyright©2025 by Chemwatch. All Rights Reserved

Steps: Viewing Vendor SDS through the Vendor SDS Icon

1. Open home module .
2. Default feature metre level 1 – Simple.
3. Click on folder location.



4. The new simple Manifest UI grid display is based on the products (Cat Names) inventory for the selected folder location.
5. Click the **Vendor SDS icon** alongside the Cat Name (product) to load the safety data sheet.




6. The Vendor SDS document displays.
7. The track button will identify folder locations where the product is located by highlighting the respective folder(s).

Note that there are other attributes available from Vendor SDS view to:

- Track the product from withing the folder tree.
- Open Mini SDS.
- Open Risk Assessment report.


Copyright©2025 by Chemwatch. All Rights Reserved



8. Click “Open Mini” button to view Mini SDS.


9. Click “Open Risk Assessment” button to view report.

Vendor SDS and Mini SDS Comparison Screen




Copyright©2025 by Chemwatch. All Rights Reserved

Vendor SDS and automated Risk Assessment Report Comparison Screen



1.1.3 Viewing Gold Document

A Gold SDS is accessible through the Gold document icon on the New Simple Manifest UI grid view with a single click on the Gold Document icon .




A Gold SDS is a Chemwatch safety data sheet. Only customers' domains that subscribe to Chemwatch Golds will be able to view Gold SDS. This attribute is based on Prefer Gold or Force Gold feature.

Steps: Viewing Gold SDS


1. Open home module .
2. Default feature metre level 1 – Simple.
3. Click on folder location.

Copyright©2025 by Chemwatch. All Rights Reserved




4. The new simple Manifest UI grid display is based on the products (Cat Names) inventory for the selected folder location.

5. Click the **Gold SDS icon** alongside the Cat Name (product) to load the hazard summary report.



6. The Gold SDS document displays. Golds will only show for client domains that have subscribed to Chemwatch Golds.

7. The track button will identify folder locations where the product is located by highlighting the respective folder(s).



Copyright©2025 by Chemwatch. All Rights Reserved

A Gold SDS is a Chemwatch independently authored safety data sheet which contains the latest regulatory compliance classifications. All formats support GHS, REACH, Chinese, Japanese, Korean, NZ, etc, in almost 50 languages. All Gold SDS are **colour coded** in accordance with the Chemwatch hazard rating criteria for flammability, toxicity, body contact, reactivity, and chronicity.

Colour	Icon	Hazard Rating
Grey		None
Blue		Low
Yellow		Moderate
Orange		High
Red		Extreme

1.1.3 Viewing Mini Document


A Mini SDS is accessible through the Mini document icon on the New Simple Manifest UI grid view with a single click on the Mini Documents icon .

> A Mini SDS is a Chemwatch hazard summary document. Only customers' domains that subscribe to Chemwatch Golds will be able to view the GHS Mini. This attribute is based on Prefer Gold or Force Gold feature. A Regular Mini is based on VGD (Vendor Generated Data) and is dependent on availability of a Vendor SDS data extraction.

Steps: Viewing Mini SDS


1. Open home module .
2. Default feature metre level 1 – Simple.
3. Click on folder location.

Copyright©2025 by Chemwatch. All Rights Reserved




4. The new simple Manifest UI grid display is based on the products (Cat Names) inventory for the selected folder location.

5. Click the **Mini SDS icon** alongside the Cat Name (product) to load the hazard summary report.



6. The Mini SDS document displays. Minis will be shown for clients domains that have subscribed to Chemwatch Golds and will be able to switch between the Regular Mini and the GHS mini.

7. The track button will identify folder locations where the product is located by highlighting the respective folder(s).



Copyright©2025 by Chemwatch. All Rights Reserved

A Mini SDS is a Chemwatch independently authored hazard summary data sheet, commonly used in emergency situations as a quick reference document. All formats support GHS, REACH, Chinese, Japanese, Korean, NZ, etc., in almost 50 languages. All Mini SDS are **colour coded** in accordance with the Chemwatch hazard rating criteria for flammability, toxicity, body contact, reactivity, and chronicity.

Colour	Icon	Hazard Rating
Grey		None
Blue		Low
Yellow		Moderate
Orange		High
Red		Extreme

The next sections of this guide cover the following objectives:

WHAT YOU'LL LEARN

- How to search for materials and display SDS
- How to create folder structure
- How to set folder properties
- Generate basic reports using Report Generator
- Create advanced template(s) to generate reports using Report Generator
- How to use the Intray module
- Create forms using Form Builder to generate data
- How to use the Query Builder to create advanced search queries
- Preferred Names and Part Numbers

Copyright©2025 by Chemwatch. All Rights Reserved

2.0 Search, Create Folders, Add Materials, Edit Quantities and Create Export Report

This chapter will cover the following main objectives;

WHAT YOU'LL LEARN

- Search for material to display SDS
- Create Manifest
- Add materials into folders
- Edit quantities
- Create export report


2.1 Search for Materials

This topic will cover the following objectives;

WHAT YOU'LL LEARN

- Search for material to display a Gold SDS
- Search for material to display a Vendor SDS
- Search for material to display a Mini SDS
- Search for material to display a label
- Search for material to display Emergency Report
- Search for material to display a TREM Card
- Search for material by Cat Name
- Search for material by Vendor Name
- Search for material from OWN Inventory
- Search for material to display a Vendor SDS
- Search for material using Advanced options

The search for materials can be achieved through the following search mode options available in the search panel.



Copyright©2025 by Chemwatch. All Rights Reserved

Search Option	Details
Simple Search	Search for materials by material name or product name, CAS No. or CW No.
Advanced Search	Search for materials by name, CAS No, CW No, CAS No (Ingredient In), DG Class, Packing Group, R-Code, Sub-Risk, UN No, EINECS, Part No, Vendor, Structure, Poison Schedule, Cat No. and Hazard Rating.
Query Builder	Search for materials by using an existing query (determined by the type of operators and query string). Note that a query must first be created before conducting any subsequent searches.


2.1.1 Search by Material Name

The following illustrates the sequence of steps on **how to use the simple search autocomplete method**, to look up for a Vendor SDS by Material (Chemwatch) Name from the full Chemwatch database collection Full Own.

If the material or chemical or product is available, a search list result will display, however, if no material is found, the search result will display the message "no records found". In this case, send a request to upload Vendor SDS through the email address below and ensure to attach the latest version of the SDS; msdsuploads@chemwatch.net.


Steps: Searching by Material Name

1. In **Home module**, press the Simple search tab (if it's not already the default mode).
2. Press the '**Vendor SDS**' button from the SDS panel to set the type of document.
3. Click the '**Full**' option in the Search panel to set the database path to the Full collection to look up for the Vendor SDS from the Chemwatch full database.



4. Type the **material or chemical name** in the Name/CAS free text field.
5. **Select the material or chemical name** from the autocomplete search list panel. In this case, acetone is used to demonstrate the steps.

Copyright©2025 by Chemwatch. All Rights Reserved




6. **Select the name of the material** by a specific vendor of interest to display a list of available multiple vendors.




7. **Select the country checkbox** by a clicking on the respective checkbox from the sidebar filter.

In this worked example, the search criterion is set to look up for SDS for any country Any and any language Any and therefore the search results table contains any SDS from any country/language. In your organisation, you may have country and language already set users, if such is the case, then you will only get search results relevant to your filters set by the administrator. However, there's also an option to set the country and language within the search panel before performing the search to ensure that your search results are drawn from the database based on your search criterion.

Copyright©2025 by Chemwatch. All Rights Reserved




8. **Filter your searched document** (Vendor SDS) **list** by using the language specific checkbox filter to narrow the search, if your language is not showing on the default language list, click on "More" to select a desired language and click apply. Note that you can select more than one language.




9. **Select the name of the document** by a specific vendor of interest to render (display or load) the Vendor SDS document). The worked example filters are set for "the latest Australian, English Vendor SDS" as shown below.

Copyright©2025 by Chemwatch. All Rights Reserved



10. The vendor SDS is displayed.




11. Print, save or email the SDS.

2.1.1.1 Display other SDS Type of Documents and Labels

The SDS and Labels Panel

The SDS and Labels panel contains various types of buttons that enable users to select a particular document type, such as Vendor SDS in order to display a specific report for a material. These types of documents are summarized in the table below.

Copyright©2025 by Chemwatch. All Rights Reserved




Panel	Document Type	Use
SDS and Labels panel	Vendor SDS, Gold SDS, Mini SDS, Labels and Emergency Reports	To enable user to select a document type of button in order to display the respective document.

Below are further descriptions of each type of document (Gold SDS, Vendor SDS, Mini SDS, Labels and Emergency reports).

Doc Type	Description
Gold SDS	**Gold SDS** A Gold SDS is a Chemwatch independently authored safety data sheet which contains the latest regulatory compliance classifications. All regulated formats support GHS, REACH, Chinese, Japanese, Korean, NZ, etc, in almost 50 languages. All Gold SDS are colour coded in accordance with the Chemwatch hazard rating criteria; flammability, toxicity, body contact, reactivity and chronic, concluded as; Minimum/Non-hazardous Low Moderate High Extreme An example Gold SDS report is available for reference in the appendix of this guide.
Vendor SDS	**Vendor SDS** A Vendor SDS is a manufacturer's safety data sheet for the product sold in the global market place. This type of document is subject to legal interpretation where applicable. The latest vendor SDS has to be not more than five years old to meet compliance requirements (must be up to date). A sample Vendor SDS example report is available for reference in the Appendix.
Mini SDS	**Mini SDS** Gold SDS is a Chemwatch independently authored safety data sheet which contains the latest

Copyright©2025 by Chemwatch. All Rights Reserved

Doc Type	Description
	regulatory compliance classifications. All regulated formats support GHS, REACH, Chinese, Japanese, NZ, etc, in almost 50 languages. All Gold SDS are colour coded in accordance with the Chemwatch hazard rating criteria; flammability, toxicity, body contact, reactivity and chronic, concluded as; Minimum/Non-hazardous Low Moderate High Extreme A sample Mini SDS example report is available for reference in the Appendix.
Labels	**Labels** These types of labelling templates are created by Chemwatch to make them available for use. They come in various formats and languages, sizes, etc. Most are designed in A4 legal page; however, a user defined customization module, DGEN is available to create new templates that meet specific compliance requirements with a variety of datapoints to draw information from when generating labels or scientific documents . Examples of Label templates are available for reference in the Appendix.
Emergency	 Emergency response documents are generated for all chemicals in the system. If data extraction has not been carried out, then those types of chemicals will not display any emergency reports. However, user defined data extraction can be used to extract classification data and then generate the respective type of emergency report; First Aid, Spills, Advice to Doctor, PPE, Toxicological, Fire Fighting, CHINA, Environmental, SOP, ERG and Monographs. More information on Emergency Reports is available for reference in the appendix of this guide.


Copyright©2025 by Chemwatch. All Rights Reserved

Doc Type	Description
	 Examples of emergency reports are available for reference in the appendix.


Displaying the Document Type from the SDS and Labels Panel

The flow charts below illustrate how to display a type of document.

Search for Material Flowchart



Material View from a Folder



2.1.1.1.1 Search for Material to Display a Gold SDS

The following steps demonstrate how to use the simple search autocomplete method, to search for a material from the full Chemwatch database collection to display a Gold SDS.


Copyright©2025 by Chemwatch. All Rights Reserved

If the material or chemical or product is available, a search list result will display, however, if no material is found, the search result will display the message "no records found". In this case, send a request to customerservice@chemwatch.net to get a Gold SDS authored. Note that this task may incur costs.


Steps: Searching for Material to Display Gold SDS

In the **Home module**, select the Simple search tab (if it's not already the default mode).

1. Press the **Gold SDS button** from the SDS panel to set the type of document.
2. Click the '**Full**' option in the Search panel to set the database path to the Full collection to look up for the Vendor SDS from the Chemwatch full database.




3. Type the **material or chemical name** in the Name/CAS free text field.
4. Select the **material or chemical name** from the autocomplete search list panel. In this case, acetone is used to demonstrate the steps.




5. Select **the name of the material** by a CW number to display the Gold SDS (if available).

Copyright©2025 by Chemwatch. All Rights Reserved




The Gold SDS depends on whether Chemwatch has authored the Gold SDS) and if available, the Gold button will be displayed on the material's search results table as shown below with a tag description for "**Chemwatch classification availability**".



6. **The Gold SDS document** will be rendered (displayed or loaded) on screen. Wait until the rendering of the Gold SDS is completed.

The **Gold SDS country, language and format** is based on the respective **SDS Settings** applied by default as per the system's profile. The example of the Gold SDS below is set to Country = Australia, Language = English and SDS Format = GHS. These settings are applied based on the business jurisdictional operations to ensure that the data meets compliance requirements for that particular country of operation. A Gold SDS can also be further customized in a few sections; some of the customisation include; Your Company Logo, First Aid Contact Information (e.g., section 4).

Copyright©2025 by Chemwatch. All Rights Reserved



ACETONE

Mera Chemicals

Chemwatch Hazard Alert Code: 3

Chemwatch: 1080
Version No: 4.1.1.1
Safety Data Sheet according to WHS and ADG requirements

Issue Date: 26/02/2018
Print Date: 06/12/2018
L.GHS.AUS.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	ACETONE
Chemical Name	acetone
Synonyms	C3-H6-O; CH3COCH3; propanone; pyroacetic acid; pyroacetic ether; 2-propanone; beta-ketopropane; methyl ketone; propan-2-one; dimethyl ketone; ketone, dimethyl ketone propane; dimethyl formaldehyde; RF Services; RCRA Waste No. U002; EM000739; APS RETL00020006 UCH00002546 RDEH06009000; SPOL00000585 AR0000006 UL0000007 M&B00004946; Ashland Acetone ECD Mobil 878033 971934; J.T.Baker Chem-Supply; Product code: 11831; Product Code: 1.00014; Product Code: 100014
Proper shipping name	ACETONE
Chemical formula	CH3COCH3
Other means of identification	1.1.1, 1.2.3, 111, 2082, 444, 56789, 578X, 97, Product Code 45
CAS number	67-64-1

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Solvent for fats, oils, waxes, resins, rubber, plastics, lacquers. Used in manufacture of methyl isobutyl ketone, mesityl oxide, acetic acid, diacetone alcohol, isoprene. Used in solvent extraction processes. Solvent in the manufacture of explosives and rayon. Component of adhesives, glues, cleaning solvents, lacquer thinners, nail polish, paint removers. Storing acetylene gas (takes up about 24 times its volume of the gas). Purifying paraffin and biomedical hardening and dehydrating tissues. Minor food additive, permitted in USA.

Details of the supplier of the safety data sheet

Registered company name	Mera Chemicals	Chem-Supply
Address	34 Law Court West Sunshine VIC 3020 Australia	38 - 50 Bedford Street GILLMAN SA 5013 Australia
Telephone	+613 9311 4244/0417 339927	+61 8 8440 2000
Fax	+613 9311 3755	+61 8 8440 2001
Website	Not Available	https://www.chemsupply.com.au
Email	info@merachemicals.com.au	info@chemsupply.com.au

Emergency telephone number

Association / Organisation	Not Available	Not Available
Emergency telephone numbers	Not Available	Not Available
Other emergency telephone numbers	Not Available	Not Available

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

HAZARDOUS CHEMICAL. DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

CHEMWATCH HAZARD RATING 3

	Min	Max
Flammability	3	
Toxicity	1	
Body Contact	2	
Reactivity	1	
Chronic	0	

0 = Minimum
1 = Low
2 = Moderate
3 = High
4 = Extreme

NFPA 704 diamond

Note: The hazard category numbers found in GHS classification in section 2 of this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Health Red = Fire Yellow = Reactivity White = Special (Oxidizer or water reactive substances)

Poisons Schedule	S5
Classification [1]	Flammable Liquid Category 2, Specific target organ toxicity - single exposure Category 3 (narcotic effects), Eye Irritation Category 2A
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HSIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI

Label elements



Hazard pictogram(s)

7. Apply Gold SDS filters; **Country, Language, SDS Format** or use the **Advanced** filters for your specific jurisdiction if not already set for you by default by the ADM/SDM.



Filter	Document List Toolbar Feature Description
Country	Filter the Gold SDS by a specific country. When a country is selected, this will also trigger the language(s) to be applied in the language filter field. The list of available countries is provided in the Appendix. For example, if Canada is selected, two languages (English-this is the default, French – this is the secondary language) will be available to choose from the language filter option as shown below.


Copyright©2025 by Chemwatch. All Rights Reserved

Filter	Document List Toolbar Feature Description
	
Language	Filter the Gold SDS by a specific language. The language displayed will be dependent on the selected country. The list of available languages is provided in the Appendix.
GHS/Local	Set the applicable Gold SDS format based on jurisdictional operation; GHS or Local. The Gold SDS will in turn render the applicable classification information. Notice section 2 of the SDS will apply the corresponding classification criteria.
	
Advanced Setting	Based on the default SDS Settings, select required information by marking respective checkbox(es) from the two columnar settings; SDS Settings, Jurisdiction Settings. 

Copyright©2025 by Chemwatch. All Rights Reserved

Gold SDS Sections

Quick Access to specific section of the Gold SDS can be found through the Sections icon located on the top left corner of the Gold SDS. Select the Sections icon to go the respective section of the document.




Change the Font Size (**Small -** default), Normal, Large), choose the visual appearance setting (Base, Vanilla).

Displaying **Large font** on a Gold SDS

The Gold SDS default font size in this case is set to “Small”. Selecting the large font size will increase the font size of the content as depicted below.

Copyright©2025 by Chemwatch. All Rights Reserved



ACETONE

Mera Chemicals

Chemwatch Hazard Alert Code: 3

Chemwatch: **1090**
Version No: **4.1.1.1**
Safety Data Sheet according to WHS and ADG requirements

Issue Date: **25/02/2016**
Print Date: **11/12/2018**
L.GHS.AUS.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	ACETONE
Chemical Name	acetone
Synonyms	C3-H6-O; CH3COCH3; propanone; pyroacetic acid; pyroacetic ether; 2-propanone; beta-ketopropane; methyl ketone; propan-2-one; dimethyl ketone; ketone, dimethyl ketone propane; dimethyl formaldehyde; RF Services; RCRA Waste No. U002; EM000739; APS RETL00020006 UCH00002546 RDEH06009000; SPOL00000585 AR0000006 UL0000007 M&B00004946; Ashland Acetone ECD Mobil 878033 971934; J.T.Baker Chem-Supply; Product code: 11831; Product Code: 1.00014; Product Code: 100014
Proper shipping name	ACETONE
Chemical formula	CH3COCH3
Other means of identification	1.1.1, 1.2.3, 111, 2082, 444, 56789, 578X, 97, Product Code 45
CAS number	67-64-1


Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Solvent for fats, oils, waxes, resins, rubber, plastics, lacquers. Used in manufacture of methyl isobutyl ketone, mesityl oxide, acetic acid, diacetone alcohol, isoprene. Used in solvent extraction processes. Solvent in the manufacture of explosives and rayon. Component of adhesives, glues, cleaning solvents, lacquer thinners, nail polish, paint removers. Storing acetylene gas (takes up about 24 times its volume of the gas). Purifying paraffin and biomedical hardening and dehydrating tissues. Minor food additive, permitted in USA.

Details of the supplier of the safety data sheet

Display Vanilla visual appearance on a Gold SDS

The Gold SDS vanilla appearance will remove the colour coded separators (table/lines) from the sections' headers, etc.



ACETONE

Mera Chemicals

Chemwatch Hazard Alert Code: 3

Chemwatch: **1090**
Version No: **4.1.1.1**
Safety Data Sheet according to WHS and ADG requirements

Issue Date: **25/02/2016**
Print Date: **11/12/2018**
L.GHS.AUS.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name: ACETONE
Chemical Name: acetone
Synonyms: C3-H6-O; CH3COCH3; propanone; pyroacetic acid; pyroacetic ether; 2-propanone; beta-ketopropane; methyl ketone; propan-2-one; dimethyl ketone; ketone, dimethyl ketone propane; dimethyl formaldehyde; RF Services; RCRA Waste No. U002; EM000739; APS RETL00020006 UCH00002546 RDEH06009000; SPOL00000585 AR0000006 UL0000007 M&B00004946; Ashland Acetone ECD Mobil 878033 971934; J.T.Baker Chem-Supply; Product code: 11831; Product Code: 1.00014; Product Code: 100014
Proper shipping name: ACETONE
Chemical formula: CH3COCH3
Other means of identification: 1.1.1, 1.2.3, 111, 2082, 444, 56789, 578X, 97, Product Code 45
CAS number: 67-64-1

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Solvent for fats, oils, waxes, resins, rubber, plastics, lacquers. Used in manufacture of methyl isobutyl ketone, mesityl oxide, acetic acid, diacetone alcohol, isoprene. Used in solvent extraction processes. Solvent in the manufacture of explosives and rayon. Component of adhesives, glues, cleaning solvents, lacquer thinners, nail polish, paint removers. Storing acetylene gas (takes up about 24 times its volume of the gas). Purifying paraffin and biomedical hardening and dehydrating tissues. Minor food additive, permitted in USA.

Details of the supplier of the safety data sheet

Registered company name	**Mera Chemicals**	**Chem-Supply**
Address	34 Law Court West Sunshine VIC 3020 Australia	38 - 50 Bedford Street GILLMAN SA 5013 Australia
Telephone	+613 9311 4244|0417 339927	+61 8 8440 2000
Fax	+613 9311 3755	+61 8 8440 2001
Website	Not Available	https://www.chemsupply.com.au
Email	info@merachemicals.com.au	info@chemsupply.com.au

Emergency telephone number

Association / Organisation	**Not Available**	**Not Available**
Emergency telephone numbers	**Not Available**	**Not Available**

United Kingdom and Great Britain Update


Great Britain (GB SDS) has been created **due to Brexit**. However, Northern Ireland chemical regulations are still subject to EU laws. As such, we have updated SDS formats - the previous United Kingdom SDS format has been renamed United Kingdom (Northern Ireland), and we

Copyright©2025 by Chemwatch. All Rights Reserved

have also added the new jurisdiction, Great Britain, which will cover England, Scotland and Wales.

The **SDS Settings** mode enables the domain administrator to set specific Gold SDS settings and jurisdictional attributes. This mode contains a number of tabs such as the **SDS Options** tabs, where the Gold SDS settings below can be applied across the system.

The **Gold SDS** is a Chemwatch dynamic generated document and its content is dependent on the administrative parameters set for the specific domain and the format display based on the country setting in conjunction with the SDS specific settings and the jurisdictional settings.



The following table summarises the main SDS Options' parameters for Great Britain (GB SDS).

Copyright©2025 by Chemwatch. All Rights Reserved


Format SDS Setting

When a format setting from the drop-down list option is selected (active), what will the SDS settings show on the Gold SDS when rendered?

Country


Set the specific country to Great Britain from the drop-down options to apply setting for the Gold SDS. When these changes are set, these specific settings will be automatically set to be the default for the corresponding Language and SDS Format settings. This sets the hazard classification system applicable to that particular country. See example below; where when the country is set to Great Britain, the Language is automatically set to English and SDS Format is automatically set to REACH.

Country	Language(s)	SDS Format
Great Britain	English	REACH




Note that the selected country and language are going to be the preset values for the Report Generator's Basic and Advanced tabs. More details are available in the administrative settings guide. Only the domain administrator has full access to the SDS settings mode and has the right to assign other users to set their own SDS settings for their user profiles such as the subdomain user.

When the Gold SDS is rendered, the respective Gold SDS toolbar will reflect the current active settings at the top of the user interface with Country, language and SDS format applied as shown in the next page image.




Copyright©2025 by Chemwatch. All Rights Reserved

Gold SDS Section 2: Hazard Identification



SDS Template Update for Great Britain and Mexico


Minor update on Great Britain SDS template on Sections 2 and 3 to draw classification from GB-CLP Regulation, UK SI 2019/720 and UK SI 2020/1567. Minor update on Mexico to show “Other hazards” that do not contribute to the classification, in section 2.3 of the SDS.



Copyright©2025 by Chemwatch. All Rights Reserved

Note that the “Show other Hazards” tick box is located in the SDS Settings to enable the information to show on your Mexico SDS.


Open Gold SDS for Mexico country to view data in section 2 and 3.




Country “Egypt and Arabic Language Added

In SDS selection, now includes an option for Egypt. The **Country drop-down list** provides users with available supported countries to select and apply the respective country and language to set the Gold SDS.

Copyright©2025 by Chemwatch. All Rights Reserved



For example, when country "**Egypt**" is applied, the GoldSDS will be rendered in "**Arabic**" language as shown below.



New Zealand GHS Revision 7

As per EPA Hazardous Substances (Hazard Classification) Notice 2020, New Zealand has moved to GHS Revision 7. The update includes changes to Hazard Classifications that are:

Copyright©2025 by Chemwatch. All Rights Reserved


- Newly adopted such as; Flammable Gas Category 1A, Flammable Gas Category 1B, Aerosols Categories 1, 2 and 3, Desensitised Explosives Categories 1, 2, 3 and 4.
- No longer adopted such as; Flammable Gas Category 1, Acute Toxicity Category 5, Skin Irritation Category 3, Acute Aquatic Hazard Categories 2 and Category 3.
- Group Standards have been updated to follow 2020 Group Standards.
- P Codes and its phrases have been updated to follow GHS Revision 7.

As per The Consolidated EPA Notice Hazardous Substances (Safety Data Sheets) Notice 2017, there is a minor template update regarding applicable tolerable and environmental exposure limits under Section 15 of the SDS; and HSNO Codes are no longer mandatory to show on the SDS. The SDS Settings mode enables the domain administrator to set specific SDS settings for country, language, SDS format, etc. and Jurisdictional settings attributes. Therefore, we have added in the Jurisdiction Settings, a checkbox to allow users to hide HSNO Code from the SDS.

If the "Show HSNO Code" jurisdictional setting checkbox is unchecked, this attribute will automatically hide the HSNO Code from the SDS.

Steps: Applying Jurisdictional Setting to Show HSNO Code from the SDS

1. Click the **Settings link** Settings.
2. Press the **SDS Settings button** from the vertical panel on the left-hand side of the user interface.
3. **SDS Options** tab is displayed as the default settings tab.
4. Select **Country** (New Zealand).
5. Select **Language** (English).
6. **SDS Format** gets locked in automatically as its link to the selected country (New Zealand).
7. Click the **Show HSNO Code** checkbox.
8. Press the **Save button.**




Copyright©2025 by Chemwatch. All Rights Reserved


The steps below follow the above activity to show how the HSNO code display in the SDS.

Steps: Display HSNO Code from the SDS

9. Click the **Back Home page** button (link) Back .
10. Press the **Gold SDS button** from SDS and Labels panel.
11. Select **Own** search reference path from the search panel.
12. Type the **Material Name** (or product name) **in the search text field**
13. Click on the **Magnifying Glass** or use the autocomplete list that get dismayed to choose material.




14. Click the **SDS Section settings menu**.
15. Select **Section 15 (Regulatory) of the SDS.**
16. Notice the information provided in Section 15 of the SDS – HSNO Act – Classification of Chemicals shown.




PBT/vPvB Criteria as part of EU Revision 7 Update

Under Commission Regulation (EU) 2020/878 information of substances that meet the criteria for Persistent, Bioaccumulative and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) needs to be provided under “Other hazards” in section 2.3 of the SDS. This is available for pure chemicals.

Copyright©2025 by Chemwatch. All Rights Reserved



This update also affects the Japan SDS template.




New Countries Added – Tunisia and Sri Lanka

Two new countries have been added, Tunisia and Sri Lanka.

- Tunisia has both English and Arabic language options




- Sri Lanka has English language as an option



Copyright©2025 by Chemwatch. All Rights Reserved

The Danish Shipping Names were added as part of our new Shipping Names translation. Shipping name translations (non-English) are queried using the language of the SDS and if there's more than one record, then packing group index to retrieve the respective shipping name.



2.1.1.1.2 Search for Material to Display a Vendor SDS


The steps below illustrate **how to use the simple search autocomplete method** to search for a material from the full Chemwatch database collection and display a Vendor SDS.

If the material or chemical or product is available, a search list result will display, however, if no material is found, the search result will display the message "no records found". In this case, send a request to upload Vendor SDS through the email address below and ensure to attach the latest version of the SDS: msdsuploads@chemwatch.net.


Steps: Search for Material to Display Vendor SDS

1. In the **Home module**, select (if it's not already the default mode).
2. Press the **'Vendor SDS' button** from the SDS panel to set the type of document.
3. Click the **Full** option in the Search panel to set the database path to the Full collection to look up for the Vendor SDS from the Chemwatch full database.

Copyright©2025 by Chemwatch. All Rights Reserved



4. Type the **material** or **chemical name** in the Name/CAS free text field.
5. **Select** the **material** or **chemical name** from the autocomplete search list panel. In this case, acetone is used to demonstrate the steps.




6. Select the name of the **material** by a specific vendor of interest to display a list of available multiple vendors.




7. Select the **country checkbox** by a clicking on the respective checkbox from the sidebar filter.

In this worked example, the search criterion is set to look up for SDS for any country Any and any language Any and therefore the search results table contains any SDS from any country or language. In your organisation, you may have country and language already set users, if such is the case, then you will only get the search results that are relevant to your filters set by the ADM. Otherwise, there's also an option to set the country and language before performing the search to ensure that your search results are drawn from the database based on your search criterion.

Copyright©2025 by Chemwatch. All Rights Reserved




8. **Filter** your searched document (Vendor SDS) **list** by using the language specific checkbox filter to narrow the search, if your language is not showing on the default language list, click on "More" to select a desired language and click apply. Note that you can select more than one language.



9. Select the name of the **document** by a specific vendor of interest to render the Vendor SDS document).

Copyright©2025 by Chemwatch. All Rights Reserved



10. The vendor SDS is rendered as shown below.



Generally, a Vendor SDS must have 16 sections and section 2 and 14 provides the classification in accordance with GHS and Transport regulations respectively based on the country of origin. Full details about the product name and supplier details are found in section 1 (Identification) of the manufacturer safety data sheet (Vendor SDS). For more information about the summary structure of the SDS, refer to the appendix.

11. **Print**, Download or Share the SDS.

Copyright©2025 by Chemwatch. All Rights Reserved


2.1.1.1.3 Search for Material to Display a Mini SDS

The steps below illustrate **how to use the simple search autocomplete method** to search for a material from the full Chemwatch database collection and display a **Mini SDS**.

If the material or chemical or product is available, a search list result will display, however, if no material is found, the search result will display the message "no records found". In this case, send a request to customerservice@chemwatch.net to get a Gold SDS authored. Note that this task may incur costs. Once the product is registered and has a corresponding Gold SDS, then access to generate a label will be available. However, data extraction can be used to extract user classification data and then generate a Mini SDS for a product that does not have a corresponding Gold SDS.

Steps


1. Press the **Home module** (if it's not already the default module).
2. Click the **Full** option in the Search panel to set the database path to the Full collection to look up for the Vendor SDS from the Chemwatch full database.
3. Press the **Mini SDS** button from the SDS panel to set the type of document.




A **Mini SDS** is a one-page summary report, generally useful in emergency response situations, where it provides material classification and graphics information; Ingredient(s) composition, OELs, GHS hazard classification, primary health hazard, precautions for use (PPEs), physical properties, emergency graphics, first aid and safe storage with other classified chemicals.

4. Type the **material or chemical name** in the Name/CAS free text field.
5. Select the **material or chemical name** from the autocomplete search list panel. In this case, acetone is used to demonstrate the steps.


Copyright©2025 by Chemwatch. All Rights Reserved



6. Select the name of the material by a specific CW Number to display a Gold SDS (if available).




The Mini SDS depends on the Gold SDS availability in the system (that is; if Chemwatch has authored the Gold SDS) and if available, the Gold button will be displayed on the material's search results table as shown below with a tag description for "Chemwatch classification's availability".



7. The Mini SDS document will be rendered (displayed or loaded) on screen.

The Mini SDS country, language and format is based on the respective SDS Settings applied by default as per the system's Gold SDS profile. The example of the Mini SDS below is set to Country = Australia, Language = English and SDS Format = GHS and also defaults to the Regular Mini format. These settings are applied based on the business jurisdictional operations to ensure that the data meets compliance requirements for that particular country of operation.

Copyright©2025 by Chemwatch. All Rights Reserved




8. Select the language drop-down arrow and set the Language to render the Mini SDS content in another language, e.g., French



A French Mini SDS is displayed below.

Copyright©2025 by Chemwatch. All Rights Reserved



2.1.1.1.4 Search for Material to Display a Label


The following steps demonstrate how to use the simple search autocomplete method to search for a material for a material from the full Chemwatch database collection to display a label using the one of the Chemwatch default templates.

If the product is registered and has a corresponding Gold SDS, then access to generate a label will be available. However, data extraction can be used to extract user classification data and then generate label for a product that does not have a corresponding Gold SDS.


Steps

1. In the **Home module**, select the Simple search tab (if it's not already the default mode).
2. Click the **Full** option in the Search panel to set the database path to the Full collection to look up for the Vendor SDS from the Chemwatch full database.
3. Press the **Labels** button from the SDS panel to set the type of document .


Copyright©2025 by Chemwatch. All Rights Reserved



4. Type the **material** or **chemical name** in the Name/CAS free text field.
5. Select the **material** or **chemical name** from the autocomplete search list panel. In this case, acetone is used to demonstrate the steps.




6. Select the name of the **material** by a specific CW Number to display the Gold SDS.



The Mini SDS depends on the Gold SDS availability in the system (that is; if Chemwatch has authored the Gold SDS) and if available, the Gold button will be displayed on the material's search results table as shown below with a tag description for "Chemwatch classification availability".


Copyright©2025 by Chemwatch. All Rights Reserved



7. Select the name of the **Label template** from the default label gallery, e.g., GHS 4 per A4_Portrait in page 1 of the default gallery has been selected for this illustration.

A list of Chemwatch default label templates available in the system for your use is provided in the appendix for further information on label templates' names and corresponding sizes.


8. The label gets displayed. Select the **language drop-down arrow** to set a different language from the listed options.



2.1.1.1.5 Search for Material to Display an Emergency Report


The steps below show **how to use the simple search autocomplete method** to search for a material from the full Chemwatch database collection to display any of the available Emergency **Report types:** First Aid, Spills, CHINA, Advice to Doctor, Fire Fighting, SOP, Toxicological, ERG (Emergency Response Guide), AERG (Australian Emergency Response Guide), Environmental, Transport or Monographs).

Copyright©2025 by Chemwatch. All Rights Reserved




Steps: Search and Display Emergency Report

1. In the **Home module**, select the Simple search tab (if it's not already the default mode).
2. Click the **Full** option in the Search panel to set the database path to the full collection to look up for the Vendor SDS from the Chemwatch full database.
3. Press the **Emergency button** from the SDS and Labels panel to set the type of Emergency document, e.g. First Aid.
4. Press the **First Aid** button.




5. Type the **material** or **chemical name** in the Name/CAS free text field.
6. Select the **material** or **chemical name** from the autocomplete search list panel. In this case, acetone is used to demonstrate the steps.


Copyright©2025 by Chemwatch. All Rights Reserved



7. Select the name of the **material** by specific CW Number to display the respective selected type of Emergency report.



The Mini SDS depends on the Gold SDS availability in the system (that is; if Chemwatch has authored the Gold SDS) and if available, the Gold button will be displayed on the material's search results table as shown below with a tag description for "Chemwatch classification availability".




8. The **Emergency** Report gets rendered on the screen.

The Emergency Report is based on the respective Gold SDS Settings applied by default as per your system's profile.

9. Select the **language drop-down arrow** and set the Language to render the Mini SDS content in another language of choice.

Copyright©2025 by Chemwatch. All Rights Reserved



To display other types of emergency reports, follow the same steps above and ensure to select the respective emergency report button in step 4 above. Examples of samples of the various types of emergency reports are available in the appendix.

2.1.1.1.6 Search for Material to Display an Emergency Report TREM Card

A **TREM Card** is a Transport Emergency Card used for providing emergency information for dangerous goods in transit. Generally, a TREM Card may contain the following information.

- Road transport standard(s) or Dangerous Goods classification
- Proper Shipping Name
- Appearance
- Potential Hazards
- Personal Protective Equipment
- Driver Intervention Equipment
- Driver First Actions, in case of a fire
- First Aid
- Emergency Telephone numbers
- Preparation Date

Note that countries may have their own specific TREM Cards within their jurisdictions. Consult with your regulator to find out more about transport emergency cards required in your country. Once you have the information, you can create a label (custom document) that can be used within your system or simply contact your customer service department account manager (customerservice@chemwatch.net) for more information.

Copyright©2025 by Chemwatch. All Rights Reserved


The example below is a **TREM Card** customized for the purpose of demonstrating how to search for a dangerous good to generate a transport emergency card if available in your domain account.

Steps: **Search and Display TREM Card**

1. In the **Home module**, select the Simple search tab (the default search mode).
2. Press the **Emergency** button from the SDS and Labels panel to set the type of Emergency document.
3. Press the **TEC** button, e.g., Transport button is displayed if available for your domain account.
4. Click the **Full** button from the Search panel to set the database path to the Chemwatch collection.
5. Type the **material** or **chemical name** in the Name/CAS free text field.
6. Click the search button.
7. Select the name of the **material.**




The **TREM Card** depends on the Gold SDS availability in the system (that is; if Chemwatch has authored the Gold SDS for the material) and if available, the Gold button will be displayed on the material's search results table as shown below with a tag description for "Chemwatch classification availability".




8. Type the **user input data in the** free text fields; reference number person's name and a brief note.
9. Click the **Save** button.

Copyright©2025 by Chemwatch. All Rights Reserved



10. The **TREM Card** emergency report gets displayed.

The **Emergency Report** is based on the respective Gold SDS Settings applied by default as per your system's profile; for example, check your SDS Settings country assignment with your administrator if a TREM card is available for your jurisdiction in the system.



2.1.2 Search for Material by Cat Name


The steps below show **how to use the simple search autocomplete method** to search for a material by Cat Name from the full Chemwatch database collection to display a Vendor SDS.

Copyright©2025 by Chemwatch. All Rights Reserved


If the product is available, a search list result will display material/cat name(s), however, if no product is found, the search result will display the message "no records found". In this case, send a request to upload Vendor SDS through the email address below and ensure to attach the latest version of the SDS: msdsuploads@chemwatch.net.

Steps: Search for Material using Autocomplete

1. In the **Home module**, select the Simple search tab (if it's not already the default mode).
2. Press the **Vendor SDS** button from the SDS panel to set the type of document.
3. Click the **Full** option in the Search panel to set the database path to the Full collection to look up for the Vendor SDS from the Chemwatch full database.



4. Type the **Cat Name** in the Name/CAS free text field.
5. Select the **Product** name from the autocomplete search list panel. In this case, acetone is used to demonstrate the steps.




6. Select the **Product name** by a specific vendor of interest to display a list of available multiple vendors.

Copyright©2025 by Chemwatch. All Rights Reserved




7. Select the **Product name of the document** by a specific vendor of interest to render (display or load) the Vendor SDS document.




8. **Filter** your searched document (Vendor SDS) **list** by using the language specific checkbox filter to narrow the search, if your language is not showing on the default language list, click on "More" to select a desired language and click apply. Note that you can select more than one language.

Copyright©2025 by Chemwatch. All Rights Reserved




9. Select the name of the **document** by a specific vendor of interest to render (display or load) the Vendor SDS document), The worked example filters are set for "the latest Australian, English Vendor SDS" as shown below.



10. The vendor SDS is displayed showing the Cat Name (Product Name) in section 1.

Copyright©2025 by Chemwatch. All Rights Reserved



Generally, a **Vendor SDS must have 16 sections** and section 2 and 14 provides the classification in accordance with GHS and Transport regulations based on the country of origin. Full details about the product name and supplier details are found in section 1 (Identification) of the manufacturer safety data sheet (Vendor SDS). For more information about the summary structure of the SDS, refer to the appendix.

2.1.3 Search for Material by Vendor Name

The steps below illustrate **how to use the Advanced Search method** to search for a Vendor SDS from the full Chemwatch database collection by Vendor Name.

A **Vendor** is also known as a **manufacturer or supplier**. It is the responsibility of the manufacturer of the chemical (product) to author and provide a valid safety data sheet that is compliant regulatory requirements as per jurisdictional instruments, such as a compliant SDS to GHS. Check with your regulator to ensure you have or use the applicable compliant SDS or refer to the code of practice for SDS within your jurisdiction or state. In general, a Vendor SDS must have 14 sections.


Steps: Search for Material by the Name of the Vendor (Manufacturer)

1. Press the **Home** module button.
2. Press the **Advanced tab** from the Search Panel.
3. Click on the **Full** button from the search panel to set the database look up path to the full Chemwatch collection.
4. Click the **Vendor SDS** button to set the type of document.

Copyright©2025 by Chemwatch. All Rights Reserved




5. Set the database path by selecting "**Full**" or Own" option. In this example, the Full option is used.
6. In the Search Panel, type the **name of the Vendor** in the vendor text field.
7. A list of available **vendor group names** (records) display to choose from the list. You may use the vertical scrollbar to navigate through the list until you can identify the desired vendor group name. Select the applicable vendor.




8. A list of available **material records** displays to filter further if required to simply the list of documents (SDS) by Vendor, Country, Language(s) and Tags (where available). Select the applicable document name to display the required vendor SDS.

Copyright©2025 by Chemwatch. All Rights Reserved




Filter your searched document (Vendor SDS) **list** by using the country and/or language specific checkbox filter to narrow the search, if your country and/or language is not showing on the default country and/or language list on the grid, click on "More" to select the desired country and/or language filter checkboxes and click apply. Note that you can select more than one country or language. In this worked example, Country and Language are filtered for Australia and English respectively.




Copyright©2025 by Chemwatch. All Rights Reserved

9. Select ⊙ the **Material Name** alongside the row for the desired specific Vendor name from the filtered (by vendor, country, language) search results list




10. Use the pagination (at the top of the window) to find respective document name. Click on the page number(s) to display more records.




11. The selected vendor SDS is displayed.

Copyright©2025 by Chemwatch. All Rights Reserved



12. **Print**, Download or Share Vendor SDS.



2.1.4 Search by Cat Name and Vendor Name

A **Cat Name** is the catalogue (product) name. A vendor is also known as a supplier or manufacturer.


The steps below demonstrate how to search for material produced by a specific vendor.

Steps: Search by Cat Name and Vendor Name


1. Press the **Home** module button.
2. Click the **Full** button from the search panel to set the database look up path to the full Chemwatch collection.

Copyright©2025 by Chemwatch. All Rights Reserved

3. Click the **Vendor SDS** button to set the type of document.
4. Type the **Product Name** in the Name/CAS text field containing the vendor's name.
5. A list of available **material records displays** to filter by specific vendor as per the vendor group (parent manufacturer), country and language.




6. Select the **Country** checkbox to filter by specific country of SDS.
7. Select the **Language** checkbox to filter by specific language of SDS.



8. The selected material name will show the available documents (Vendor SDS) available for that material. The Issue Date filter can also be used to look up for specific Vendor SDS by date range (from and to) from the calendar icons.

Copyright©2025 by Chemwatch. All Rights Reserved



9. The selected **vendor SDS** gets displayed.
10. **Print**, Download or Share Vendor SDS. Use the clear button from the search panel to clear the current actions.



Copyright©2025 by Chemwatch. All Rights Reserved


2.1.5 Search for Material from your OWN Inventory

The following steps illustrate how to use the simple search autocomplete method to search for a Vendor SDS by material name from your **Own** inventory.


Setting the **Own** Search option will direct all subsequent searches to be conducted from your organization's inventory registered in the Chemwatch full database collection.

Steps: Autocomplete Search from Own

1. In the **Home module**, select Simple search tab (if it's not already the default mode).
2. Select the **OWN** option to set the database path in order to look up for the Vendor SDS from your inventory located within the Chemwatch collection.
3. Press the **Vendor SDS button** from the SDS panel to set the type of document.




4. Type the **material** or **chemical name** in the Name/CAS free text field.
5. Select the **material** or **chemical name** from the autocomplete search list panel. In this case, acetone is used to demonstrate the steps.




Take note that the autocomplete list will display a smaller number of results compared to a full search as your own organisation's inventory is a lot smaller than the Chemwatch full collection.

Copyright©2025 by Chemwatch. All Rights Reserved


6. Select the **material name** if it is the only vendor record found. However, if there's more than one Vendor SDS, a multiple button will show on the grid alongside the same row for the material found in your own inventory. Select the Multiple button to display a list of available multiple vendor documents for this material.



7. Select the **name of the document** by a specific vendor of interest to render (display or load) the Vendor SDS document. The Vendor SDS record will show the Issue Date and the Data Extraction Date conducted by Chemwatch.




8. The **document list** will be displayed in the grid for any available SDS document details based on current filters; i.e., Name, Vendor, Document Type, Language, Country, Source and Issue Date on the grid. The current filters are shown on the right-hand side panel.



9. The **Vendor SDS** is displayed.

Copyright©2025 by Chemwatch. All Rights Reserved



2.1.6 Advanced Search Options


This Advanced Search topic will cover the following objectives;

→ Search for material by CAS Number
→ Search for material by Chemwatch Number
→ Search for material by CAS No (IngredientIn)
→ Search for material by Poison Schedule
→ Search for material by Molar Concentration

WHAT YOU'LL LEARN

The **Advanced Search** method allows user to search by generic names of products, chemicals, pure substances, synonyms, part numbers, preferred names, CAS numbers, CW numbers, DG class, Risk Code, Packing Group, Sub Risk, UN No., Poison Schedule and Molecular Structure.

Copyright©2025 by Chemwatch. All Rights Reserved



This section covers the context and steps on how to use the Advanced tab of the Search Panel to search for specific materials by Name/CAS, Vendor, CW number, etc. The tables below list the search options available in the Name/CAS drop down list and their respective descriptions.

Search Option	Description	Use (Search by)
Name	Name of material	To allow user to search by the name of the material to retrieve Vendor, Mini, Gold SDS, Labels and Emergency Reports. Click the link below for further information on UIPAC names. http://www.iupac.org/home/publications/e-resources/nomenclature-and-terminology.html
CAS No	Chemical Abstract Substance Number	This is a unique numeric identifier in the CAS REGISTRY designated to a known substance. Click the link below for reference. http://www.cas.org/content/chemical-substances/faqs
CAS No (Ingredient In)	Ingredients In CAS No	Chemical Abstract Substance Number (CAS No) ingredients in material
DG Class	Dangerous Goods Class	DG Classes 1 to 9 are listed to choose the primary class field. Refer for more in the link. http://www.unece.org/trans/danger/danger.html

Copyright©2025 by Chemwatch. All Rights Reserved

Search Option	Description	Use (Search by)
CW No	Chemwatch Number	Chemwatch numbers are assigned to all materials registered in the Chemwatch database for both pure and non-pure substances.
Packing Group field (PKG)	Packing Group as per DG classification	Packing Group is the grading of danger for materials classed as dangerous goods. PG: I – Greater danger; II – Medium danger; III – Minor danger
R-Code	Risk Code	Risk code is a hazard classification used to classify a substance. Click the link download classification guide.
Sub Risk	Sub Risk	Sub Risk as per DG classification
UN No	United Nations Number	UN No is a UN four-digit identity number that identifies a hazardous substance in the international transport framework.
EINECS	EINECS number used in European countries	European Inventory of Existing Commercial Chemical Substances. These are substances considered phase-in substances under the REACH Regulation.
Part No, User Part No, Vendor	User dependent part number, vendor part number	Vendor Part number assigned to a product or User assigned Part Number
Vendor	Search for material using Vendor (Manufacturer, Supplier) name	Lists parent company and subsidiary operating businesses Lists materials available in the database by that company Access to Vendor, Mini, Gold, Labels and Emergency Reports
Structure	Draw a 2D molecular structure	Search the database by use of a chemical molecular structure. Smiles strings can be used to search for specific material.
Poison Schedule	The Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)	Poison schedule number between 1 and 10 to find available materials scheduled as medicines and poisons in the database.
Cat No	Catalog number	Product number (catalogue number)
FORMS	Forms	Search by using Forms
Ingredient Name/CAS (FD UGD)	Ingredient Name/CAS (FD User Gold Data)	A user with the privilege “Access to Full Disclosure Ingredients (UGD)” can use this feature to view those details or use that piece of data in Own search as well as the Report Generator module

Copyright©2025 by Chemwatch. All Rights Reserved

Search Option	Description	Use (Search by)
Hazard Rating	Chemwatch hazard rating	Search by Chemwatch hazard rating

The following section provides the steps on '**how to use the simple search autocomplete method**', to look up for a Vendor SDS by CAS No, CW No, Risk Code and DGC.


Setting the **OWN** Search option will direct all subsequent searches to be conducted from your inventory registered in Chemwatch's full collection. Note that this is your organisation's inventory which will always be far less than the total Chemwatch full database collection which contains millions of SDS.

2.1.6.1 Search for Material by CAS Number

The steps below show how to search for material by CAS No.


Steps: Search for Material by CAS No.

1. Select the **Home module** (if it's not already the default module).
2. Press the **Advanced tab** from the search panel.
3. Press the **Vendor SDS button** from the SDS panel to set the type of document.
4. Click the **Full** search option to look up for the Vendor SDS by CAS number.
5. Press the **Name/CAS drop-down arrow** to list the advanced search options.
6. Click the **CAS No** search option from the drop-down list to set it as the current search parameter.




7. Type the **CAS Number** in the CAS No free text field, e.g., 67-64-1 and select it from the autocomplete list (will automatically start the search).
8. Press the **Search button** (magnifying glass icon) to search for a material with this CAS No.
9. Click the **Name from the material search results** list, e.g., acetone is the returned item in the search results list showing the matching CAS Number.

Copyright©2025 by Chemwatch. All Rights Reserved



10. Click the **Name** from the **document list**, e.g., Acetone by Sigma-Aldrich (Merck) is one of the returned items in the search results list based on the matching CAS Number.



11. Vendor SDS displays in pdf format PDF .



Copyright©2025 by Chemwatch. All Rights Reserved


2.1.6.2 Search for Material by Chemwatch Number

Steps: Search for Material by CW No.

1. Select the **Home** module button (if it's not already the default module).
2. Press the **Advanced tab** from the search panel.
3. Press the **Vendor SDS button** from the SDS panel to set the type of document.
4. Click the **Full** search option to look up for the Vendor SDS by Chemwatch number.
5. Press the **Name/CAS drop-down arrow** to list the advanced search options.
6. Click the **CW No** search option from the drop-down list to set it as the current search parameter.



7. Type the **Chemwatch Number** in the CW No free text field, e.g., 1090 and select it from the autocomplete list (will automatically start the search).
8. Press the **Search button** (magnifying glass icon) to search for a material with this CAS No.
9. Click the **Name from the material search results** list, e.g., acetone is the returned item in the search results list showing the matching CAS Number.
10. Click the **Name from the document list**, e.g., Acetone by Sigma-Aldrich (Merck) is one of the returned items in the search results list based on the matching CAS Number.



11. Vendor SDS display in pdf format .

Copyright©2025 by Chemwatch. All Rights Reserved




2.1.6.3 Search for Material by CAS No (IngredientIn)

Searching by **CAS No (IngredientIn)** option enables users to search by *Chemical Abstract Substance Number Ingredient In* to identify materials containing the chemical ingredient(s) or active constituent(s).


Steps: Search for Material by CAS No (IngredientIn)

1. In the **Home module**, select the Simple search tab (if it's not already the default mode).
2. Press the **Advanced tab** from the search panel.
3. Press the **Vendor SDS button** from the SDS panel to set the type of document.
4. Click the **Full** search option from the search panel.
5. Press the **Name/CAS drop-down arrow** to list the advanced search options.
6. Click the **CAS No (Ingredient In)** advanced search option from the drop-down list to set it as the current search parameter.

Copyright©2025 by Chemwatch. All Rights Reserved



7. Type the **CAS Number** in the free text field, e.g., 75-09-2.
8. Press the **Search button** (magnifying glass icon) to search for material(s).
9. Use the side panel to filter the search results from the found list by specific vendor, country, and language.
10. Click the **Name from the material search results** list, e.g., Pyroil Citrus Brake Parts Cleaner – Aerosol.
11. Click the **Name from the document list** from the list of records found to display the specific vendor SDS in pdf format .




TRACK	PART NO.	NAME	VENDOR	TYPE	LANGUAGE	COUNTRY	SOURCE	ISSUE DATE
	123	Pyroil Citrus Brake Parts Cleaner - Aerosol	ChemWatch	SDS	ANY	ANY	Primary	01/11/2019
	123	Pyroil Citrus Brake Parts Cleaner - Aerosol VGD	Valvoline (Australia) Pty Ltd	SDS	ANY	ANY	Secondary	01/11/2019
	123	Pyroil Citrus Brake Parts Cleaner - Aerosol	Aaron Laboratories	SDS	English	Australia	Secondary	01/06/2006


Document Type
Gold
Vendor
Latest
Archived
Type
Label
Mini
Mono
Other
SDS

In this worked example, a Chemwatch SDS for ANY language and country has been selected to show an html version.

Copyright©2025 by Chemwatch. All Rights Reserved



12. Click the **Gold SDS button** from the SDS and Labels panel to open and view **Ingredients in** section 3 of the Chemwatch Gold SDS.
13. Click the **Gold SDS Settings button** to open the **Sections menu** from the settings icon
14. Select the **Ingredients** (section 3).
15. Ingredients identified in section 3 of the Gold SDs show the respective ingredients by name, CAS number (if available) and composition by % [Weight].



2.1.6.4 Search for Material by Poison Schedule


The **Poison Schedule** number is between 1 and 10 as per the SUSMP standard (Australia).

Steps: Search for Material by Poison Schedule


1. In the **Home module** , select the Simple search tab (if it's not already the default mode).
2. Press the **Advanced** tab from the search panel.
3. Press the **Vendor SDS button** from the SDS panel to set the type of document .
4. Click the **Full** search option to look up for the Vendor SDS by Chemwatch number.

Copyright©2025 by Chemwatch. All Rights Reserved

5. Press the **Name/CAS drop-down arrow** to list the advanced search options.
6. Click the **Poison Schedule** search option from the drop-down list to set it as the current search parameter.




7. Type the **Poison Schedule code** in the free text field, e.g., S5.
8. Press the **Search button** (magnifying glass icon) to search for a material(s).
9. Click the **Name from the material search results** list, e.g., porter paints pro-master 2000.
10. Click the **Name from the document list** from the list of records found to display SDS.




11. In this example, the available document is a Gold **SDS**.
12. Click the **Gold SDS Settings button** to open the **Sections menu** from the settings icon .
13. Select **Hazards Identification** (section 2) to take note of the Poison Schedule code for the material.

Copyright©2025 by Chemwatch. All Rights Reserved



2.1.6.5 Search for Material by Molar Concentration

Searching for specific molar concentrations may not yield results for all concentrations due the non- availability of all types of concentrations of materials, chemicals, products, compounds or mixtures. In this case, Chemwatch recommends that; if a concentration that is greater than (>) the one you are searching for, use the higher molar concentration to get results that may be within a certain concentration range.



If a concentration of a material is available from the Chemwatch full collection, it will be possible to obtain a Gold SDS, Labels, Emergency reports and possibly a Vendor SDS. The auto-complete window will show available concentrations when searching by “value/number” and “m” in the search name field to check if that concentration is available. If not, try a higher concentration value. If a concentration does not exist in the full collection, refer to Credo module, to create your own mixtures.

It is also possible to search for material by common concentration units of measure; such as, molar concentration; M, m, N, mmol/L (mM), µmol/L (µM), nmol/L (nM), etc.

Copyright©2025 by Chemwatch. All Rights Reserved

Molarity

Molarity is defined as the number of moles of solute (n) divided by the volume (V) of the solution in liters. The molar concentration formula:

$$\text{Molarity (M)} = \frac{\text{Number of moles (n)}}{\text{Volume of solution (V)}}$$

The meaning of concentration; A 1 M solution is on that has exactly 1 mole of solute dissolved in a total solution volume of exactly 1 L. Utilising SI prefixes, the concentration may also be expressed in differing fractions of molar concentrations such as mmol/L (mM), µmol/L (µM), nmol/L (nM), etc.

Molar Solution Concentration

$$\text{Concentration (C)} = \frac{\text{mass (Weight of solute)}}{\text{Volume (Volume of solution)}} \times \frac{1}{\text{MW (Molecular Weight)}}$$

Dilution calculations for solutions with molarity or percent concentration units are also found in the Chemwatch database full collection as some products are registered as per manufacturers' (suppliers) naming conversion.

Dilution
$C_1V_1 = C_2V_2$

Most commonly used equation is $M_1V_2 = M_2V_2$, where M is the C (concentration).

- C_1 concentration of the stock solution.
- V_1 volume to be removed from the concentrated stock solution.
- C_2 final concentration of the diluted solution.
- V_2 final volume of the diluted solution. This is the volume that results after V_1 from the stock solution has been diluted with diluent to achieve a total diluted volume of V_2.

Percent Solution

$$\text{\% Solution} = \frac{\text{Weight of solute}}{\text{Volume of Solution}} \times 100\%$$


The following steps illustrate the sequence with screen capture on how to use the simple search autocomplete method, to search for an SDS from the full Chemwatch database collection by a specific molar concentration of hydrochloric acid.

Copyright©2025 by Chemwatch. All Rights Reserved


If the product is available, a search result list will display, however, if no product is found, the search result will display the message "no records found". In this case, send a request to upload Vendor SDS through the email address below and ensure to attach the latest version of the SDS: msdsuploads@chemwatch.net.

Steps: Search for Material by Molar Concentration

1. Press the **Home** module button (if it's not already the default module).
2. Press the **Simple tab** from the search panel.
3. Click the **Full** search option to look up for the SDS from the Chemwatch full database collection.
4. Press the **Vendor SDS button** from the SDS and Labels panel to set the type of document.
5. Type the **molar concentration** value followed by the letter **"M"** and name of the chemical in the Name/CAS free text field, e.g., 0.1 M Hydrochloric acid.
6. Press the **Search button** (magnifying glass icon) to search for a material(s).




7. Select the molar concentration **material name** to display available SDS.
8. Select the molar concentration **material name** from the document list to display SDS.




9. Vendor SDS displays in pdf format .

Copyright©2025 by Chemwatch. All Rights Reserved



If a Gold SDS for the material's molar concentration exists, select the Gold SDS button from the SDS and Labels panel to show the SDS.



Copyright©2025 by Chemwatch. All Rights Reserved

2.2 Create Folders

In this topic, you will gain knowledge on the following aspects of the system:

- → Defining a folder type and its properties
- → Creating a storage folder
- → Creating a Manifest folder structure
- → Copying a folder
- → Moving a folder
- → Renaming a folder
- → Removing a folder
- → Printing folder tree
- → Item history for a folder
- → Editing folder properties

WHAT YOU'LL LEARN

Manifest means a summary of hazardous chemicals used, handled or stored at a workplace. It contains information about the location of the chemicals based on a site map. Chemwatch provides a cloud-based chemicals management system for the ease of managing chemical Manifests related to chemical data, SDS, hazard classification information, volume/weight using the system online for the intention of Manifest upkeep and reporting purposes. The basic flow of activities includes the creation of a folder structure, adding materials to those folders to create an inventory, generate Manifest related types of reports based on data points drawn from the system.

The system provides a report generator tool which enables users to utilise a Basic or Advanced mode to generate such data reports by using already designed spreadsheet templates that are available in basic mode or create user defined templates by the using the method builder tool to identify the respective datapoints to export the respective reports in various format styles.

The **principal purpose of the Manifest** is to provide emergency services authorities with information on the quantity, type and location of dangerous goods stored and handled on business premises to enable them to respond to an incident. Safework Australia provides a **Hazardous Chemical Register Template** that can be used for reporting hazardous chemicals as per the WHS requirements. Chemwatch recommends checking for the specific manifest reporting requirements in your jurisdiction. Report Generator functionality within the system helps to create your own templates to generate respective reports based on the chemical inventory from your own Manifest/Folders/Locations.

The Chemwatch implementation process for new and existing customers involves a number of project phases to have a Manifest created or updated in your system.




New customers that are coming on board to the Chemwatch family will follow the overall Chemwatch project phases in attaining the registration of all their products based on their requests and may include the creation of a manifest.

Copyright©2025 by Chemwatch. All Rights Reserved

All requests are designated as projects for Chemwatch processing as each phase of any project goes through a typical turnaround time for all **registration requests** received, **acquisition of vendor SDS**, **review of vendor SDS** and **revision** phases. The implementation process may include the creation of a chemical register that replicates your business workplace structure or site map. Moreover, users can create their own folders and add materials into those folders; edit volume/weight and also use data extraction (UGD) to classify materials that do not have Gold classification or Vendor Gold Data (VGD) extracted.

However, users can create their own manifest folder structure and add products into respective folders by using the features and functionalities available in the system, given the appropriate permissions and privileges.

Creating a Manifest Flowchart




Manifest reporting on hazardous chemicals or dangerous goods depends on jurisdictional requirements. An extensive list of requirements can be found in the applicable national standards and code of practices.


The manifest grid provides users with two viewing modes; namely, cat name or material name, in which they can view the list of materials within a folder by

- Plain view of cat names and links to the specific Vendor SDS)
- Material names view and grouping of multiple vendors linking to Gold SDS

Copyright©2025 by Chemwatch. All Rights Reserved




The system starts in plain (Catalogue Name) mode CAT NAME as the default view. This view lists the products for associated manufacturer SDS by Vendor, Country, Language, etc.



The material name mode MATERIAL NAME is a grouping method to enable users to view the list by Chemwatch material name(s).

If there is more than one vendor for the same product, the Chemwatch material name mode groups all vendors into a single record with a multiple button Multiple within the vendors' column for each respective row, where applicable.




Selecting the multiple button Multiple, will expand the row to display a list of vendors associated with the material in the current folder.



Copyright©2025 by Chemwatch. All Rights Reserved



The table below provides a closer look at Manifest related features.

Component	Manifest Component
Manifest List	Material Name column has been enhanced through a grouping function to show Multiple button Multiple which in turn enables materials to be grouped as per the Cat Names associated
Sort the manifest list by Volume/ Weight column	Manifest light enables users to sort the column header to largest volume/weight to the lowest by ascending or descending order VOL / WT
Edit Volume/Weight at Cat Name and Material Name	Volume/Weight is editable at the catalogue name (product) mode and the material name grouping mode (at product level). The grid view only shows the total amount of volume/weight.
No Edit Volume/Weight at Material Name row where Multiple button is shown	It is NOT possible to edit Volume/Weight for the material name where multiple button Multiple is displayed due to grouping of multiple vendors. 
Adding Vendor/Supplier	The add vendor icon has been incorporated in Catalogue Name view mode on the grid within the Vendor column record. 
Country and Language columns	The Country and Language information is now available as newly added columns on the grid.

Copyright©2025 by Chemwatch. All Rights Reserved

Component	Manifest Component
	
Report Generator (Basic and Advanced) 	Report generator mode provides basic and advanced features to use for exporting data or creating new templates  . The Report Generator exports  itemized data from the currently opened folder/stores. There are no new rows for each data set (VGD, UGD and Gold), each item record will generate only one row for the different sets of data. There are no more multiple lines of records of the same product in Report Generator for different data sets (Chemwatch or vendor). 

The next topic discusses the folder types, folder properties and general folder management.

2.2.1 Folder Types and Properties

Folder management in Backpack will focus on the Manifest Directory, which is a system's parent directory that allows users with edit rights to create or edit folders based on a site map. A site map in this context of the Manifest is simply a hierarchy of a folder structure that represents an organisation's building locations and storage facilities where chemicals are stored on site.


Manifest Directory (system folder) cannot be removed or edited but users with read-write permission can create subfolders or sites, areas, building and storage folders to this directory.

Before creating a Manifest folder hierarchy, let's go over the **folder management** background information about the default systems directories, folder types and folder permissions.

Copyright©2025 by Chemwatch. All Rights Reserved

Systems Directories

There are six systems folders available in the folder tree panel, namely; Collection, Enterprise, Catalogue, Folders, Unfiled Folder, Manifest and Deleted.



The default directories in the **Folder Tree Panel** are described in the table below.

Directory	Description	Use
COLLECTION	Entire collection of the custom inventory	Materials register of your company's own inventory records since inception that is registered with Chemwatch.
ENTERPRISE	Parent system' directory to sub-directories; folders, manifest, deleted	Inventory record of materials including archived and current register of materials in folders, manifest and deleted directories.
CATALOGUE	Collection of own Catalogue (shopping basket) for containers	The catalogue collection is applicable to the Sisot module
FOLDERS	System's directory for materials in unfiled folder and other users' folders	Contains current register of materials in folders. Commonly used for managing a list of materials for vendor SDS for various purposes.
UNFILED	System's directory for materials that are archive as newly added	Materials requested to be added into the database from a company will be registered into the unfiled folder in order to be filed later into a specific folder or location.
Manifest	System's directory that can represent a site map for a company by using folder structure	Manifest tree can be used to create areas, sections, locations by using a folder structure based on manifest site map to keep records/register of materials kept on sites/locations including Sisot related folders.
Deleted	System's directory that stores all deleted folders and materials	Recycle bin for all removed folders and its contents or materials deleted in the system. Not all users may have access to this folder due to permission rights to edit or not to edit this folder or other folders.

Copyright©2025 by Chemwatch. All Rights Reserved

Folder User Permissions

There are four main types of folder user permission attributes that can be assigned by the administrator of the program to end users of the system. The table below provides a summary description for these permissions with respect to the type of access users may have to be able to view and or edit materials in folders.

Permission	Description	User Interface Attribute	Folder View
Deny	Directories/folder content cannot be accessed by users	A message displays “to contact the administrator”	Access denied
Not Defined	Directories/folder will not be visible to user	Folder assigned this type of permission will be hidden from user	Hidden
Read	Directories/folder content can be accessed by user but cannot add or copy or move or remove (delete) folders or materials	User can view folder content (register of materials) but cannot edit content	View
Read-write	User can be copy, move, remove (delete) folders, materials and edit material quantities	User can view folder content (register of materials) and edit content (folders, materials and quantities)	View and Edit


Folder Types

Primarily, there are 5 types of folders that can be created under the manifest system directory, which have specific conditional properties. The folder type drop-down menus (i.e., the folder type and respective folder icons) are integrated into to show the folder name and icon for each option. This folder type drop-down menu defaults to the “Storage folder”.





Hovering the mouse pointer over the reference information icon for the “Folder Type” shows the main folder types.

Copyright©2025 by Chemwatch. All Rights Reserved



Clicking on the folder type drop down icon displays the menu of the different types of folders to designate the respective type of folder location when creating or editing folder properties. The folder icons area mapped with the applicable folder type names for ease of identification of the type of folder.






Folder Types and their Conditions

Folder Type	Conditions	Attribute
System	System folder directories are NOT editable by default.	No edit
Administrator	Materials ALLOWED to be stored in this type of folder, users with edit rights will be able to store materials in this folder and when this occurs, it will turn into a green folder.	Edit property
Storage	Materials ALLOWED to be stored in this type of folder, users with edit rights will be able to store materials in this folder.	Edit property

Copyright©2025 by Chemwatch. All Rights Reserved

Folder Type	Conditions	Attribute
Shop 	Folder type is **available** to all users (Sisot and none-Sisot users), users with access and edit rights to this folder will be able to manage materials in this folder.	 Edit property
Waste  *(Waste is designated to 2 categories)*	 “Waste – Intermediate Area” and “Waste – Dispatch Area” **are** available to all users (Sisot and none-Sisot users).	 Edit property
	 “Waste contractors to collect wastes from this site” because it is only applicable for “Waste –Dispatch Area” folders	 Edit property
Notes	“Waste – Intermediate Area” will NOT have the tick box. “Waste folders” will work as a “Storage”  folder for non-Sisot users.	 Edit property
	An empty folder will be color coded grey, regardless of the location on the tree.	
Deleted	Removal of all materials from a folder will make the folder grey, depicting it as an empty folder. All deleted materials will be archived in the Deleted directory.	

2.2.2 Create a Single Storage Folder 

Folder Edit	Task Attribute	Folder Node Action
Create 	User can create (add) a folder on any node. All newly created folders will default to empty folders	 Add folder

The following steps illustrate how to create a single folder for storage under the Manifest system directory folder node.

 If a user does not have the edit rights permission to create folders, consult with the administrator of the Chemwatch application within your business or organisation to grant the respective folder permission, read-write to the Manifest Directory or to the specific folder location.


Steps: Create a Folder


1. Go to the **Home** module  (if it’s not already the default module).
2. **Right click**  on the manifest system tree directory folder node  .

Copyright©2025 by Chemwatch. All Rights Reserved

3. Select the **Create** from the drop-down task menu.
4. Click the folder name **text field** and type the name of the folder, e.g., Storage Folder and maintain the default folder type as '**storage**' (green folder).
5. Click the **Save** button.


Copyright©2025 by Chemwatch. All Rights Reserved





6. The newly created **storage folder** defaults to a grey folder since it is an **empty folder** .

Copyright©2025 by Chemwatch. All Rights Reserved



2.2.3 Create a Manifest Folder Tree

The following steps illustrate how to create an Area, Section and Location folders under the manifest system directory node.

User folder permission is required to create and edit folders.

Permission	Folder Type	Attribute	Folder Tree Node (s)
Read-write		User can create folder nodes within the tree if granted edit rights to manage folders.	View and Edit

If a user does not have the edit rights/permission to create/edit folders, consult with the administrator of the Chemwatch application within the business or organisation to grant the user with the respective folder permissions, read-write to the Manifest directory or to the specific site/folder location. Note that some users may NOT be granted permission to create parent sites or areas/section folders but may be allowed to add subsidiary folder nodes (child folders) dependent on a business case.

Consider the following folder category nodes and descriptions before creating a Manifest folder tree based on a site map.

Designated icon	Folder Type	Attribute	Folder Tree Node (s)
	Area	The **area** node can be set as a parent folder under the manifest directory.	Level 1
	Section	The section node can be set as a subsidiary (child) folder under the area node. This node can be designated as a **building**.	Level 2
	Location	The location node can be set as a storage folder (child) under the section (building) node. This node can be designated as **storage**.	Level 3


Copyright©2025 by Chemwatch. All Rights Reserved

2.2.3.1 Create a Manifest Folder for an Area

The following steps illustrate how to create an Area folder under the Manifest Directory folder node as level 1.


Steps: Create an Area Folder

1. Go to **Home** module (if it's not already the default module).
2. **Right click** on the Manifest Directory folder node MANIFEST.
3. Select the **Create** from the drop-down task menu.




4. Click the folder name **text field** and type the name of the folder, e.g., Area.
5. Click the folder type drop-down arrow to list the types of folders.
6. Scroll down the list and select the **Area** folder type.
7. Click the **Save** button to add folder.


Copyright©2025 by Chemwatch. All Rights Reserved



8. The **Area folder** is created .



A message confirms completion of the task from the top middle area of the user interface.




Copyright©2025 by Chemwatch. All Rights Reserved

2.2.3.2 Create a Manifest Folder for a Building

The following steps demonstrate how to create a Section folder under the 'Area' folder node designated as a Building, level 2 node .


Steps: Create a Section Folder

1. Go to the **Home** module (if it's not already the default module).
2. **Right click** on the **Area folder node** position at level 1 node .
3. Select the **Create** option from the drop-down task menu.




4. Click the folder name **text field** and type the name of the folder, e.g., Building.
5. Click the **folder type drop-down arrow** to list the types of folders.
6. Scroll down the list and select the folder type; e.g., **Building**.
7. Click the **Save** button to add folder .


Copyright©2025 by Chemwatch. All Rights Reserved



8. The newly created **building folder** defaults to a grey folder since it is an **empty folder** .



A message confirms completion of the task from the top middle area of the user interface.



2.2.3.3 Create a Manifest Folder for a Location (Storage)


The steps below demonstrate how to create a Location (Storage) folder under the building folder node as level 3 .

Steps: Create a Folder (Storage)


1. Go to the **Home** module (if it's not already the default module).
2. **Right click** on the Building folder node position at level 2 .

Copyright©2025 by Chemwatch. All Rights Reserved

3. Select the **Create** option from the drop-down task menu.




4. Click the folder name **text field** and type the name of the folder, e.g., Storage.
5. Click the folder type **drop-down arrow** to list the types of folders.
6. Scroll down the list and select the '**Storage**' folder type.
7. Click the **Save** button to add folder.




8. The newly created **storage folder** defaults to a grey folder since it is an **empty folder** .

Copyright©2025 by Chemwatch. All Rights Reserved



A message confirms completion of the task from the top middle area of the user interface.




2.2.4 Folder Menu and Edit Properties

Editing folders is part of folder management. Users who have been granted read-write folder permission will be able to edit folders.

Permission	User Interface Attribute	Folder Node Edit
Read-write	User can view folder content (register of materials) and edit content (folders, materials and quantities) if granted the appropriate edit rights	View and Edit

The Folder Edit and Properties Menu

The folder edit menu contains specific task options that enables users to create, copy, move, paste, rename, remove and edit folder properties.



Copyright©2025 by Chemwatch. All Rights Reserved

These edit options provide the ability to edit any folders where permissions have been granted. The other folder menu options; print tree, hide, forms, item history, folder properties and maps mode will be discussed in subsequent topics.

Folder Menu Options	Task Attribute	Folder Node Action
Create	User can create (add) a folder on any node. All newly created folders will default to empty folders.	Add folder
Copy	User can copy a folder from any node and paste it into another folder.	Duplicate folder
Move	User can move a folder from any node and paste it into another folder. Another way of moving a folder is through the drag and drop function.	Move folder
Rename	User can rename a folder by typing a new name at any node.	Type a new folder name
Remove	User can remove (delete) a folder from any node. If a folder is deleted, it is automatically move from its current location node into the systems Deleted directory folder.	Delete folder (recycle bin)
Print Tree	User can print the tree structure from the selected tree node. Note that the print tree will display those folders that are visible to the user.	Right click on a folder tree node
Hide	This feature enables those users permitted to hide specific folders from view from other users. Note that this feature can be granted the respective privilege by the ADM.	Right click on a folder tree node
Forms	This feature enables users to fill in a form(s) assigned to the tree structure folder property by an administrator. Forms are created through the Form Builder module.	Right click on a folder tree node
Item History	This feature enables users to generate the folder activity history.	Right click on a folder tree node
Folder Properties	Folder properties provide users with the ability to edit the folder properties.	Right click on a folder tree node

Copyright©2025 by Chemwatch. All Rights Reserved

Folder Menu Options	Task Attribute	Folder Node Action
Maps Mode 	Enables users to draw a series of polygons to represent a floor plan of a building and link physical drawings of a site with its manifest location (folder) to allow the interaction for many other useful features such as heat map or create 3D models of rooms based on polygons.	Right click on a folder tree node 

The following sections show how to copy, move, rename and remove a single folder from a folder node, i.e.:

- Copying a folder into another folder
- Moving a folder into another folder
- Moving a folder into another folder
- Renaming a folder
- Removing (deleting) a folder and its contents

2.2.4.1 Copy a Folder into Another

Recap

Folder Edit	Task Attribute	Folder Node Action
Copy 	User can copy a folder from any node and paste it into another folder if user has the appropriate folder permissions	 Duplicate folder


The following steps demonstrate how to copy a single folder from a folder node and paste it into another folder location.

Steps: Copy a Single Folder


Go to the **Home** module  (if it's not already the default module).

1. Expand tree node  and press the mouse **right click**  on the **Storage** green folder node.
2. Select  the **Copy** option from the drop-down task menu to a clipboard  .


Copyright©2025 by Chemwatch. All Rights Reserved



3. Right click on the **destination green folder** node.
4. Click the **Paste** option from **drop-down arrow** menu.




5. The copied **storage folder** is added into the new folder location, e.g., under Building node.



Copyright©2025 by Chemwatch. All Rights Reserved

A message confirms completion of the task from the top middle area of the user interface.



2.2.4.2 Move a Folder into Another

Recap


Folder Edit	Task Attribute	Folder Node Action
Move	User can move a folder from any node and paste it into another folder. Another way of moving a folder is through the drag and drop function if user has the appropriate permissions.	Move folder

The following steps show how to move a single folder from a folder node and paste it into another folder location.

Steps: Move a Single Folder


Go to the **Home** module (if it's not already the default module).

1. **Right click** on the **Storage green folder** node.
2. Select the **Move** option from the drop-down task menu.




3. **Right click** on the **destination green folder** node.
4. Click the **Paste** option from **drop-down arrow** menu.


Copyright©2025 by Chemwatch. All Rights Reserved



5. The moved **storage folder** is added into the new folder location, e.g., under green folder node.



A message confirms completion of the task from the top middle area of the user interface.



2.2.4.3 Rename a Folder

Recap

Folder Edit	Task Attribute	Folder Node Action
Rename	User can rename a folder by typing a new name at any node if the appropriate permission is granted by the administrator.	Type a new folder name


The following steps demonstrate how to rename a single folder to a new name.


Copyright©2025 by Chemwatch. All Rights Reserved

Steps: Rename a Folder


Go to the **Home** module (if it's not already the default module).

1. **Right click** on the **Storage green folder** node.
2. Select the **Rename** option from the drop-down task menu.
3. Click on the folder editable text field and **delete the folder name** by pressing the keyboard delete button or simply, place the cursor at the end of the folder name and hit backspace on the keyboard until the text field is empty.





4. Type the **new folder name in the empty text field**, e.g., Oils and Lubricants, and press the enter key on the keyboard or simply, click on an empty area of the user interface to save record entry.



The new folder name is displayed on the folder node.

Copyright©2025 by Chemwatch. All Rights Reserved

2.2.4.4 Remove a Folder

Recap

Folder Edit	Task Attribute	Folder Node Action
Remove	User can remove (delete) a folder from any node. If a folder is deleted, it is automatically move from its current location node into the systems **Deleted Directory** folder given that the user has the right permission.	Delete folder (recycle bin)

The following steps show how to remove (delete) a single folder.


Steps: Remove (Delete) a Folder

Go to the **Home** module (if it's not already the default module).

1. **Right click** on the **Storage green folder** node.
2. Select the **Remove** option from the drop-down task menu.




3. Click on the OK button on the resulting message that appears in the middle top area of the user interface in order to confirm deletion of the selected folder.




4. The folder has been deleted and the record is archived in the systems DELETED directory DELETED, which also keeps the date and time stamp when any folder was deleted. Click the expand arrow on the **Deleted Directory** to list the deleted items.

Copyright©2025 by Chemwatch. All Rights Reserved



A confirmation message is displayed in the top middle area of the user interface. Once the folder has been removed from its initial folder node, it will be placed in the system's DELETED directory within the tree structure.



2.2.4.5 Print Tree

The folder right click context menu contains a Print Tree option that allows users to generate a print format of the tree structure. The steps below illustrate how to print a folder structure (tree).

Print tree can be done from any folder node depending on the level of access to visible folder nodes within the entire tree structure. Mouse right clicking any folder level will print the respective visible folders from that select level including all subsidiary (child) folders.

Steps: Print a Folder Tree


Go to the **Home** module (if it's not already the default module).

1. **Right click** on the **Manifest Directory folder** node.
2. Select the **Print Tree** option from the drop-down task menu.



Copyright©2025 by Chemwatch. All Rights Reserved

3. Click on the acrobat **print** button on the top right corner of the acrobat reader window.



4. The Print Tree generated system report document contains the following information:

Print Tree Data Point	Attribute	Folder Node
Path	This is the selected folder location trail (track) from the tree structure.	Text
Date and time	This is the generated date and time when the selected folder node was printed.	Text
Domain	This is the verified account name for the Chemwatch package subscription.	Text
User	This is the current user who generated the print tree report.	Text

2.2.4.6 Hide Folder

Hiding a folder will trigger the disappearance of that folder from other users' view. The steps below illustrate how to hide a folder.


Hidden folders are temporarily removed from other users view but retained for the user who has hidden the folders. Users that are privileged to hide folders from view will have access to this function. If unsure, contact your administrator of the Backpack system within your business or organisation for more details.

Copyright©2025 by Chemwatch. All Rights Reserved


Steps: Hide a Folder

Go to the **Home** module (if it's not already the default module).

1. **Right click** on a **folder** node.
2. Select the **Hide** option from the drop-down task menu.




3. The **hidden folder(s)** and subsequent subsidiary (child) nodes will also be hidden from view. Those hidden folders will automatically be display as greyed out.



The greyed out hidden folders will still be accessible to the user who has hidden them even though they are displayed in grey. Any materials or products inventory kept in those hidden folders will also be visible to this user. To unhide those hidden folders, simply follow the same steps and choose the option "**Unhide**".

Copyright©2025 by Chemwatch. All Rights Reserved



2.2.4.7 Forms

Forms can only be used in Folder Tree if a form has been created and assigned against Folders in the Form Builder Settings module. The steps below provide information on how to open and fill up a form for a selected folder.


Forms can be created by the administrator or users who have been granted permission to access Form Builder Settings module.

Steps: Fill and Submit a Form

Go to the **Home** module (if it's not already the default module)


1. Mouse **right click** on a **folder**
2. Select the **Forms** option from the drop-down task menu
3. Press the **Form name** to load the form. In this exercise, an incident form was assigned against folders.

Copyright©2025 by Chemwatch. All Rights Reserved



4. The **Form Builder Form** displays the specific form required to be filled. Fill up the form fields.
5. Click the **Submit** button once the form has been filled



A confirmation message is shown at the top middle area of the user interface about the changes made, 

. Any form data submitted to the system can be exported into a spreadsheet by using the Report Generator Method Builder feature.

2.2.4.8 Item History

Item history in Folder Tree provides a history log of the folder. The data generated in the log is based on users' activity in that selected folder.

Copyright©2025 by Chemwatch. All Rights Reserved

Folder History	Task Attribute	Folder Node Action
Item History	User can generate history log based on folder activity. The data points in the log are: date, user, action material, vendor and folder.	Activity History Log


The steps below illustrate how to generate the history log for a selected folder.

Item history for a folder may not be available to all users as this functionality is a privilege that can be granted by the administrator of the Chemwatch system within your business or organisation.

Steps: View Item History for a Folder


Go to the **Home** module (if it's not already the default module).

1. **Right click** on a **folder.**
2. Select the **Item History** option from the drop-down task menu.



3. **Folder history logs** display records based on folder activity.
4. Press the "**Excel**" button to export and download folder history data.


Copyright©2025 by Chemwatch. All Rights Reserved




Excel report example for the exported data on folder item history logs

	A	B	C	D	E	F	G	H
1								
2	Location:	/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants						
3	Date:	01/11/2018						
4								
5	Date	User	Action	CwN	Material	Vendor	IssueDate	Folder
6	31/10/2018 11:12:10	Chemeritus	Folder renamed					to Oils and Lubricants
7	31/10/2018 11:10:56	Chemeritus	Folder renamed					to Oils and Lubricants
8	31/10/2018 10:54:23	Chemeritus	Folder renamed					to Flammable Chemicals Storage
9	31/10/2018 10:48:21	Chemeritus	Folder renamed					to Flammable Chemicals Storage
10	31/10/2018 07:38:45	Administrator	Materials copied	1090	Acetone	Chem-Supply	22.12.2017|22.12.2017	to /ENTERPRISE/MANIFEST/Green Folder/Flammable Chemicals Storage
11	31/10/2018 07:38:45	Administrator	Materials copied	1090	acetone	BDH		to /ENTERPRISE/MANIFEST/Green Folder/Flammable Chemicals Storage
12	31/10/2018 07:38:45	Administrator	Materials copied	1090	acetone	Burdick & Jackson (a brand of Honeywell)		to /ENTERPRISE/MANIFEST/Green Folder/Flammable Chemicals Storage
13	31/10/2018 07:38:45	Administrator	Materials copied	1090	acetone	Scharlab- (Chem-supply-Regional Representative)		to /ENTERPRISE/MANIFEST/Green Folder/Flammable Chemicals Storage
14	31/10/2018 07:38:45	Administrator	Materials copied	1090	Acetone, 99,8%, anhydrous	Scharlab	12.07.2013	to /ENTERPRISE/MANIFEST/Green Folder/Flammable Chemicals Storage
15	31/10/2018 07:38:45	Chemeritus	Folder copied					from /ENTERPRISE/MANIFEST/Area/Building/Flammable Chemicals Storage
16	31/10/2018 07:31:55	Chemeritus	Folder renamed					to Flammable Chemicals Storage
17	31/10/2018 06:54:18	Chemeritus	Folder renamed					to Copied Green Folder
18	31/10/2018 06:50:10	Administrator	Materials copied	1090	Acetone	Chem-Supply	22.12.2017|22.12.2017	from /ENTERPRISE/MANIFEST/Green Folder
19	31/10/2018 06:50:10	Administrator	Materials copied	1090	acetone	BDH		from /ENTERPRISE/MANIFEST/Green Folder
20	31/10/2018 06:50:10	Administrator	Materials copied	1090	acetone	Burdick & Jackson (a brand of Honeywell)		from /ENTERPRISE/MANIFEST/Green Folder
21	31/10/2018 06:50:10	Administrator	Materials copied	1090	acetone	Scharlab- (Chem-supply-Regional Representative)		from /ENTERPRISE/MANIFEST/Green Folder
22	31/10/2018 06:50:10	Administrator	Materials copied	1090	Acetone, 99,8%, anhydrous	Scharlab	12.07.2013	from /ENTERPRISE/MANIFEST/Green Folder

5. Use the filter icons within the columns to **filter the data logs** for a specific item history record. For example, click the "**Action column**" filter icon.
6. Click the "**drop-down**" arrow within the quick look up panel to apply a search operand



7. Set the operand "**Contains**" or "Equals" to filter any record that contains the action, e.g., copied
8. Type the filter word(s) in the text field




Copyright©2025 by Chemwatch. All Rights Reserved

9. Press the "**Filter**" button. If any record matching the term is found, the table will list all respective history logs.



2.2.4.9 Edit Folder Properties



Folder Property	Description	Attribute
Folder Name	This is the name of the folder to be given.	Text in property field
Folder Type	This provide the option to designate the folder to be a specific type of folder; Administrator, Storage, Shop, Waste.	Colour code

Copyright©2025 by Chemwatch. All Rights Reserved

Folder Property	Description	Attribute
Change folder types for all subfolders 	This property enables all parent and subfolders to be same type of folders.	 All the same folder types
Copy store selection to subfolders 	This property is applicable to SiSoT module.	 SiSoT
Languages 	This property enables users to set the language(s) to the folders from the available list.	 Language set folder
Countries 	This property enables users to set the language(s) to the folders from the available list.	 Country set folder
Override 	This property overrules the preset language and country condition to a folder. It changes the current folder condition set by overrule function.	 Overrule
Copy country and language to all subfolders 	This property copies the preset country and language condition of the parent folder to the subsidiary (child) folders.	 Country and language
Folder Owner 	This property provides the ability to set the owner (user) for the folder.	 Folder Ownership
Owner of containers 	This property is applicable to SiSoT module.	 SiSoT
IFC/NFPA 	This property is applicable to US market. IFC is the International Fire Code filter feature and NFPA is the National Fire Protection Agency filter feature.	 Hazardous Material Reporting
Delivery Address Tab 	This property is applicable to SiSoT module.	 SiSoT

Copyright©2025 by Chemwatch. All Rights Reserved


Folder Property	Description	Attribute
Forms Tab	This property enables user to assign a form to be set against a folder. Choose a form title from the available drop-down list.	Assign Form

The following steps show how to edit folder properties.


Steps: Edit Folder Properties

Go to the **Home** module (if it's not already the default module).

1. Mouse **right click** on a folder.
2. Select the **Folder Properties** option from the drop-down task menu.



3. Click the **folder type** drop-down arrow to change it, e.g., from storage to laboratory .




4. Click the **folder type drop-down arrow** to list the types of folders.


Copyright©2025 by Chemwatch. All Rights Reserved

5. Scroll down the list and select the '**Laboratory**' folder type.
6. Click the **Save** button to add folder.


At step 5 in the above activity, users can choose any of the defined folder properties or change folder types for all subfolders by selecting the checkbox field "Change folder types for all subfolders".



7. The **Area folder** is created



A message confirms completion of the task from the top middle area of the user interface.



Copyright©2025 by Chemwatch. All Rights Reserved

2.2.4.10 Copy Multiple Folders


To copy multiple folders, use the **"CTRL" key** on the keyboard to select many folders. Follow the steps below to copy multiple folders into another folder.


Steps: Copy Multiple Folders

1. Go to the **Home** module (if it's not already the default module).
2. Press the **CTRL** key on your keyboard and hold it down.




3. Select the **folder names** from the tree structure to copy.
4. Mouse **right click** on one of the selected **folders.**
5. Select the **Copy** option from the menu.
6. Mouse **right click** on the **destination folder.**
7. Select the **Paste** option from the menu.






The copied folders will be added as child folders into the destination folder.

Copyright©2025 by Chemwatch. All Rights Reserved



A confirmation message will display to confirm successful task. If a user does not have read-write access to a folder, a message will display to seek further help from the administrator.



2.2.4.11 Move Multiple Folders

Moving a folder is defined as relocating a folder from a current position in the tree structure into another folder location within the same folder directory or across directories. To move multiple folders, use the **"CTRL" key** on the keyboard to select many folders. Follow the steps below to move multiple folders into another folder.

Steps: Move Multiple Folders

1. Go to the **Home** module (if it's not already the default module).
2. Press the **CTRL** key Ctrl on your keyboard and hold it down and select the **folder names** from the tree structure to move.
3. Mouse **right click** on one of the selected **folders and s**elect the **Move**.
4. Mouse **right click** on the **destination folder.**
5. Select the **Paste** option from the menu.



Copyright©2025 by Chemwatch. All Rights Reserved

The moved folders will be added as child folders into the destination folder.

A confirmation message will display to confirm successful task. If a user does not have read-write access to a folder, a message will display to seek further help from the administrator.

2.2.5 Add Materials

This topic covers the following activities:

→ Adding materials into a folder by right click function
→ Searching, drag and drop material into a folder



Chemwatch provides primarily four ways in which materials can be registered (added) into the database system.

Type	Required from Requester	Chemwatch Process	Expectation
Inventory database Registration	Master product List, Sisot Inventory Product List, Manifest Inventory List can be sent to Chemwatch via email.	Inventory will be registered in accordance with the registration phases (PTNs statuses).	Registration phases captured through the Chemwatcher module's PTN History and statuses. The PTN completion status depicted final output for all registered materials per PTN.
Manifest Upload	Manifest Inventory List can be sent to Chemwatch via email.	Manifest will be created through the registration phases (PTNs statuses) if applicable in your Backpack.	
FTP Upload	The Master product List, Sisot Inventory Product List, Manifest Inventory List can be uploaded through File Transfer Protocol.	Inventory will be registered through the registration phases (PTNs statuses).	
Adding Materials by User	Users can add materials or products into folders in the Backpack application.	This process is considered as a self-registration, where user adds an SDS into a folder.	Users must have read-write permission

Note that only users with read-write permission can add materials to the respective folders. The Chemwatcher module is accessible to the administrator of the system within your organisation by default. For users who do not have access to the Chemwatcher module may contact their domain administrator of the system for more details.

Copyright©2023 by Chemwatch. All Rights Reserved

Before adding a material into a folder, consider the following types of roles a user may have.

Function	User Profile	Description	Permission
Management/ Supervisor Role	Folders/Manifest Management level	Management of specific areas (folder) within the system's folders or manifest directories.	Ability to edit, (read-write permission) materials, manage folders, data; report generator, dashboards, document filter tools, conduct risk assessments and many more…functions.
Support Role	Materials Management level	Management of materials for specific areas (folder) within the system's folders or manifest directories.	Ability to edit, (read-write permission) materials, data; report generator, dashboards, document filter tools, conduct risk assessments and many more…functions.

2.2.5.1 Add Material into Folder by Right/Left Click Function

The Chemwatch system provides users with the option to drag and drop materials into a folder as a way of populating folders when creating an inventory. However, the system also has be ability to use the right/left click function depending on the type of computer/laptop the user has.

Note that the **right click** is applicable in **Windows PC** (running the windows operating system) whereas a Mac PC (running the Apple operating system, iOS) uses a left mouse click.

The following steps illustrate the sequence with screen capture on **how to add a single SDS for a particular product into a storage folder** under the manifest system directory. In order to achieve this activity, two tasks have to be carried out;

- Use the **simple search autocomplete method** to search for a product SDS by material or product name from the full/own database
- Use the mouse **right click function** to copy product SDS into the respective folder or **use the drag and drop function** from the search results list

If the material or chemical or product is available, a search list result will display, however, if no material is found, the search result will display the message "no records found". In this case, send a request to upload Vendor SDS through the email address below and ensure to attach the latest version of the SDS: msdsuploads@chemwatch.net.


Copyright©2025 by Chemwatch. All Rights Reserved

Steps: How to Add a Product SDS into a Folder

1. In the **Home module button**, select the Simple search tab (if it's not already the default mode).
2. Press the **Vendor SDS** button from the SDS panel to set the type of document.
3. Click the **Full** search option in the Search panel to set the database path to full to look up for Vendor SDS from the Chemwatch database collection.




4. Type the **material** or **chemical name** in the Name/CAS free text field.
5. Select the **material** or **chemical name** from the autocomplete search list panel. In this case, acetone is used to demonstrate the steps.




6. Select the name of the **material** by a specific vendor of interest to display a list of available multiple vendors.

Copyright©2025 by Chemwatch. All Rights Reserved




7. Select the **country checkbox** by a clicking on the respective checkbox from the sidebar filter.

In this worked example, the search criterion is set to look up for SDS for any country Any and any language Any and therefore the search results table contains any SDS from any country/language. In your organisation, you may have country and language already set users, if such is the case, then you will only get search results relevant to your filters set by the ADM. Otherwise, there's also an option to set the country and language before performing the search to ensure that your search results are drawn from the database based on your search criterion.




9. **Right click** on the product name (by specific vendor, country, language and issue date) from the document listing.

Copyright©2025 by Chemwatch. All Rights Reserved




10. Select the **Copy** option.
11. **Expand** Manifest directory, Area, Section to view folder nodes to identify the specific folder location, e.g., storage.
12. **Right click** on the specific folder, e.g., storage folder is grey Storage, depicting an empty folder.
13. Select the **Paste** option.



14. The storage grey folder turns green, which depicts a folder with a material added into it. Select the **green folder to display record of added material.**

Copyright©2025 by Chemwatch. All Rights Reserved



The moved folders will be added as child folders into the destination folder.

A confirmation message will display to confirm successful task. If a user does not have read-write access to a folder, a message will display to seek further help from the administrator.

2.2.5.2 Search and Drag and Drop Materials into Folder

Type	Required from Requester	Chemwatch Process	Expectation
Adding Materials by User via the drag and drop function	Users can add materials or products into folders in the Backpack application.	This process is considered as a self-registration, where user adds an SDS by drag and drop into a folder.	Users must have read-write permission

The steps below provide details on how to add a single SDS into a folder using the drag and drop function.


Steps: Add SDS into a Folder by Drag and Drop Function

1. In the **Home module button**, select the Simple search tab (if it's not already the default mode).
2. Press the '**Vendor SDS' button** from the SDS panel to set the type of document.
3. Click the **Full** option in the Search panel to set the path to the Chemwatch full database.




4. Type the **material** or **chemical name** in the Name/CAS free text field.
5. Select the **material** or **chemical name** from the autocomplete search list panel. In this case, acetone is used to demonstrate the steps.


Copyright©2025 by Chemwatch. All Rights Reserved



6. Select the **name of the material** to display a list of available multiple vendors.



7. **Expand** Manifest directory, Area, Section to view folder nodes to identify the specific folder location, e.g., storage folder is grey Storage, depicting an empty folder.
8. **Drag and drop** the document name onto the destination folder.



9. The storage grey folder turns green, which depicts a folder with a material added into it. Select the **green folder** to display record of added material.

Copyright©2025 by Chemwatch. All Rights Reserved



The copied product and accompanying Vendor SDS will be added into the destination folder.

A confirmation message will display to confirm successful task. If a user does not have read-write access to a folder, a message will display to seek further help from the administrator.

2.2.6 Add Volume/Weight to a Material or Product

This topic covers the following activities:

→ Adding Volume/Weight to a Material
→ Adding Volume/Weight to a Product

WHAT YOU'LL LEARN

Before adding volume or weight to a material or product line for an item, consider the following recap on manifest attributes.

Component	Manifest Attribute
Manifest inventory records list	Material Name column has been enhanced through a grouping function to show the **Multiple** button Multiple which in turn enables materials to be grouped as per the Cat Names when viewing the list in Material Name (Grouping) mode.
Edit Volume/Weight at Cat Name and Material Name	**Volume/Weight** is editable at the catalogue name (product) mode and the material name grouping mode (at product level). The grid view only shows the total amount of volume/weight.
No Edit volume/weight at Material Name row where multiple button is shown	It is NOT possible to edit volume/weight for the material name where the Multiple button Multiple is displayed due to grouping of cat names (products).

Copyright©2025 by Chemwatch. All Rights Reserved


6.1 Add/Edit Volume or Weight of a Material – Material Name View Mode

The following steps illustrate how to add/edit the volume/weight of a material. The volume or weight will be edited in a folder at level 3 node of the tree (within an Area and Section (Building) folders.

Steps: Add or Edit Volume/Weight of a Material

In the **Home** module button, select the Simple search tab (if it's not already the default mode).


1. **Expand manifest directory nodes** to view the folder location, e.g., level 3 node.
2. Press the **Folder name**. Take note of the manifest list grid as it defaults to the Cat Name column header name. Switch the Cat Name to Material Name from the Cat Name header.
3. Click the **Multiple** button Multiple to expand list of documents for the material that is grouped. Note that the volume/weight of the products are zero units 0.00 L in this case.



Note that it is NOT possible to add volume/weight to the material level (row) directly when in Material Name view mode. Users need to use the Multiple button Multiple to expand the row in order to view the product(s) linked to a Vendor SDS for that particular material.

4. Click the **Edit** button to open the edit panel. This panel contains 3 editable fields; current, maximum and licensed volume or weight. It will also display the current folder location where the product is located within the tree structure.
5. Select the **Current Volume/Weight** kg/L text field and enter the desired amount


Copyright©2025 by Chemwatch. All Rights Reserved



6. Note that this product is a liquid. Refer to default data within this panel.




Select the **drop-down arrow** to change the unit of measure from kg to L.




7. Select the **Maximum Volume/Weight** text field and enter the desired amount **(optional).** Apply the correct unit of measure.
8. Select the **Licensed Volume/Weight** text field and enter the desired amount **(optional).** Apply the correct unit of measure.

Note that if the Current Volume/Weight is greater than the maximum or licensed value, in this both are retained at 0.00L, it is very important to be cautious as in this case scenario when trying to save your record entry, the system will flag out a message (in red) stating that Maximum volume/weight should not be more than Current Volume/Weight as depicted below.

Copyright©2025 by Chemwatch. All Rights Reserved




Example: Current volume set to 50L, Maximum volume/weight set to 300L and Licensed volume/weight set to 500L will be saved successfully as the rule Current VOL/WT </= Max VOL/WT is met.



9. Press the **Save** button


A confirmation message will display to confirm successful task. If a user does not have read-write access to a folder, a message will display to seek further help from the administrator.




10. Summary about viewable the volume/weight for this item.

Expand Multiple button to view details of the product. The default volume/weight is set to "**Current**", which means the grid will display the current volume assigned to this item. The material name is "acetone" showing the 50.00L as per the product's assigned volume of 50.00L for the current value.


Copyright©2025 by Chemwatch. All Rights Reserved



11. In order to view the "Maximum" volume/weight kg/L of the same product, press the "Current" button CURRENT from the VOL/WT column header.



12. Select the "Maximum" option Max
As soon as the max button option is selected, the current view changes to the maximum value.



2.2.6.2 Add Volume/Weight to a Product – Cat Name View Mode


Before adding volume or weight to a material or product for a line item, consider the following recap.

Component	Manifest Component
Manifest inventory (Cat Name view)	Cat name view will NOT display the **Multiple** button Multiple but show a plain view of the list of products (linked to the Vendor SDS). The Chemwatch Name (Material Name) is not shown in this grid view mode. Note that some material names may be the same as the Cat name (product), especially pure substances and some mixtures may have identical material and cat names.

Copyright©2025 by Chemwatch. All Rights Reserved

Component	Manifest Component
Edit Volume/Weight at Cat name and Material name view	Volume/Weight is editable at Cat (catalogue) name (product) view mode. The grid (table) view only shows the total amount of Volume/Weight for the products listed.

The following steps illustrate how to edit the volume/weight of a product in Cat (Catalogue) Name mode (Plain view).




In this worked example, the volume or weight will be edited in a folder at level 3 node of the tree within the parent Area and Section (Building) folders.

Steps: Edit Volume/Weight of a Product in Cat Name View


In the **Home** module button, select the Simple search tab (if it's not already the default mode)

1. **Expand** manifest directory nodes to view the folder location, e.g., level 3 node
2. Press the **Folder name**. Take note that the manifest list grid defaults to Cat Name. The default view mode is Cat Name.
3. Click the **Edit** button to open the edit panel. This panel contains 3 editable fields; current, maximum and licensed volume or weight. It will also display the current folder location where the product is located within the tree structure. Note that by default the VOL/WT unit display is in kg (kilograms).



4. Select the **Current Volume/Weight** text field and enter the desired amount


Copyright©2025 by Chemwatch. All Rights Reserved




5. Note that this product is a liquid. Refer to default data within this panel.



Select the **drop-down arrow** to change the unit of measure from kg to L.




6. Select the **Maximum Volume/Weight** text field and enter the desired amount **(optional).**
7. Select the **drop-down arrow** to change the unit of measure from kg to L.




8. Select the **Licensed Volume/Weight** text field and enter the desired amount **(optional).**

Copyright©2025 by Chemwatch. All Rights Reserved




9. Press the **Save** button


A confirmation message will display to confirm successful task. If a user does not have read-write access to a folder, a message will display to seek further help from the administrator.



10. The Volume/Weight for this material is displayed on the grid based on the default VOL/WT set to "**Current**", which means that the grid will display its current Volume/Weight. In this worked example, the Cat name is "Acetone" showing the 50.00L as per the product's assigned Volume of 50.00L for the current value.




11. To view the "**Maximum**" Volume/Weight of the same product, press the **"Current" button** CURRENT from the Vol/Wt column header to view options



12. Select the **"Maximum"** option Max

As soon as the Max button option is selected, the Current view changes to the Maximum value alongside the product line item and in this case, it shows the Maximum value = 300L.



When Adding Volume/Weight for a solid, the edit panel will default the material's physical state to "**Solid**" and the respective units will default to kg (kilograms).

Copyright©2023 by Chemwatch. All rights reserved

2.2.7 Copy, Move or Remove Materials

This topic covers aspects on how to distribute materials across the folder structure. Distributing materials is described as; copying materials, moving materials and removing (deleting) materials.

→ Copying a material or product into another folder
→ Moving a material or product into another folder
→ Removing a material or product from a folder



The following exercises are relevant for users that have been granted read and write permission to folders and many not necessarily have rights to manage folders but can manage the content within those allocated specific folders or materials within the entire folder structure.

Type	Required from Requester	Chemwatch Process	Expectation
Copy, move, remove materials	Users can copy, move and remove materials or products into folders in the Backpack application.	This process uses the mouse right/left click to copy, move or remove SDS.	Users must have read-write permission

If read only permission has been granted to a user, then that type of user profile will not be able to distribute materials within the specified folders but may be granted rights to certain folders.

What are the sources of materials where they can be copied from?

The sources of materials or products within the application are; Show Own, Unfiled Folder, Folders and Manifest. The table below provides descriptions for each type.

Source	Type of List	Copy, Move or Remove Materials
Show Own List	Inventory List of your company's or organisation materials registered in Chemwatch is viewable in Show Own List. The Show Own button is located within the Search Panel.	All materials are displayed from the Show Own List button. Materials can be copied from this list into specific folder locations within the tree structure.
Unfiled Folder	The Unfiled folder is a system's directory used for materials that are archived as newly added through registration. Not all	Materials requests are added to this folder type. Materials can be copied, moved or removed from the list into specific

Copyright©2025 by Chemwatch. All Rights Reserved

Source	Type of List	Copy, Move or Remove Materials
	users may have access to this type of folder.	folder locations within the tree structure .
Folders Directory	This folder directory holds the Unfiled folder and any other general folder other than the manifest.	Unfiled folder inventory is listed in this directory. Materials can be copied, moved or removed from the list into specific folder locations within the tree structure .
Manifest Directory Folders	All manifest related regions, sites, areas or storage folder types are located under this directory.	Materials can be copied, moved or removed from the list into specific folder locations within the tree structure .

2.2.7.1 Copy a Material or Product into Another Folder

Recap

Type	Required from Requester	Chemwatch Process	Expectation
Copy material from a folder	Users can copy products into folders in the Backpack application.	This process uses the mouse right/left click to copy SDS depending on type of pc/laptop being used.	Users must have read-write permission

The following steps show how to copy a product in Cat Name view mode. Use the mouse right click function to copy product SDS into the respective folder .


Note that if the product contains volume/weight when copied, that volume/weight value will NOT be copied.

Steps: Copy a Material into Another Folder


Open the **Home** module (if it's not already the default module).

1. **Expand** Manifest Directory, Area, Section to view folder nodes to identify the specific folder location, e.g., a storage green folder.
2. Click the **folder name** to display records contained in that source folder.
3. **Right click** on the product name (by specific vendor, country, language and issue date) from the products listing in Cat Name view mode.
4. Select the **Copy** option.


Copyright©2025 by Chemwatch. All Rights Reserved




5. **Right click** on the destination folder, e.g., storage folder is grey Storage, depicting an empty folder.
6. Select the **Paste** option from the menu.



7. The storage grey folder turns green, which depicts a folder with a material copied into it. Select the **green folder** to display record for the copied product.



A confirmation message will display to confirm successful task.



If a user does not have read-write access to a folder, a message will display to seek further help from the administrator. The copied line item DOES NOT keep the volume/weight from the source folder.

Copyright©2025 by Chemwatch. All Rights Reserved

2.2.7.2 Move a Material or Product into another Folder

Recap

Type	Required from Requester	Chemwatch Process	Expectation
Move material from a folder	Users can move products into other folders in the Backpack application.	This process uses the mouse right/left click to move SDS depending on type of pc/laptop being used. Another option available to users is the drag and drop function	Users must have read-write permission


The following steps illustrate the sequence with screen capture on how to move a product in Cat Name view mode. Use the right click function to move product SDS into the respective folder .

Note that if the product contains volume/weight when copied, that volume/weight value will NOT be copied to the destination folder.

Steps: Move a Product in Cat Name View into a Folder


Open the **Home** module (if it's not already the default module).

1. **Expand** Manifest directory, Area, Section to view folder nodes to identify the specific folder location, e.g., a storage green folder.
2. Click the **folder name** to display records contained in that source folder.
3. **Right click** on the product name (by specific vendor, country, language and issue date) from the products listing in Cat Name view mode.
4. Select the **Move** option from the menu.




5. **Right click** on the destination folder, e.g., storage folder is grey Storage, depicting an empty folder.
6. Select the **Paste** option from the menu.
7. The storage grey folder turns green , which depicts a folder with the moved product Select the **green folder to display record for the product line item.**

Copyright©2025 by Chemwatch. All Rights Reserved




A confirmation message will display to confirm successful task.



If a user does not have read-write access to a folder, a message will display to seek further help from the administrator.

Summary about Viewable Volume/Weight kg/L for this Moved Item

The default Volume/Weight is set to "**Current**", which means the grid will display the Current Volume/Weight that was originally assigned to the item. The Cat name is "Acetone" showing the 50.00L as per the product's assigned Volume of 50.00L for the current value.



The moved line item keeps the volume/weight from the source folder it was moved from. Hence, the destination will contain the same value of the volume/weight of the material.

2.2.7.3 Remove a Material or Product from a Folder

Recap

Type	Required from Requester	Chemwatch Process	Expectation
Remove material from a folder	Users can remove products from one folder into another in the Backpack application.	This process uses the mouse right/left click to remove SDS depending on type of pc/laptop being used. Another option available to users is the drag and drop function into the Deleted Directory	Users must have read-write permission


Copyright©2025 by Chemwatch. All Rights Reserved

The following steps demonstrate how to move a product in Cat Name view mode. Use the right click function to remove a product SDS into the Deleted Directory folder.


Steps: Remove (Delete) a Product using the Right Click

Open the **Home** module (if it's not already the default module).


1. **Expand** Manifest directory, Area, Section to view folder nodes to identify the specific folder location, e.g., a storage green folder.
2. Click the **folder name** to display records contained in that source folder.
3. **Right click** on the product name (by specific vendor, country, language and issue date) from the products listing in Cat Name view mode.
4. Select the **Remove** option from the menu.




5. Click the **Yes** button to confirm deletion of 1 chemical record.



6. The line item will be removed from the sourced folder and archived in the Deleted Directory.




A confirmation message will display to confirm successful task.




If a user does not have read-write access to a folder, a message will display to seek further help from the administrator.

Summary about Viewable Volume/Weight kg/L for this Removed Item

The default Volume/Weight is set to "**Current**", which means the grid will display the current Volume/Weight as a zero value to 2 decimal points 0.00 L. The Cat name is "Acetone" showing the 0.00L, whereby the original product's assigned current volume of 50.00L is automatically removed from the deleted line item. However, other data points about the product's line item are retained.



The removed line item's other volume/weight kg/L category values for Maximum and Licensed are automatically removed upon deletion of the record.




2.3 The Manifest Toolbar Hazards Filter

The main objectives of this section cover the Manifest Toolbar features on how to:

- Filter a Manifest list by All Hazards
- Filter a Manifest list by Specific Carcinogenic Hazards
- Filter a Manifest list by Incompatibility Report

WHAT YOU'LL LEARN



The Manifest Toolbar contains the following components:

- Hazards filter
- Materials/Ingredients filter
- PSD (Print, Share, Download)
- Report Generator

The table below provides specific attributes and the variety of uses of the Filtering features.


Copyright©2025 by Chemwatch. All Rights Reserved

Component	Attribute	Use	Expectation
Hazards Filter 	Users can filter a list by hazard type. By default, there are NO hazards that are filtered out.	Filter a manifest list of chemicals in any folder by a specific hazard type or report type.	 Users must be granted privileges to use the hazards filter.
Materials/Ingredients Filter 	Users can filter for materials' ingredients based on the chemicals listed in a folder.	Identify what ingredients or constituents are available for each material in the chemical list.	 Users must be granted privileges to use the Materials/Ingredients filter.
Print, Save, Email Buttons 	Use the Print, Save or Email functions to choose the type of report or document to generate from the chemicals listed in a folder.	Print options are available to choose the type of report. Save options are available to choose the type of report. The email option is available to choose the type of report.	 Generally, all users have access to these functions.
Report Generator Button 	Use the basic or advanced features of the report generator tool to export report data.	Generate reports from basic templates or create advanced templates to export data into a spreadsheet.	 Users must be granted privilege to use the Report Generator feature.

The next topics discuss the Manifest Toolbar and how to use the options for a diversity of purposes such as:


- Filtering a folder Inventory list by all hazardous chemicals
- Filtering a folder Inventory list by specific hazards
- Filtering a folder inventory list by incompatibilities that may exist

2.3.1 Hazards Filter

The Manifest Hazards Filter defaults to "**Filters: OFF**", 

and to use it, the Manifest list will have to be displayed first from the Manifest Directory/Folder. The Manifest list will show in a grid containing a number of columns which are discussed below.

Copyright©2025 by Chemwatch. All Rights Reserved




Background Information about the Materials and Classification Data

What is a hazardous chemical?

Hazard chemicals are those that, following worker exposure, can have an adverse effect on health and the environment. Examples of hazardous chemicals include poisons, toxins, chemicals that cause burns, skin, eye irritation and those that may cause cancer. Many hazardous chemicals are also classified as Dangerous Goods.

The Manifest module automatically calculates the Risk/Hazard Codes (Statements) based on the classification of the hazardous chemicals located in the respective folder structure. The Risk/Hazard column displays the applicable Risk/Hazard Codes. The table below provides summarised information for each of the Manifest grid column headers.



Copyright©2025 by Chemwatch. All Rights Reserved

Column	Component	Attributed Function	Use
1	Checkbox	Selection of specific material. If material(s) is selected, report will dipslay records basd on selection, although this is ignored for Lists.	When generating report using the PMS toolbar or Report Generator
2	Track	Selecting a single-track icon alongside a material pin-points the location of the material in the folder structure.	Location of a material in current folder is depicted by respective colour coding of the track icon: Red, green, yellow and grey.
3	Hazard	Materials that have a Gold SDS and or VGD extracted will show the respect Chemwatch hazard rating colour coding icon.	The hazard rating colour codes are based on the classification of the material and the availability of a Gold SDS or extracted data (VGD). The colour codes are (in order of nature of hazard; red (extreme), orange (high), yellow(moderate), blue(low), grey(non-hazardous) and a question mark (unknown)
4	Part No	Products general will have a part number or product code assigned as per manufacturer or can be user defined.	The part no icon 123 is displayed, pressing on this icon alongside a material will display the part number window to view existing or add new part number(s).
5	Material Name	Material name display or Cat name display	Users can switch between material or cat name view. Cat name view shows the available list of products (with Vendor SDS where applicable).
6	CAS Number	Chemical Abstract Substance Number	Known CAS number(s) will be displayed in this column
7	Vendor	Vendor is the Manufacturer or Supplier of the SDS, if a vendor is not show, this means that only the material name was added without an existing Vendor SDS.	When a vendor SDs is added to the system, this column will show the respective Vendor(s) for the specific material/product. This column can also show multiple Vendors for the same material/product where applicable.
8	Regulatory Burden	A simple metric with four distinct bands; Extremely, Highly, Moderately and Lightly Regulated.	Provides an indication of the level of regulation surrounding a substance based on appearance and frequency in regulatory lists; Extremely (Red), Highly (Orange), Moderately (Yellow) and Lightly (Green) Regulated.
9	Risk/Hazard Statement	Risk Code and Hazard Code (GHS) display options.	Choose the classification mode to be applied on the grid. Material risk/hazard classification codes will be displayed respectively.

Copyright©2025 by Chemwatch. All Rights Reserved

Column	Component	Attributed Function	Use
10	Vol/Wt	Volume or weight of the material or specific product based on the set units.	Volume/Wight can be entered for a single material or multiple products (at the vendor-cat name level).
11	DG, S1, S2	DG column displays the respective primary dangerous good classification and/or switch to subsidiary risk 1 or 2	Dangerous goods class assigned as pe the classification of the material is displayed in this column. For more details about DG Classes and descriptions, refer to the appendix of the user guide.
12	PKG	Packing Group	Packing Group I, II or III as per the Dangerous Goods classification.
13	Country	Country of origin	Displays the respective of SDS's country of origin.
14	Language	Language of the SDS	Displays the language in which the SDS is available.
15	Tags	Label assigned automatically, manually or mixed to material. This type of labelling occurs within the grid alongside materials.	Tags can be created for identifying specific materials on the grid based on set criteria automatically or manually by the administrator or users given the rights to create tags.
16	Approv.	User dependent field for setting approval status of a material. Set approval by a specific person, set Use by; Risk Assessment and dates. Note that this setting does not relate nor is it linked to Approvals Module. It is a static record entry.	This attribute can be used for any approval criterion. It provides these options: Not Approved, Approval Required or Approved. Materials without any approval set – will show an icon. Approval Required – will display icon. Approved – will display icon.
17	General Note	A Note icon is displayed after a noted is added through the right click menu option "Note".	Add a note for a material for information sharing. Once a note is added, a flag will display with a mouse hover question mark. Materials without a note will be blank.

Risk/Hazard Statement Classification Column

The hazardous substances risk codes/hazardous chemical hazard codes and dangerous goods classification generated for each product depends on the availability of a Gold MSDS authored by Chemwatch. The Manifest grid can display information in two types of views:

Copyright©2025 by Chemwatch. All Rights Reserved

- Cat (Catalogue) Name view
- Material Name view

The **Risk Statement** classification column displays the respective risk codes per line item.



TRACK	HAZARD	CAT NAME	VENDOR	RISK STATEMENT	VOL / WT MAX	PKG	DG	S1 S2	COUNTRY	LANGUAGE
		1,1,1-Trichloroethane Issue Date: 01/01/2019: Extraction Date: None C Gold	Chem-Supply	R4,R20,R36,R59	0.00 mL	III	6.1		Australia	English
		2,2',5,5'-TETRACHLOROBIPHENYL-UL-14C Issue Date: 23/08/2006: Extraction Date: None Gold	Sigma-Aldrich (Merck)	R33,R45(2),R50/53,R58	0.00 L	None	7		Australia	English
		5040 Indexflüssigkeit Issue Date: 08/04/2014: Extraction Date: 07/04/2019: VGD Gold	AGR International	-	0.00 kg	None	None		Germany	German
		acetone-D6 Issue Date: 05/02/2004: Extraction Date: None Gold	Merck	R11,R66	0.00 L	II	3		Germany	Swedish
		BATTERY ACID Issue Date: 11/06/2002: Extraction Date: 16/06/2020: VGD	Johnson Controls	-	0.00 L	None	None		United States	English
		Benzene Issue Date: 23/10/2019: Extraction Date: 05/04/2020: VGD Gold	Sigma-Aldrich (Merck)	R11,R36/38,R45(1),R46(2),R48/23/24/25,R51,R60(2),R63(3),R65,R67	0.00 L	II	3		Australia	English
		chloroform Issue Date: 13/11/2014: Extraction Date: None Gold	Sigma-Aldrich (Merck)	R4,R22,R38,R40,R48/20/22	0.00 L	III	6.1		France	English
		CHLOROFORM SINGLE COMPONENT STANDARD FOR EPA METHODS Issue Date: 12/09/2011: Extraction Date: None Gold	Sigma-Aldrich (Merck)	R11,R23/24/25,R39/26/27/28,R61(2)	0.00 L	II	3		Australia	English
		CLARITI PART A Gold	—	R36/38,R43,R51/53	0.00 L	III	9			

To change the risk statement classification column to display the GHS classification hazards statement codes, click the **Risk Statement** column header and select the **Hazard Statement** option as shown below.



The Manifest grid **Hazard Statement** column displays hazards classification codes in accordance to GHS classification per line item.

Copyright©2025 by Chemwatch. All Rights Reserved



TRACK	HAZARD	CAT NAME	VENDOR	HAZARD STATEMENT	VOL / WT MAX	PKG	DG	S1 S2	COUNTRY	LANGUAGE
		1,1,1-Trichloroethane Issue Date: 01/01/2019: Extraction Date: None	Chem-Supply	H319,H332,H420	0.00 mL	III	6.1		Australia	English
		2,2',5,5'-TETRACHLOROBIPHENYL-UL-14C Issue Date: 23/08/2006: Extraction Date: None	Sigma-Aldrich (Merck)	H350,H373,H400,H410	0.00 L	None	7		Australia	English
		5040 Indexflüssigkeit Issue Date: 08/04/2014: Extraction Date: 07/04/2019:	AGR International	-	0.00 kg	None	None		Germany	German
		acetone-D6 Issue Date: 05/02/2004: Extraction Date: None	Merck	EUH066,H225	0.00 L	II	3		Germany	Swedish
		BATTERY ACID Issue Date: 11/06/2002: Extraction Date: 16/06/2020:	Johnson Controls	-	0.00 L	None	None		United States	English
		Benzene Issue Date: 23/10/2019: Extraction Date: 05/04/2020:	Sigma-Aldrich (Merck)	H225,H304,H315,H319,H336,H340,H350,H360Fd,H372,H401	0.00 L	II	3		Australia	English
		chloroform Issue Date: 13/11/2014: Extraction Date: None	Sigma-Aldrich (Merck)	H302,H315,H319,H331,H351,H361d,H372	0.00 L	III	6.1		France	English
		CHLOROFORM SINGLE COMPONENT STANDARD FOR EPA METHODS Issue Date: 12/09/2011: Extraction Date: None	Sigma-Aldrich (Merck)	H225,H301,H311,H331,H360D,H370	0.00 L	II	3		Australia	English

What do these hazard colour coded icons mean?

The hazard colour coded icons that are displayed in the hazard column for each classified Cat name stem from the categories based on Chemwatch Hazard Rating criteria. The table below provides the meaning of the hazard icons with respect to the nature of the hazard.

Hazard Category	Rating	Hazard Level	Code	Icon	Nature of Hazard Chemical
Flammability Toxicity Body Contact Reactivity Chronic	0/Min	Non	Grey		Non Hazardous Chemical
	1	Low	Blue		Low Hazardous Chemical
	2	Moderate	Yellow		Moderate Hazardous Chemical
	3	High	Orange		Highly Hazardous Chemical
	4	Extreme	Red		Extremely Hazardous Chemical
No CW Classification	N/A	N/A	Question mark		Classification not provided by Chemwatch. However, the Vendor SDS has been classified by manufacturer.

The following products in show five different hazard code icons as per the Chemwatch hazard ratings; orange, blue, red, grey and yellow respectively. From this list, you can depict that all the five listed products are classified as hazardous chemicals and also their hazard levels by looking at the hazard column alongside each product.

Copyright©2025 by Chemwatch. All Rights Reserved



2.3.1.1 Filter a Folder Inventory List by Hazards All

The following steps provide information on how to derive a specific hazard report for all hazardous classified products from a folder list. To achieve this activity, two tasks must be carried out.

Task	Action	Reason	Expectation
Hazards Filter	Users can filter a list by hazard type.	Filter a manifest list of chemicals in any folder by a specific hazard type to Print, Share or Download the report for the identification of all hazardous chemicals in a location.	Generally, users with access to Manifest can use the hazards filter.
Print, Save or Email Report	Users can Print, Share Download filtered out list a or s a report document.	Print hazardous chemicals list report Save hazardous chemicals list report. Email hazardous chemicals list.	Generally, users with access to Manifest can generate these reports.

In general, the hazards filtering can be achieved at any folder level, so long as the selected folder contains materials.

Designated icon	Folder Type	Filter at Folder Node Level	Folder Tree Node (s)
	Area	User can filter contents in the Area folder node under the manifest directory.	Level 1
	Section	User can filter contents in the Section folder node under the parent Area.	Level 2

Copyright©2025 by Chemwatch. All Rights Reserved

Designated icon	Folder Type	Filter at Folder Node Level	Folder Tree Node (s)
	Location	User can filter contents in the Location folder node under the Section level.	Level 3


In this worked example, the hazards-all filtering will be carried out from the Area folder node under the Manifest Directory.

Steps: Filter by Hazard-All

Open the **Home** module (if it's not already the default module).


1. **Expand** Manifest directory nodes to view the folder location, e.g., the Area node at level 1 has been used in this worked example.
2. Press the **Folder name**. Take note that the manifest list grid defaults to Cat Name view mode.




3. Click the drop-down arrow from the "**Filters: OFF**" button 

4. Select the **Hazard-All** option from the hazard's filter menu.

Copyright©2025 by Chemwatch. All Rights Reserved




5. Note that the list is filtered to show only those products that are classified as hazardous chemicals. The hazard column displays the colour coded icons as per Chemwatch's hazard rating and the hazard statement column shows the hazard classification codes (H Codes based on GHS) for each line item.




6. Choose any of the Print, Download or Share buttons. Select the **Print button** to generate the hazards-all report.
7. The "**List**" radio button is the default selection from the print menu.
8. Press the **Submit button** to generate the report document in PDF format.

Copyright©2025 by Chemwatch. All Rights Reserved




9. Press the **Print**, **Download (Save)** buttons from the acrobat reader to print or download report.



HAZARD	CAT NAME	CAS NUMBER	RED FLAG	VENDOR	HAZARD CODES	TAGS	VOLUME / WEIGHT	LANGUAGE	COUNTRY	DGC	PKG
3	Acetone	67-64-1	True	Wilmar BioEthanol (Sucrogen BioEthanol)	AUH066,H225,H319,H336	CLP Hazardous, Red Tag DG 3	0.0 L	English	Australia	3	II
3	acetone	67-64-1	False	Sigma-Aldrich (Merck)	AUH066,H225,H319,H336		20.0 L	English	Australia	3	II
3	acetone	67-64-1	False	3M	AUH066,H225,H319,H336		40.0 L	English	Australia	3	II
3	Acetone, 99,8%, anhydrous (max. 0,005% H2O)	67-64-1	True	Scharlab	EUH066,H225,H319,H336	CLP Hazardous, Red Tag DG 3	50.0 L	English	Spain	3	II
1	Argon	7440-37-1	False	BOC (a division of Linde)	AUH044,H280		0.0 L	English	Australia	2.2	
1	argon	7440-37-1	False		H280,H333		0.0 L			2.2	None
4	Benzene	71-43-2	True	Alfa Aesar (Avocado Research Chemicals, Ltd.)	H225,H304,H315,H319,H340,H350,H372	RestrictedCarcinogen, CLP Hazardous, Red Tag DG 3, NZ Regs	50.0 L	English	United Kingdom	3	
2	Chloric acid	7790-93-4	True	Sigma-Aldrich (Merck)	H272,H319	Chem Security, Ucar Extreme Hazchem, Red Tag DG 3	0.0 L	English	Australia	5.1	II

Note that in this generated pdf report document, the hazard column has converted the hazard colour coded icons into the corresponding Chemwatch hazard rating number in each line item.

Copyright©2025 by Chemwatch. All Rights Reserved

10. Click the drop-down arrow from the "**Filters: OFF**" button 

and select the "**No Hazards Filter**" option to go back to the products list (this action closes the filter function).

2.3.1.2 Filter a Folder Inventory List by Hazards-Specific Carcinogens

What are carcinogens?
Carcinogens are hazardous chemicals that can cause cancer due to the ability to damage the genome or disruption of cellular metabolic processes.

The following steps show '**how to derive a specific hazard report for carcinogenic products within a Manifest folder**. In order to achieve this activity, two tasks must be carried out;

Task	Action	Reason	Expectation
Hazards Filter for Carcinogens	Users can filter a list by hazard-specific carcinogens.	Filter a list of chemicals in any folder by a specific hazard type to Print, Download or Sharel the report for the identification of carcinogenic chemicals in a location.	Generally, users with access to Manifest can use the hazards filter
Print, Save or Email Report	Users can Print, Save or Email filtered out carcinogens list as a report document	Print carcinogenic chemicals list report Save carcinogenic chemicals list report Email carcinogenic chemicals list	Generally, users with access to Manifest can generate these reports.

In general, the hazards filtering can be achieved at any folder level.

Designated icon	Folder Type	Filter at Folder Node Level	Folder Tree Node (s)
	Area	User can filter contents in the Area folder node under the manifest directory.	Level 1
	Section	User can filter contents in the Section folder node under the parent Area.	Level 2
	Location	User can filter contents in the Location folder node under the Section level.	Level 3

In this worked example, the hazards-specific carcinogens filtering will be carried out from the Area folder node under the Manifest Directory.

Steps: Filter by Hazards-Specific Carcinogens

Copyright©2025 by Chemwatch. All Rights Reserved

Open the **Home** module (if it's not already the default module).

1. **Expand** Manifest directory nodes to view the folder location, e.g., Area node at level 1.
2. Press the **Folder name**. Take note that the manifest list grid defaults to Cat Name view mode.




3. Click the drop-down arrow from the "**Filters: OFF**" button 

.
4. Select the **Hazards-Specific Carcinogens** option from the hazard's filter menu.




5. Note that this list is filtered to show only those products that classified as **carcinogenic chemical products**. The hazard column displays the colour coded icon(s) as per hazard rating and the hazard statement column shows the hazard classification codes (H Codes as per GHS) for each line item. The filtered list show only 1 carcinogen identified.

Copyright©2025 by Chemwatch. All Rights Reserved




6. Choose any of the Print, save or email buttons. Select the **Print button** to generate the hazards-all report.
7. The "**List**" radio button is the default selection from the print menu.
8. Press the **Submit button** to generate the report document in PDF format.




9. Press the **Print**, **Download** buttons from the PDF reader to print or download report.

Copyright©2025 by Chemwatch. All Rights Reserved



Note that in this generated pdf report document, the hazard column has converted the hazard colour coded icon into the corresponding Chemwatch hazard rating number for the line item. Close the print window.

10. Click the drop-down arrow from the "**Filters: OFF**" button 

and select the "**No Hazards Filter**" option to go back to the products list (this action closes the Hazards Filter functionality).

2.3.1.3 Filter a Manifest List by Incompatibility Report

What is an Incompatibility Report?

Incompatibility Report

The **"Incompatibility Report"** is a summary of storage incompatibility based on Dangerous Goods Classification. Each chemical in a Manifest folder/store is checked in combination with all other chemicals for any incompatibilities. This logic includes all subsidiary nodes if the report is generated from a parent folder. The report provides segregation guidance notes for incompatible goods through an information icon tag . There are three primary categories used for the incompatibility conclusion.

- **Compatible -** chemicals can be stored together with other chemicals in store
- **Incompatibilities may exist** - provided the chemicals falls under the same class
- **Segregation** - chemicals must be separated by a specific distance apart from each other

Copyright©2025 by Chemwatch. All Rights Reserved

The following steps illustrate how to derive a specific hazard report based on the incompatibilities of dangerous goods. In order to achieve this activity, two tasks must be carried out.

Task	Action	Reason	Expectation
Hazards Filter for Incompatibility Report	Users can filter a list by Incompatibility Report	Filter a list of chemicals in any folder to Print, Share or Download the report for the identification of incompatibilities of chemicals in a location.	Generally, users with access to Manifest can use the hazards filter
Print, Share or Download Report	Users can Print, Save or Email filtered out Incompatibility Report document	Incompatibility Report provides details on storage distances for DG classes and compatibilities that may exist.	Generally, users with access to Manifest can generate these reports.

In general, filtering materials can be achieved at any folder level.

Designated icon	Folder Type	Filter at Folder Node Level	Folder Tree Node (s)
	Area	User can filter contents in the Area folder node under the manifest directory.	Level 1
	Section	User can filter contents in the Section folder node under the parent Area.	Level 2
	Location	User can filter contents in the Location folder node under the Section level.	Level 3


In this worked example, the Incompatibility Report filtering will be carried out from the Area folder node under the Manifest Directory.

Steps: Filter by Incompatibility Report


Open the **Home module** (if it's not already the default module).

1. **Expand** manifest directory nodes to view the folder location, e.g., the Area node at level 1 has been used in this worked example.
2. Press the **Folder name**. Take note that the manifest list grid defaults to Cat Name view mode.

Copyright©2025 by Chemwatch. All Rights Reserved




3. Click the **Hazards drop down arrow** from the "Hazards Filter" menu  .
4. Select the **Incompatibility Report** option from the hazard's filter menu.



5. Note that this list is filtered to show only those products that are classified as dangerous. The filtered list is shown as an **Incompatibility Report**. The information icon  provides the details on segregation, compatibility status.

Copyright©2025 by Chemwatch. All Rights Reserved




6. Choose any of the **Print**, save or email buttons. **Select the Print button**.

   to generate the Incompatibility report in PDF format. Note that the chemicals on the left are compared with those on the right, they are not just compared with the chemical on the same row.




You may also scroll further down the page to view supplementary notes for further reading.

Copyright©2025 by Chemwatch. All Rights Reserved



7. Press the **Print**, Download buttons from the PDF reader to print or download report.




Note that in this generated pdf PDF report document, the chemicals are compared with those on the right, they are not just compared with the chemicals on the same row. Click the close button on the top right-hand corner to close the print window. Click the **Back button** BACK to go back to the products list.

Copyright©2025 by Chemwatch. All Rights Reserved

2.3.2 Ingredients Filter

Materials/Ingredients in Manifest Toolbar

Materials button in the Manifest Toolbar is set to be default view of chemical names in any list. Selecting the Ingredients button will automatically filter all ingredients and generate a list of material ingredients.



In this worked example, the Materials/Ingredients filtering will be carried out from the Area folder node under the Manifest directory.

Steps: Filter by Switching Materials to Ingredients


Open the **Home** module (if it's not already the default module).

1. **Expand** Manifest Directory node to view the folder location, e.g., Area node at level 1.
2. Press the **Folder name**. Take note that the manifest list grid defaults to Cat Name view mode.



3. Click the **"Ingredients"** button Ingredients list material names with corresponding hazard statement codes (as per the classification of the materials) and Volume/Weight.

Copyright©2025 by Chemwatch. All Rights Reserved



The Manifest Ingredients mode is now active. Ingredients information is presented for the Materials with the respective GHS classification Hazard Codes (representing Hazard Statements) and Volume/Weight (Current Volume/Weight is the default view).




4. Select the **Expand arrow for each row** to view the ingredients components.
   The ingredients mode is now active. Ingredients information is presented for each material through the expand icon alongside each material. This information is presented with the exact ingredients material name, Volume/Weight and the respective percentage composition.


Copyright©2025 by Chemwatch. All Rights Reserved



5. Click the **Print**, Share (Email) or Download (Save) button to generate the report in pdf format.
6. The **List radio button** is preselected by default.
7. Press the **Submit** button to generate the report.




8. Enter the **header and footer text** to be generated with the pdf document/report and press the print button.



Copyright©2025 by Chemwatch. All Rights Reserved

9. Use the pdf Print or Download button to generate document.



Note that in this generated pdf report document, the chemicals are compared with those on the right, they are not just compared with the chemicals on the same row. Click the close button on the top right-hand corner to close the print window. Click the Materials button from the manifest toolbar to go back to the products list.

Copyright©2025 by Chemwatch. All Rights Reserved

2.4 Filtering and Sorting List

The main objectives of this section cover the Manifest Grid filter options on how to:

→ Use the Hazards column to filter by CW hazard category
→ Use the Cat Name column to filter by chemical name
→ Use the Vendor column to filter by vendor name
→ Use the Volume/Weight column to filter by value
→ Use the DG column to filter by Dangerous Goods Class
→ Use the Country column to filter by specific country
→ Sort the materials list by Dangerous Goods Class
→ Sort the materials list by country
→ Add General and SDS Notes to Material and Sort



The Manifest module's grid contains a number of filters to can be used to filter the list according a desired filter type. Users can filter the grid by these column headers.

- Hazard Rating (colour coded icons)
- Part No
- Material name
- Cat name
- Vendor
- PKG (Packing Group)
- DG (Dangerous Goods Class
- Language
- Country
- UN (United Nations number)

The Manifest grid columnar filters are described and shown how they work below:

2.4.1 Hazards Column Filter

Hazard Colour Code	Filter Column by the Nature of Hazard
	**Minimum/Non-**Hazardous Chemical
	**Low** Hazardous Chemical
	Moderate Hazardous Chemical
	**Highly** Hazardous Chemical
	**Extremely** Hazardous Chemical
	Chemicals that are designated with a **question mark icon** will be excluded as the nature of the hazard is unknown from the Chemwatch Hazard Rating perspective.


Copyright©2025 by Chemwatch. All Rights Reserved

In this worked example, the **Hazard** column filtering will be carried out from the Area folder node under the Manifest Directory.


Steps: Filtering a Materials List by Extreme Hazard

Open the **Home** module (if it's not already the default module).

1. **Expand** Manifest directory nodes to view the folder location, e.g., Area node at level 1.
2. Press the **Folder name**. Take note that the list grid defaults to Cat Name view.
3. Click the **Hazards column filter** icon .
4. Click the **drop-down arrow** .
5. Select the **hazard nature statement** from the hazard's filter menu, e.g., Extreme.




6. Select the **Apply button** from the hazard filter panel in order to filter the list.



7. The filtered list shows the **extremely** **hazardous chemicals** located in the respective folder.

Copyright©2025 by Chemwatch. All Rights Reserved



8. Choose any of the **Print**, **Share** or **Download** buttons. Select the Print button. to generate the report document for the extremely hazardous chemicals in PDF format.

Use the **Remove** button to close the filtered list and go back to the products list.

2.4.2 Quick Search by Cat Name Column Filter

Quick Search Operand	Filtering the List by Cat Name
Equals	This operand provides a quick look up (search) by Cat Name from the currently viewed products list to find an exact match
Contains	This operand provides a quick look up (search) by Cat Name from the currently viewed products list to find any close match(es) or


In this worked example, the **Cat Name** column filtering will be carried out from the Area folder node.

Steps: Filter the Cat Name Column by Operand

Open the **Home** module (if it's not already the default module).

1. **Expand** Manifest directory nodes to view the folder location, e.g., Area node at level 1.
2. Press the **Folder name**. Take note that the list grid defaults to Cat Name view mode.


Copyright©2025 by Chemwatch. All Rights Reserved



3. Click the **Cat Name column filter** icon .
4. Click the **drop-down arrow** from the Cat Name filter panel.
5. Select the **Search Operand** from the hazard's filter options, e.g., Equals.



6. Type the **exact name of the product** in the Name/CAS free text field , e.g., benzene.
7. Select the **Apply button** from the hazard filter panel in order to filter the list .



8. The filtered list shows the exact Cat Name match located in the respective folder.

Copyright©2025 by Chemwatch. All Rights Reserved



Use the active filter icon and press the **Remove** button to close the filtered list and go back to the Cat Name original list.

2.4.3 Quick Search by Vendor Column Filter


Quick Search Operand	Filtering the List by Cat Name
Equals	This operand provides a quick look up (search) by **Vendor Name** from the currently viewed products list to find an exact match.
Contains	This operand provides a quick look up (search) by **Vendor Name** from the currently viewed products list to find any close match(es) or exact match.

In this worked example, the **Vendor** column filtering will be carried out from the Area folder node under the Manifest Directory.

Steps: Quick Search by Vendor Column Filter

Open the **Home** module (if it's not already the default module).


1. **Expand** Manifest directory nodes to view the folder location, e.g., Area node at level 1.
2. Press the **Folder name**. Take note that the list grid defaults to Cat Name view mode.




3. Click the **Vendor column filter** icon.

Copyright©2025 by Chemwatch. All Rights Reserved

4. Click the **drop-down arrow** from the Vendor filter panel.
5. Select the **Search Operand** from the Vendor's filter options, e.g., Equals.



6. Type the **exact name of the Vendor** in the Name/CAS free text field, e.g., 3M.
7. Select the **Apply button** from the filter panel in order to filter the list.



8. The filtered list shows the exact Cat name match located in the respective folder.




Use the active filter icon and press the **Remove** button to close the filtered list and go back to the Cat Name original list.

2.4.4 Sort List by Volume/Weight

Sort List	Sort the List by Ascending or Descending Order
Sort Upwards	Sort the list by ascending order at the Volume/Weight column header of the grid/table.
Sort Downwards	Sort the list by descending order at the Volume/Weight column header of the grid/table.

Copyright©2025 by Chemwatch. All Rights Reserved

In this worked example, the Volume/Weight column sorting will be carried out from the Area folder node under the Manifest directory. The sort function will be applied across all data in the grid. Take note that by default, the Cat Name list in the grid is displayed in alpha-numeric ordering.




Steps: Sort Manifest List by Volume/Weight

In the **Home** module (if it's not already the default module);

1. **Expand** Manifest directory nodes to view the folder location, e.g., Area node at level 1.
2. Press the **Folder name**. Take note that the manifest list grid defaults to Cat Name view mode.


> The default cat name alpha-numeric ordering display determines the Volume/Weight value displayed.



3. Click the **Sort Up/Down** icon on the Volume/Weight column header to start sorting the list grid by **Ascending Order**.


Copyright©2025 by Chemwatch. All Rights Reserved

The least Volume/Weight will be displayed at the top of the list take in into account all data in the grid.




4. Click the **Ascending Order** icon on the Volume/Weight column header to sort the list grid by **Descending Order**.

The greatest volume/Weight will be displayed at the top of the list taking into account of all the data in the grid's columns and rows.




5. Select the **Cat Name column header** to relax the sorting to the default alpha-numeric listing in the grid.

Copyright©2025 by Chemwatch. All Rights Reserved




6. The **Cat Name list** is displayed **in alpha-numeric ordering**.



Copyright©2025 by Chemwatch. All Rights Reserved

2.4.5 Filter the List by Dangerous Good Class (DG)




In this worked example, the **DG** column filtering will be carried out from the Area folder node under the Folder/Manifest Directory.

Steps: Filter Manifest List by DG Column


Open the **Home** module (if it's not already the default module).

1. **Expand** Manifest directory nodes to view the folder location, e.g., Area node at level 1.
2. Press the **Folder name**. Take note that the list grid defaults to Cat Name view mode.




3. Click the **DG column filter** icon .
4. Click the **drop-down arrow** from the DG filter panel.
5. Select the **DG category** from the filter menu, e.g., DG 3.


Copyright©2025 by Chemwatch. All Rights Reserved



6. Select the **Apply button** from the hazard filter panel in order to filter the list.



7. The filtered list shows the dangerous goods classified as DGC 3 (Flammables) located in the selected folder.



8. Choose any of the Print, save or email buttons. Select the **Print button** to generate the report document for the flammable dangerous goods list in PDF format.


Use the active filter icon and press the **Remove** button to close the filtered list and go back to the Cat Name original list. You can apply any of the DG Classes to filter any manifest list the same way as illustrated in steps above.

Copyright©2025 by Chemwatch. All Rights Reserved

2.4.6 Sort Manifest List by Dangerous Goods Class (DG)

Sort List	Sort the List by Ascending or Descending Order
Sort Upwards	Sort the list by ascending order at the DG column header of the grid.
Sort Downwards	Sort the list by descending order at the DG column header of the grid.

In this worked example, the **DG** (Dangerous Goods Class) column sorting will be carried out from the Area folder node under the Manifest directory. The sort function will be applied across all data in the grid. Take note that by default, the Cat Name list in the grid is displayed in alpha-numeric ordering.



HAZARD	PART NO.	CAT NAME	CAS NUMBER	VENDOR	RISK STATEMENT	VOL / WT CURRENT	MET	PKG	DG	S1	COUNTRY	LANGUAGE
	123	3M(TM) Scotch-Weld(TM) 底涂 AC79,无色 Issue Date: 26/08/2019; Extraction Date: VGD Update in Progress	67-64-1	3M	H225,H319,H336	0.00 L		II	3		China	Chinese (Traditional)
	123	acetone Issue Date: 08/12/1999; Extraction Date: 18/07/2018;	67-64-1	3M	H225,H319,H336	0.00 L		II	3		Canada	English
	123	acetone Issue Date: 07/01/2005; Extraction Date: 21/08/2018;	67-64-1	Bondo (a part of 3M)	H225,H319,H336	0.00 L		II	3		United States	English
	123	acetone	67-64-1	—	H225,H319,H336	500.00 L		II	3			
	123	acetone Issue Date: 21/01/2010; Extraction Date: 07/04/2019;	67-64-1	3M	AUH066,H225,H319,H336	0.00 L		II	3		Australia	English
	123	Acetylene Issue Date: 27/03/2013; Extraction Date: 17/07/2018;	74-86-2	Sigma-Aldrich (Merck)	AUH001,AUH006,AUH019,AUH044,H220,H224,H240,H280	20.00 kg		None	2.1		Australia	English
	123	argon	7440-37-1	—	H280	0.00 L		None	2.2			
	123	BP Butane Issue Date: 12/12/2000; Extraction Date: None	106-97-8.	BP (Castrol)	EUH044,H220,H280	0.00 L		None	2.1		Germany	English
	123	BP Butane Issue Date: 25/01/2016; Extraction Date: 18/07/2018;	106-97-8.	BP Australia	AUH044,H220,H280	0.00 L		None	2.1		Australia	English


Steps: Sort Material List by DG Ascending/Descending Order

Open the **Home** module (if it's not already the default module).

1. **Expand** Manifest directory nodes to view the folder location, e.g., Area node at level 1.
2. Press the **Folder name**. Take note that the manifest list grid defaults to Cat Name view mode.


> The default Cat Name alpha-numeric ordering determines the DG Class value displayed.

Copyright©2025 by Chemwatch. All Rights Reserved



PART NO.	CAT NAME		CAS NUMBER	VENDOR	RISK STATEMENT	VOL / WT CURRENT	MET	PKG	DG	RY	LANGUAGE
123	3M(TM) Scotch-Weld(TM) 底涂 AC79, 无色 Issue Date: 26/08/2019; Extraction Date: VGD Update in Progress	VGD Gold	67-64-1	3M	H225,H319,H336	0.00 L		II	3	China	Chinese (Traditional)
123	acetone Issue Date: 08/12/1999; Extraction Date: 18/07/2018;	VGD Gold	67-64-1	3M	H225,H319,H336	0.00 L		II	3	Canada	English
123	acetone Issue Date: 07/01/2005; Extraction Date: 21/08/2018;	VGD Gold	67-64-1	Bondo (a part of 3M)	H225,H319,H336	0.00 L		II	3	United States	English
123	acetone	Gold	67-64-1	—	H225,H319,H336	500.00 L		II	3		
123	acetone Issue Date: 21/01/2010; Extraction Date: 07/04/2019;	VGD Gold	67-64-1	3M	AUH066,H225,H319,H336	0.00 L		II	3	Australia	English
123	Acetylene Issue Date: 27/03/2013; Extraction Date: 17/07/2018;	VGD Gold	74-86-2	Sigma-Aldrich (Merck)	AUH001,AUH006,AUH019,AUH044,H220,H224,H240,H280	20.00 kg		None	2.1	Australia	English
123	argon	Gold	7440-37-1	—	H280	0.00 L		None	2.2		
123	BP Butane Issue Date: 12/12/2000; Extraction Date: None	Gold	106-97-8.	BP (Castrol)	EUH044,H220,H280	0.00 L		None	2.1	Germany	English
123	BP Butane Issue Date: 25/01/2016; Extraction Date: 18/07/2018;	VGD Gold	106-97-8.	BP Australia	AUH044,H220,H280	0.00 L		None	2.1	Australia	English


3. Click the **Sort Up/Down** icon on the DG column header to start sorting the list grid by **Ascending Order**.



HAZARD	PART NO.	CAT NAME		CAS NUMBER	VENDOR	RISK STATEMENT	VOL / WT CURRENT	MET	PKG	DG	RY	LANGUAGE
	123	Acetylene Issue Date: 27/03/2013; Extraction Date: 17/07/2018;	VGD Gold	74-86-2	Sigma-Aldrich (Merck)	AUH001,AUH006,AUH019,AUH044,H220,H224,H240,H280	20.00 kg		None	2.1	Australia	English
	123	HANDIGAS Issue Date: 30/03/2017; Extraction Date: 20/12/2020;	VGD Gold	68476-85-7.	BOC (a division of Linde)	AUH044,H220,H280	0.00 L		None	2.1	Australia	English
	123	Liquefied Petroleum Gas (LPG) Issue Date: 01/01/2019; Extraction Date: 21/08/2019;	VGD Gold	68476-85-7.	Elgas	H220	5.00 L		None	2.1	New Zealand	English
	123	Liquefied Petroleum Gas (LPGas) Issue Date: None Extraction Date: None	Gold	68476-85-7.	Elgascott	AUH044,H220,H280	0.00 L		None	2.1	Australia	English
	123	Liquefied Petroleum Gas (LPG) Issue Date: 01/01/2019; Extraction Date: 03/08/2019;	VGD Gold	68476-85-7.	Elgas	AUH044,H220,H280	0.00 L		None	2.1	Australia	English
	123	LIQUEFIED PETROLEUM GAS (LPG) (NZ) Issue Date: 04/05/2018; Extraction Date: 29/08/2018;	VGD Gold	68476-85-7.	BOC (a division of Linde)	H220	0.00 L		None	2.1	New Zealand	English
	123	LIQUEFIED PETROLEUM GASES (LPG) Issue Date: 28/02/2018; Extraction Date: 13/11/2020;	VGD Gold	68476-85-7.	BOC (a division of Linde)	H220,H280	100.00 L		None	2.1	United States	English
	123	Liquefied Petroleum Gas (LPGas) Issue Date: 16/12/2009; Extraction Date: None	Gold	68476-85-7.	Elgas	AUH044,H220,H280	0.00 L		None	2.1	Australia	English

4. Click the **Ascending Order** icon on the Volume/Weight column header to sort the list grid by **Descending Order**. The None DG Volume/Weight will be displayed at the top of the list take in into account all data in the grid.
5. Select the **Cat Name column header** to relax the sorting to the default alpha-numeric listing in the grid.

Copyright©2025 by Chemwatch. All Rights Reserved



HAZARD	PART NO.	CAT NAME (5)	CAS NUMBER	VENDOR	RISK STATEMENT	VOL / WT CURRENT	PKG	DG	COUNTRY	LANGUAGE
	123	formaldehyde Gold	50-00-0, 8005-38-7, 8006-07-3, 8013-13-6, 112068-7... more	—	H227,H290,H301,H311,H314,H317,H318,H331,H350,H371,H402	0.00 L	III	8		
	123	N-HEXANE REFERENCE SUBSTANCE FOR GAS CHROMATOGRAPHY Issue Date: 31/10/2016; Extraction Date: None Gold	110-54-3	Merck	H225,H304,H315,H336,H361,H373,H401,H411	0.00 L	II	3	Australia	English
	123	Hexanes for analysis EMPARTA® ACS Issue Date: 01/11/2016; Extraction Date: None Gold	110-54-3	Merck	H225,H304,H315,H336,H361,H373,H401,H411	0.00 L	II	3	Australia	English
	123	n-Hexane for analysis EMSURE ACS,Reag. Ph Eur Issue Date: 31/10/2016; Extraction Date: None Gold	110-54-3	Merck	H225,H304,H315,H336,H361,H373,H401,H411	0.00 L	II	3	Australia	English
	123	n-hexane Gold	110-54-3	—	H225,H304,H315,H320,H336,H361,H373,H401,H411	0.00 L	II	3		
	123	n-Hexane hypergrade for LC-MS LiChrosolv® Issue Date: 01/11/2016; Extraction Date: 28/08/2020; VGD Gold	110-54-3	Merck	H225,H304,H315,H336,H361,H373,H401,H411	0.00 L	II	3	Australia	English

Cat name sorted by ascending order.

6. The Cat Name list shows the alpha-numeric ordering.



HAZARD	PART NO.	CAT NAME (6)	CAS NUMBER	VENDOR	RISK STATEMENT	VOL / WT CURRENT	PKG	DG	COUNTRY	LANGUAGE
	123	acetone Issue Date: 08/12/1999; Extraction Date: 18/07/2018; VGD Gold	67-64-1	3M	H225,H319,H336	0.00 L	II	3	Canada	English
	123	acetone Issue Date: 07/01/2005; Extraction Date: 21/08/2018; VGD Gold	67-64-1	Bondo (a part of 3 M)	H225,H319,H336	0.00 L	II	3	United States	English
	123	acetone Gold	67-64-1	—	H225,H319,H336	500.00 L	II	3		
	123	acetone Issue Date: 21/01/2010; Extraction Date: 07/04/2019; VGD Gold	67-64-1	3M	AUH066,H225,H319,H336	0.00 L	II	3	Australia	English
	123	Acetylene Issue Date: 27/03/2013; Extraction Date: 17/07/2018; VGD Gold	74-86-2	Sigma-Aldrich (Merck)	AUH001,AUH006,AUH019,AUH044,H220,H224,H240,H280	20.00 kg	None	2.1	Australia	English
	123	argon Gold	7440-37-1	—	H280	0.00 L	None	2.2		
	123	BP Butane Issue Date: 12/12/2000; Extraction Date: None Gold	106-97-8.	BP (Castrol)	EUH044,H220,H280	0.00 L	None	2.1	Germany	English
	123	BP Butane Issue Date: 25/01/2016; Extraction Date: 18/07/2018; VGD Gold	106-97-8.	BP Australia	AUH044,H220,H280	0.00 L	None	2.1	Australia	English
	123	butane Gold	106-97-8.	—	H220,H280	0.00 L	None	2.1		

2.4.7 Filter the List by Country

Quick Search Operand	Filtering the List by **Country**
Equals	This operand provides a quick look up (search) by **Country** from the currently viewed products list to find an exact match.
Contains	This operand provides a quick look up (search) by **Country** from the currently viewed products list to find any close match(es) or exact match.

Copyright©2025 by Chemwatch. All Rights Reserved




In this worked example, the **Country** column filtering will be carried out from the Area folder node under the Manifest Directory.

Steps: Filter the Manifest List by Country


Open the **Home** module (if it's not already the default module).

1. **Expand** Manifest directory nodes to view the folder location, e.g., Area node at level 1.
2. Press the **Folder name**. Take note that the list grid defaults to Cat Name view.




3. Click the **Country** **column filter** icon .
4. Click the **drop-down arrow** from the country filter panel.
5. Select the **Search Operand** from the country filter options, e.g., Equals.


Copyright©2025 by Chemwatch. All Rights Reserved



6. Type the exact name of the **Country** in the free text field, e.g., Australia.
7. Select the **Apply** button from the country filter panel in order to filter the list.



8. The filtered list shows the exact country match of the SDS located in the respective folder.




Use the active filter icon and press the **Remove** button to close the filtered list and go back to the any country original list. You can apply any of the country to filter by any country listed the same way as illustrated in steps above.

Copyright©2025 by Chemwatch. All Rights Reserved

2.4.8 Sort Manifest List by Country

Sort List	Sort the List by Ascending or Descending Order
Sort Upwards	Sort the list by ascending order at the Country column header of the grid/table
Sort Downwards	Sort the list by descending order at the Country column header of the grid/table

In this worked example, the **Country** column sorting will be carried out from the Area folder node under the Manifest Directory. The sort function will be applied across all data listed in the grid. Take note that by default, the Cat Name list in the folder is registered by country and language of the product.




Steps: Filter Manifest Grid Column by Country

Open the **Home** module (if it's not already the default module).


1. **Expand** Manifest directory nodes to view the folder location, e.g., Area node at level 1
2. Press the **Folder name**. Take note that the list grid defaults to Cat Name view mode. The default cat name alpha-numeric ordering display determines the country and language displayed as per the products SDS registered in a folder.
3. Click the **Sort Up/Down** icon on the Country column header to start sorting the list grid by **Ascending Order**

> The columnar data will be sort by alphabetical ordering and the country starting with the letter "A, etc., will be displayed at the top of the list taking into account all data in the grid.

Copyright©2025 by Chemwatch. All Rights Reserved




4. Click the **Ascending Order** icon on the country Column header to sort the list grid by **Descending Order**.




The columnar data will be sort by alphabetical ordering and the country starting with the letter "Z) will be displayed at the top of the list take in into account all data in the grid.

5. Select the **Cat Name column header** to relax the sorting to the default alpha-numeric listing in the grid.



6. The **Cat Name list** shows the **alpha-numeric ordering**.

Copyright©2025 by Chemwatch. All Rights Reserved



TRACK	HAZARD	PART NO.	CAT NAME		VENDOR	HAZARD STATEMENT	CAS NUMBER	VOL / WT CURRENT	MET	DG	S1	PKG	COUNTRY	LANGUAGE	TAGS
		123	acetone Issue Date: 21/04/2012 Extraction Date: None	Gold	Sigma-Aldrich (Merck)	AUH066,H225,H319,H336	67-64-1	50.00 L		3		II	Australia	English	
		123	Acetone, 99.8%, anhydrous (max. 0,005% H2O) Issue Date: 03/08/2018 Extraction Date: 12/11/2018	eSDS VGD Gold	Scharlab	EUH066,H225,H319,H336	67-64-1	50.00 L		3		II	Spain	English	CLP Hazar... Red Tag D...
		123	Argon Issue Date: 17/08/2000 Extraction Date: 11/11/2018	VGD Gold	BOC (a division of Linde)	AUH044,H280	7440-37-1	20.00 kg		2.2		None	Australia	English	
		123	Benzene Issue Date: 17/11/2016 Extraction Date: 04/10/2016	VGD Gold	Alfa Aesar (Avocado Research Chemicals, Ltd.)	H225,H304,H315,H319,H340,H350,H372	71-43-2	70.00 L		3		II	United Kingdom	English	Restricted... CLP Hazar... Red Tag D... NZ Regs
		123	DEMINERALISED WATER Issue Date: 02/02/2010 Extraction Date: None	Gold	DuluxGroup		7732-18-5	80.00 L		None		None	Australia	English	
		123	Kerosene Issue Date: 01/03/2015 Extraction Date: None	Gold	Blackwoods	H226,H304,H315,H336	8008-20-6	65.00 L		3		III	Australia	English	CLP Hazar... Red Tag D... NZ Regs

2.4.9 Tracking Materials and Products

The main objectives of this section cover how to track a materials and products in a Manifest:

→ Use the track function to identify the folder residency of a material
→ Use the track function to identify the folder residency of a product
→ To differentiate material residency by track icon colour coding
→ To identify specific folder locations where tracked material is stored

WHAT YOU'LL LEARN

Track Material from a List

Search and **track** to identify folder location by;

- Material Name
- Cat Name




The following steps illustrate **how to track** **a material** to identify where it might be located in folder tree structure.

- Use the simple search **autocomplete method** to search for a material from the CW full collection and track it from the search result to find out if exists in a folder.
- Use the simple search **autocomplete method** to search for a cat name from the CW full collection and track it to find out if exists in a folder.
- A material can also be tracked from a list whilst viewing contents of a folder.

Copyright©2025 by Chemwatch. All Rights Reserved


Steps: Track a Material to Identify its Folder Location(s)

1. In Home module, select the **Simple** tab.
2. Click the '**Full**' search option in order to look up for the Vendor SDS material from the Chemwatch full database collection.
3. Press the '**Vendor SDS**' button in the SDS and Labels panel to set the type of document .




4. Type the **material or chemical name** in the 'Material name, CAS No or CW No' text field

5. Select the **material or chemical name** from the autocomplete search list panel. In this case, acetone is used to demonstrate the steps.




6. Check if the Materials **Gold/Vendor checkboxes** are further filtered for specific country and language


Copyright©2025 by Chemwatch. All Rights Reserved



7. Select the Vendors checkbox by a specific vendor of interest to render (display or load) the Vendor SDS document list to view available SDS by issue date(s)




8. Select the specific Country checkbox to use the filter panel for further sieving through the list. In this case, filters are used, otherwise if the country and language is not specified, the system may not be able to track the exact product's location in any folder.



9. Press the Track icon next to the material name in the search results grid
10. Select the tracked folder location node to display the list and confirm that the material is located in that folder.

Copyright©2025 by Chemwatch. All Rights Reserved



If the material or chemical or product is available in your inventory, a folder will be identified (highlighted) from the tree structure.

2.4.9.1 Track Material Residency in Current Folder


The Manifest grid tracking icon has been enhanced with colour coding to identify **SDS residency** in a current folder. The current folder's inventory line items will display any of the following tracking colour coding depending on where the material actually resides in a particular folder structure. The table below provides tracking icon description and respective function for materials listed in a particular active (currently viewed) folder content.

Table: Track Icons Colour Code Description

Track Icon	Colour Code	Function
	Red	If the material track icon within a row in the Manifest grid is **red**, this means that the material is **NOT in the current folder**
	Yellow	If the material track icon within a row in the Manifest grid is **yellow**, this means that there are materials in both the current folder and subsidiary folders
	Green	If the material track icon within a row in the Manifest grid is **green**, this means that the material **exists in the current folder**


Note that when a search for materials is performed, the search results (if found) will be displayed with a grey colour coded default tracking icon , which in turn can be used to track if there's any folder location for a specific material in your own folder structure.

Copyright©2025 by Chemwatch. All Rights Reserved




Tracking a material from the Manifest grid will highlight the respective folders where the material is located within the folder structure.

Tracking a Material in Current Folder using the Green Track icon



	Green	The material track icon within a row in the Manifest grid is **green**, this means that the material **exists in the currently selected folder.**


Tracking a Material in Current Folder using the Yellow Track icon



Copyright©2025 by Chemwatch. All Rights Reserved

	Yellow	The material track icon within a row in the Manifest grid is **yellow**, this means that there are materials in both the **currently selected folder and its subsidiary folders.**


Tracking a Material in Current Folder using the Red Track icon



	Red	The material track icon within a row in the Manifest grid is **red**, this means that the material is **NOT in the currently selected folder (parent).**


2.4.10 Add General or SDS Notes for a Material

The “Notes” column in Manifest grid if enabled will automatically be made available in the grid. Note that this feature is applicable to Licence packages that have Gold SDS availability enabled.



Copyright©2025 by Chemwatch. All Rights Reserved

Once enabled from the grid's right-click context menu's checkbox "Note", it will be added in the grid headers as a "Note" column.



The Notes column has two types of notes that users can add information relevant to;

General Note	This option can be used to add a general information note to inform users about the material.
SDS Note	The SDS Note can be used to add information into the Gold SDS.


2.4.10.1 Add General Notes for a Material

In this case, the Notes Column has been enabled. The steps below show how to add notes for a material and display the information in the grid's Note column alongside the material.


Steps: Add a General Note to a Material (with Gold SDS)

1. Open the **Home** module (if it's not already the default module).
2. **Expand** Manifest directory nodes to view folders.
3. Press the **Folder name** where the material is located.
4. Right-click the **Material Name**.
5. Select **Notes** from the context menu.

Copyright©2025 by Chemwatch. All Rights Reserved




6. Press the **General** tab to add general information on the note for the specific material.
7. Type the **information** in the free text field, e.g., This is a hazardous chemical-read the SDS for classification and personal protective equipment required.
8. Use the **Notes Editor** features to modify how the information will be displayed on screen.
9. Press the **Save** button.




10. A confirmation message is displayed. The **Notes button** is automatically placed on the Notes Column cell alongside the material name.

Copyright©2025 by Chemwatch. All Rights Reserved



11. Hover mouse pointer over the notes button to view information.



Copyright©2025 by Chemwatch. All Rights Reserved

3.0 Create Templates and Export Reports

This chapter will cover the following objectives:

→ How to use the Chemwatch basic templates to generate reports
→ How to create user defined templates
→ How to export data by using user defined templates
→ How to use theme formatted style to generate reports
→ How to use quick search in method builder to find data points

WHAT YOU'LL LEARN



The Report Generator Panel Components

There are two tabs available for user to utilise the report generator feature to export data.

- Basic mode
- Advance mode

Note that the users must be assigned the respective privileges to use the full scope of the Report Generator features. Contact your domain administrator for more information.

The table below provides a summary of the functions for each mode.

Basic mode	Advanced mode
	

The report generator components contained in the above panels are described in the table below for reference on how they can be used to generate reports in various formats.

Copyright©2025 by Chemwatch. All Rights Reserved

Component	Attribute	Use	Expectation
Report Generator Button	Provides the **Basic** or **Advanced** features of the report generator tool to export report data in various formats.	Generate reports from basic templates or create advanced templates to export data into various formats.	Users must be granted privilege to use the Report Generator feature.
Language	Provides a drop-down list of available languages.	Enables users to generate reports based on selected language.	
Country	Provides a drop-down list of available countries.	Enables users to generate report based on selected country.	
SDS Format	Two types of SDS formats available: • Local • GHS	Local format relates to Risk Code format (R Codes). GHS format relates to the Globally Harmonised Hazard Classification (H Codes).	
Report	All created report templates are saved in the drop-down list of this field.	Enables users to choose the report template name to export the respective report based on the assigned data points.	
Enable Multiple	Enable multiple records of items to be generated	Allows users to include extra-lines for items that may have multiple records	
Format	Provides a drop-down list of available report formats:	A report format is required to be selected in order for the system to use that selected format to export respective data.	
Download Images	Enabling this feature will include images/graphics when a report is generated.	If any graphics data point is selected when creating a template, those images will be downloaded.	
Add Report	Create a new report template by adding data points by using the method builder panel.	Enables users to create + new report templates by assigning data points to export information through a chosen report format.	
Edit	Edit an existing report template.	**Enables users to edit report templates data points that were originally assigned or add or remove some**	

Copyright©2025 by Chemwatch. All Rights Reserved

Component	Attribute	Use	Expectation
Delete	Remove an existing report template.	Enables users to delete an existing report template that is no longer required.	

Report Generator User Attributes

Permission	Description	User Interface Attribute	Folder View
Deny	Directories/folder content cannot be accessed by users who have been denied access.	A message displays “to contact the administrator”.	Access denied
Not Defined	Directories/folder will not be visible to users.	Folders assigned to this type of permission will be hidden from user.	Hidden
Read	Directories/folder content can be accessed by user but can only view folder content (register of materials) but cannot edit content.	Folder content cannot be edited (i.e., cannot add or copy or move or remove (delete) folders or materials but can generate basic reports if granted the respective report generator privileges.	View and/or generate basic mode reports
Read-write	Directories/folder content can be accessed by user, permitted to copy, move, remove (delete) folders, materials and edit material quantities as well create report templates.	User can view folder content (register of materials) and edit content (folders, materials and quantities). User can generate basic template reports. User can create report generator templates in advanced mode.	View, edit and generate basic reports and advanced reports

In this chapter, will focus on the following Report Generator activities:

- Generating reports using the Basic tab report templates
- Creating user defined templates using the Advanced tab, e.g., Manifest Folder datapoints
- Generating reports using Theme formatted styles templates

Copyright©2025 by Chemwatch. All Rights Reserved



3.1 Generate Reports using Basic Templates

The **Basic Tab Report Templates** created by Chemwatch are available by default and these templates contain the following datapoints. It may be important to consider these data points prior to choosing a basic report to generate the appropriate data.

Basic Report Template	Description of Report Type	Report Generator Datapoints
Assets	The **Assets Report** is generated based on OWN material inventory for the available Sisot containers. If there are containers in selected folder, the system will display a corresponding warning message.	Folders/Stores Name, Container Catalogue Number, Container Cat/Container Name, Container Document Linked, Vendor, Container Size, Container Size Unit, Container Quantity, SARA Container Type, SARA Temperature, SARA Pressure, SARA Solid Form, Radioactive Flag.
Containers	The **Containers Report** is generated based on OWN material inventory for the available Sisot containers. If there are containers in selected folder, the system will display a corresponding warning message.	Folders/Stores Name, Container Catalogue Number, Container Cat/Container Name, Container Document Linked, Vendor, Container Size, Container Size Unit, Container Quantity, Container Status, Container Registration Status, Container Owner, Container Barcode, Container Creation Date, Container Expiry Date.
Hazard Rating	The **Hazard Rating Report** is generated based on OWN material inventory as per Chemwatch	Material Name, Vendor, GHS Classification Gold, Hazard Rating Gold, Vendor Issue

Copyright©2025 by Chemwatch. All Rights Reserved

Basic Report Template	Description of Report Type	Report Generator Datapoints
	Hazard Ratings. If there are materials without hazard ratings, these will be generated as "Unknown" for the hazard rating datapoint fields in the report.	Date, Total Volume, Total Volume Unit, Maximum Volume, Maximum Volume Unit, UN Number, Dangerous Goods Primary Class Gold, SUSMP Poison Schedule, CAS Number Gold, Folders/Stores Name.
Ingredients Full Disclosure UGD	The **Ingredients Full Disclosure UDG Report** is generated based on OWN material inventory as per the ingredients full disclosure based on User Gold Data (UGD). If there are ingredients without full disclosure, these will be generated as "Not available" in the report.	Material Name, Vendor, Catalogue Name, Ingredients Full Disclosure UGD, Ingredients UGD, Folders/Stores Name.
Manifest DG Report GOLD	The **Manifest DG Report GOLD** is generated based on OWN material inventory as per Chemwatch Gold SDS availability. If there are materials without a GOLD SDS, these will be generated as "Unknown" in the report.	Chemwatch Number, Material Name, Total Volume Unit, Maximum Volume, Maximum Volume Unit, Dangerous Goods Primary Class Gold, HAZCHEM Gold, Packing Group Gold, Folders/Stores Name.
Manifest DG Report VGD	The **Manifest DG Report VGD** is generated based on OWN material inventory as per Vendor Gold Data availability. If there are materials without a GOLD SDS and No VGD data extracted, these will be generated with "Unknown" in respective VGD datapoint fields in the report.	Chemwatch Number, Material Name, Catalogue Name, Vendor, Total Volume Unit, Maximum Volume, Maximum Volume Unit, Dangerous Goods Primary Class VGD, HAZCHEM VGD, Packing Group VGD, Folders/Stores Name.
Manifest Volumes and Locations GOLD	The **Manifest Volumes and Locations GOLD Report** is generated based on OWN material inventory as per Vendor Gold Data availability. If there are materials without a GOLD SDS data extracted, the datapoints will be generated with "empty fields" in the report.	Chemwatch Number, Material Name, Catalogue Name, Total Volume, Total Volume Unit, Maximum Volume, Maximum Volume Unit, Vendor, Dangerous Goods Primary Class Gold, HAZCHEM Gold, Packing Group Gold, Folders/Stores Name.
Manifest Volumes and Locations VGD	The **Manifest Volumes and Locations VGD Report** is generated based on OWN material inventory as per Vendor Gold Data availability. If there are materials without VGD data extracted, the datapoints will be generated with "empty fields" in respective VGD datapoint in the report.	Chemwatch Number, Material Name, Catalogue Name, Total Volume, Total Volume Unit, Maximum Volume, Maximum Volume Unit, Vendor, Dangerous Goods Primary Class VGD, HAZCHEM VGD, Packing Group VGD, Folders/Stores Name.
Materials Gold	The **Materials GOLD Report** is generated based on OWN material inventory as per Gold SDS Data availability. If there are materials without Gold data, the datapoints will be generated with "empty fields" in the report.	Chemwatch Number, Material Name, Part No.s User Gold, Preferred Name User, Gold SDS Issue Date (Latest).

Copyright©2025 by Chemwatch. All Rights Reserved

Basic Report Template	Description of Report Type	Report Generator Datapoints
Materials VGD	The **Materials VGD Report** is generated based on OWN material inventory as per VGD Data availability. If there are materials without VGD data, the datapoints will be generated with "empty fields" in the report.	Chemwatch Number, Material Name, Catalogue Name, Vendor, Part No.s User Vendor (All), Vendor Issue Date.
New Zealand Inventory	The **New Zealand Inventory Report** is generated based on OWN material inventory as per New Zealand classification data availability. If there are materials without related data, the datapoints will be generated with "empty fields" in the report.	Material Name, Catalogue Name, UN Number, GHS Classification New Zealand, DG Primary Class Gold, Storage Incompatibilities, Packing Group Gold, Gold SDS Exists, Mini Storage and Transport, Physical State Gold, Maximum Volume, Maximum Volume Unit, Folders/Stores Name.
Risk Assessment ILO (International Labour Organisation)	The **Risk Assessment ILO Report** is generated based on OWN material inventory as per the Health Risk Assessment Data availability. If there are materials without any related risk assessment data, the datapoints will be generated with "empty fields" in the report.	Material Name, ILO Task, ILO Status, ILO Hazard Rating, ILO Risk Rating, ILO Assessment Date, ILO Assessment Expired Date, ILO Approved By, Folders/Stores Name.
Risk Assessment UN	The **Risk Assessment UN Report** is generated based on OWN material inventory as per the Transport/Storage Risk Assessment Data availability. If there are materials without any related risk assessment data, the datapoints will be generated with "empty fields" in the report.	Material Name, UN Task, UN Status, UN Hazard Rating, UN Risk Rating, UN Assessment Date, UN Assessment Expired Date, UN Approved By, Folders/Stores Name.

The Gold SDS datapoints in the report templates in the Basic mode are dependent on the availability of Gold data. The Gold data is generated from Gold SDS where a Licence package include Gold SDS.


The following steps show how to use a basic template to export data to a spreadsheet. In this worked example, the data will be exported from a folder node at the Area level 1 of the tree using the basic template name Manifest locations and volumes.

Steps: Generate Data using a Basic Template

Open the **Home module** (if it's not already the default module).

1. **Expand** Manifest Directory nodes to view the folder location, e.g., Level 1 Area node.
2. Press the **Folder name** to list its contents.


Copyright©2025 by Chemwatch. All Rights Reserved



3. Click the **Report Generator** button at the top right corner of the user interface.


Ignore the default selection "Selected" and click the **Current page** radio button option to use the materials list in the current active grid.

4. Click the **OK** button.




5. Select the **Report** field's **drop-down arrow** to list available report templates.
6. Select the **Report name** template from the list, e.g., Materials volumes and locations GOLD.


Copyright©2025 by Chemwatch. All Rights Reserved



7. Select the **Country** from the drop-down arrow, e.g., Australia.
8. Select the **Language** from the drop-down arrow, e.g., English.
9. Select the **SDS format as GHS** from the drop-down arrow.
10. Select the **Report units** from the drop-down arrow, e.g., Original.
11. Select the **Format** from the drop-down arrow, e.g., XLS.
12. Press the **Download** button.




13. Choose a **file location** from the desktop/laptop to save the report.



14. **Open** the downloaded **file** "Manifest volumes and locations GOLD".xls.


Copyright©2025 by Chemwatch. All Rights Reserved



15. The report exports data into the spreadsheet based on the selected datapoints.

The default datapoints in the report templates in the Basic mode have been created by Chemwatch and the information exported is inferenced to the data located from the source folder or location within the system's tree structure, which is data drawn from your company's inventory. Using the same steps to generate other types of reports based on the existing basic templates; the exported data will resemble the following report, although the datapoints may vary from one report to another. Samples of these types of reports based on the basic default templates are provided in the Appendix of this guide for reference. Close the report generator panel by clicking the close icon or the cancel button CANCEL.

Manifest Volumes and Locations GOLD Report



Manifest volumes and locations GOLD Report 11-8-2018.xls [Compatibility Mode] - Excel

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
1	CHEMWATCH	MATERIAL NAME	CATALOGUE NAME	VENDOR	TOTAL VC	TOTAL VOLUMI	MAXIMUM VC	MAXIMUM VOLUME UNITS	DG PRIMARY CLA	HAZCHEM GOL	PACKING GROUP GOLD	FOLDERS/STORES NAME				
2	1090	acetone	acetone	3M	40	L	100	L	3	2[Y]E	II	/ENTERPRISE/MANIFEST/Area/Building/General Storage				
3	1090	acetone	acetone	Sigma-Aldrich (Merck)	20	L	100	L	3	2[Y]E	II	/ENTERPRISE/MANIFEST/Area/Building/General Storage				
4	5174-42	Antistatic Spray #514-486	Antistatic Spray #514-486	RS Components	50	L	100	L	Not Applicable	Not Applicable	Not Applicable	/ENTERPRISE/MANIFEST/Area/Building/General Storage				
5	8514-41	Imaje A17787, A17788, A17789	Imaje A17787, A17788, A17789, A17790	Dover Corporation (Markem-Imaje)	0	L	0	L	Not Applicable	Not Applicable	Not Applicable	/ENTERPRISE/MANIFEST/Area/Building/General Storage				
6	1090	acetone	Acetone	Wilmar BioEthanol (Sucrogen BioEthanol)	0	L	20	L	3	2[Y]E	II	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage				
7	2491886	Ammonium magnesium phospha	Ammonium magnesium phosphate hydrate	Sigma-Aldrich (Merck)	15	L	15	L				/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage				
8	5174-42	Antistatic Spray #514-486	Antistatic Spray #514-486	RS Components	0	L	0	L	Not Applicable	Not Applicable	Not Applicable	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage				
9	1114	benzene	Benzene	Alfa Aesar (Avocado Research Chemicals, Ltd.)	50	L	50	L	3	3WE	II	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage				
10	2626	chloric acid	Chloric acid	Sigma-Aldrich (Merck)	0	L	4	L	5.1	2PE	II	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage				
11	1051	hydrogen cyanide	HYDROGEN CYANIDE (PRODUCT OBSOLETE)	BOC (a division of Linde)	0	L	0	L	6.1	Not Applicable	I	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage				
12	1051	hydrogen cyanide	HYDROGEN CYANIDE	Sigma-Aldrich (Merck)	0	L	0	L	6.1	Not Applicable	I	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage				
13	1051	hydrogen cyanide			0	L	0	L	6.1	Not Applicable	I	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage				
14	1223	kerosene	Kerosene	Blackwoods	15	L	20	L	3	3Y	III	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage				
15	1223	kerosene			250	L	250	L	3	3Y	III	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage				
16	21517	L-alanine	L-Alanine	MP Biomedicals Australia Pty Limited	35	kg	50	kg	Not Applicable	Not Applicable	Not Applicable	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage				
17	1090	acetone	Acetone, 99.8%, anhydrous (max. 0.005% H2O)	Scharlab	50	L	300	L	3	2[Y]E	II	/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants				
18	1006	argon	Argon	BOC (a division of Linde)	20	kg	150	kg	2.2	2[T]	Not Applicable	/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants				
19	1114	benzene	Benzene	Alfa Aesar (Avocado Research Chemicals, Ltd.)	70	L	350	L	3	3WE	II	/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants				
20	1223	kerosene	Kerosene	Blackwoods	65	L	250	L	3	3Y	III	/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants				
21	10000	water	DEMINERALISED WATER	DuluxGroup	80	L	100	L	Not Applicable	Not Applicable	Not Applicable	/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants				

3.2 Create Templates using Advanced Tab to Generate Reports

This topic will cover the following objectives:


WHAT YOU'LL LEARN

- → How to create advanced templates based on Manifest related data
- → How to create advanced templates based on Risk Assessment related data
- → How to create advanced templates based on NFPA related data
- → How to export data by using user defined templates
- → How to use Theme Formatted Style to generate reports
- → How to use search in method builder to find specific data points

Copyright©2025 by Chemwatch. All Rights Reserved


The **Advanced** tab provides users, who have the appropriate report generator related permissions with the ability to create new templates, edit existing templates and use user defined templates to generate reports.

The templates must be created using specific datapoints available in the Method Builder directory folders. The Method Builder contains a filter function to look up for a specific datapoint from the directory. Once a datapoint is identified, it can be selected to add it to your template.



Searching for data points had become easy on RG with the introduction of 2-character data points searching. Users can now search for data points like UN (acronym), etc.

Copyright©2025 by Chemwatch. All Rights Reserved



Note that there are many Chemwatch datapoints available including those that may be user defined. These datapoints, in turn; are used by the system to drive the required information from the database and exported using the collated template to generate the selected data to a spreadsheet as a report.

Report Generator
Data Points

Directory	Data Points' Categories
Ingredients	Composition/constituents proportion GOLD, UGD, VGD
PPE	GHS PPE Graphics, Glove selection, Mini SDS Eye/Hands/Nose/Respiratory
Identification	Appearance, CAS Number, Cat Name, Extraction Date Material Name, Part No.s, SDS Country, Trade Names, Tags, Use, Vendor details, Vendor Issue Date
Physical Properties	Auto Ignition Temperature, Boiling Point, Decomposition Temperature, Flammability, Flash Range, LEL, Melting Range, Molecular Weight, Odour, pH, Physical Sate, Relative Vapour Density, Specific Gravity, UEL, Viscosity, Volatile Component, Water Solubility
Regulatory	Annex XIV Sunset Date, Combustible Liquids Class, GHS Classification, My Reach Uses, SUSMP
Dangerous Goods (DG) Data	Diamond Graphics, DG Classification, EPG Number, IERG Number, HAZCHEM, Packing Group, Spills Fire Distance, UN Number
SYSTEM	CW ER Data, ERG Number, First Aid, Hazards Action Guide, Shipping Name. SDS Type, SMILES
Safety	Health Effects, Toxicity, CW Hazard Ratings, Engineering Controls, Fire Hazards, First Aid...
Manifest	Biological Monitoring, Folders/Stores Name. Max Volume, total Volume, Units
User Fields	User dependent fields
SISOT	Container Data – Barcode, Cat Name, Volume/Weight, Catalogue Number, Scan Date, SARA,...
Risk Assessment	Approved By, Assessment Date, Status, Task, Assessment Expiry Date, Hazard Rating, Risk Rating

Copyright©2025 by Chemwatch. All Rights Reserved

3.2.1 Create Template on Manifest Data and Generate a Report


The following steps show how to create a template to export Manifest data into a spreadsheet. In this worked example, the information will be exported using data from a folder node at the Area level 1 under the Manifest Directory within the tree structure. A few data points for a Manifest related type of report may include the following datapoints.

Directory	Method Builder Data Points
Identification	Cat Name, SDS Country, Vendor details, Vendor Issue Date
PPE	GHS PPE Graphics
Physical Properties	Physical Sate
Regulatory	GHS Classification, SUSMP
Dangerous Goods (DG) Data	DG Classification, Packing Group, UN Number, DG Diamond Graphic
Safety	Health Effects, Safe Storage
Manifest	Folders/Stores Name. Max Volume, Total Volume, Units
Risk Assessment	Approved By, Assessment Date, Status, Task, Assessment Expiry Date, Hazard Rating, Risk Rating

Steps: Create Advanced Template to Export Specific Data


Open the **Home module** (if it's not already the default module).

1. **Expand** Manifest directory nodes to view the folder location, e.g., level 1 Area node.
2. Press the **Folder name**. Take note that the Manifest list grid defaults to Cat Name.




3. Click the **Report Generator** button at the top right corner of the user interface.
4. Ignore the default selection "Selected" and click **the Current page** radio button option
5. Click **the OK** button.

Copyright©2025 by Chemwatch. All Rights Reserved



6. Press the **Advanced** tab from the report generator panel.
7. Select the **Country** from the drop-down arrow, e.g., Australia.
8. Select the **Language** from the drop-down arrow, e.g., English.
9. Select the **SDS format as GHS** from the drop-down arrow.
10. Hover move pointer over **the Add** + icon to open the method builder window in order to add data points and then create a report template. Click **the Add Report Datapoints** button to open the method builder window and create a report template.






Copyright©2025 by Chemwatch. All Rights Reserved

11. Select the expand arrow next to the **Identification** folder directory to open the list of datapoints.
12. Click the **data points checkboxes** listed below. Note that the selected data points will be automatically listed on the right-hand side pane for further editing.

Directory	Method Builder Data Points
Identification	Cat Name, SDS Country, Vendor details, Vendor Issue Date



13. Scroll up to select the expand arrow next to the **PPE** folder directory to open the list of datapoints.
14. Click the **data point checkboxes** listed below. Note that the selected data points will be automatically listed on the right-hand side pane for further editing.


Directory	Method Builder Data Points
PPE	GHS PPE Graphics



15. Scroll down to select the expand arrow **next** to the **Physical Properties** folder directory to open the list of datapoints.
16. Click the **data points checkboxes** listed below. Note that the selected data points will be automatically listed on the right-hand side pane for further editing.


Directory	Method Builder Data Points
Physical Properties	Physical Sate

Copyright©2025 by Chemwatch. All Rights Reserved



17. Scroll down to select the **expand arrow** **next** to the **Regulatory** folder directory to open the list of datapoints.
18. Click the **data points checkboxes** listed below. Note that the selected data points will be automatically listed on the right-hand side pane for further editing.


Directory	Method Builder Data Points
Regulatory	GHS Classification, Signal Word, SUSMP



19. Scroll down to select the **expand arrow** **next** to the **Dangerous Goods (DG) Data** folder directory to open the list of datapoints.
20. Click the **data points checkboxes** listed below. Note that the selected data points will be automatically listed on the right-hand side pane for further editing.


Directory	Method Builder Data Points
Dangerous Goods (DG) Data	DG Primary Class, Packing Group, UN Number, Shipping Name, DG Diamond Graphic

Copyright©2025 by Chemwatch. All Rights Reserved




21. Scroll down to select the **expand arrow** **next** to the **Safety** folder directory to open the list of datapoints.
22. Click the **data points checkboxes** listed below. Note that the selected data points will be automatically listed on the right-hand side pane for further editing.

Directory	Method Builder Data Points
Safety	Health Effects, Safe Storage




23. Scroll down to select the **expand arrow** **next** to the **Manifest** folder directory to open the list of datapoints.
24. Click the **data points checkboxes** listed below. Note that the selected data points will be automatically listed on the right-hand side pane for further editing.

Directory	Method Builder Data Points
Manifest	Folders/Stores Name, Max Volume, Total Volume, Units



Copyright©2025 by Chemwatch. All Rights Reserved


25. Type the **Report template name** in the Report Name free text field.
26. Press the **Create Report** button.




A confirmation message will display in the top middle of the user interface when the report is created and the method builder window will close and the report generator panel will be retained to continue the tasks below.

27. Select the "**Enable multiple**" checkbox.
28. Select the **Report units** from the drop-down arrow, e.g., Original.
29. Select the **Format** from the drop-down arrow, e.g., XLS.
30. Select the **Download** images checkbox.
31. Press the **Download** button.

Copyright©2025 by Chemwatch. All Rights Reserved




32. Choose a "**file location**" from the desktop/laptop to save the report if your desktop is not set to automatically save downloads to the "**Downloads Folder**".
33. **Open** the downloaded file "Manifest Data Report.xls".



34. The report exports data into the respective report format, e.g., spreadsheet .

The datapoints in the report template in the Advanced mode have been created by Chemwatch and the information exported is inferenced from the data located in the source folder or location within the system's tree structure, which is data drawn from your company's inventory.


Manifest Report with GHS Pictograms



	CATALOGUE NAME	VENDOR	VENDOR ISSUE DATE	GHS CLASSIFICATION GOLD	GHS SIGNAL WORD GOLD	SUSMP POISON SCHEDULE GOLD	DG PRIMARY CLASS GOLD	PACKING GROUP GOLD	SHIPPING NAME	UN	SAFE STORAGE REQUIREMENT	FOLDERS /STORES NAME	MAXIMUM VOLUME	MAXIMUM VOLUME UNIT	TOTAL VOLUME	TOTAL VOLUME UNIT	GHS PICTOGRAM IMAGES GOLD
2	Imaje A1778	Dover Cor	19.01.200	Eye Irritation Categ	Warning	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applic	Store in or	/ENTERPRI	0	L	0	L	
3	acetone	3M	21.01.201	Eye Irritation Categ	Danger	S5	3	II	ACETONE	1090	Store in or	/ENTERPRI	100	L	40	L	
4	acetone	Sigma-Ald	21.08.201	Eye Irritation Categ	Danger	S5	3	II	ACETONE	1090	Store in or	/ENTERPRI	100	L	20	L	
5	Antistatic Sp	RS Compc	14.08.201	Not Applicable	Not Applic	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applic	Store in or	/ENTERPRI	100	L	50	L	Not Applicable
6	Benzene	Alfa Aesar	17.11.201	Aspiration Hazard (	Danger	S7	3	II	BENZENE	1114	Store in or	/ENTERPRI	50	L	50	L	
7	Kerosene	Blackwood	01.03.201	Aspiration Hazard (	Danger	S5	3	III	KEROSENE	1223	Store in or	/ENTERPRI	20	L	15	L	
8	Chloric acid	Sigma-Ald	13.04.201	Eye Irritation Categ	Danger	Not Applicable	5.1	II	CHLORIC ACI	2626	Store in or	/ENTERPRI	4	L	0	L	
9	Acetone	Wilmar Bi	16.12.201	Eye Irritation Categ	Danger	S5	3	II	ACETONE	1090	Store in or	/ENTERPRI	20	L	0	L	
10				Gas under Pressur	Warning	Not Applicable	2.2	Not Applicable	ARGON, COM	1006	Cylinders :	/ENTERPRI	0	L	0	L	
11	HYDROGEN	BOC (a dn	26.05.201	Acute Aquatic Haza	Danger	S7	6.1	I	HYDROGEN C	1051	Rotate all s	/ENTERPRI	0	L	0	L	

Copyright©2025 by Chemwatch. All Rights Reserved


Manifest Report with DG Diamonds



	CATALOGUE NAME	VENDOR	VENDOR ISSUE DATE	PHYSICAL STATE GOLD	GHS CLASSIFICATION GOLD	GHS SIGNAL WORD GOLD	SUSMP POISON SCHEDULE GOLD	DG PRIMARY CLASS GOLD	DG DIAMOND GRAPHIC	PACKING GROUP GOLD	SHIPPING NAME	UN	CHRONIC HEALTH EFFECTS	SAFE STORAGE REQUIREMENT	FOLDERS/ STORES NAME	MAXIMUM VOLUME	MAXIMUM VOLUME UNIT	TOTAL VOLUME	TOTAL VOLUME UNIT
2	Imaje A17787	Dover Cor	19.01.2009	Liquid	Eye Irritation Categ	Warning	Not Applicable	Not Applic		Not Applicat	Not Applicab	Not Ap	Limited evid	Store in original c	/ENTERPRIS	0	L	0	L
3	acetone	3M	21.01.2010	Liquid	Eye Irritation Categ	Danger	S5	3		II	ACETONE	1090	Prolonged o	Store in original c	/ENTERPRIS	100	L	40	L
4	Antistatic Spra	RS Compc	14.08.2015	Liquid	Not Applicable	Not Applicable	Not Applicable	Not Applic		Not Applicat	Not Applicab	Not Ap	Limited evid	Store in original c	/ENTERPRIS	100	L	50	L
5	Benzene	Alfa Aesar	17.11.2016	Liquid	Aspiration Hazard (	Danger	S7	3		II	BENZENE	1114	On the basis	Store in original c	/ENTERPRIS	50	L	50	L
6	Kerosene	Blackwood	01.03.2015	Liquid	Aspiration Hazard (	Danger	S5	3		III	KEROSENE	1223	Limited evid	Store in original c	/ENTERPRIS	20	L	15	L
7	Chloric acid	Sigma-Ald	13.04.2013	Liquid	Eye Irritation Categ	Danger	Not Applicable	5.1		II	CHLORIC A	2626	Limited evid	Store in original c	/ENTERPRIS	4	L	0	L
8	Acetone	Wilmar Bi	16.12.2015	Liquid	Eye Irritation Categ	Danger	S5	3		II	ACETONE	1090	Prolonged o	Store in original c	/ENTERPRIS	20	L	0	L
9				Compressed Ga	Gas under Pressur	Warning	Not Applicable	2.2		Not Applicat	ARGON, CO	1006	Long-term e	Cylinders should	/ENTERPRIS	0	L	0	L
10	HYDROGEN C	BOC (a di	26.05.2015	Liquid	Acute Aquatic Haz	Danger	S7	6.1			HYDROGEN	1051	Limited evid	Rotate all stock to	/ENTERPRIS	0	L	0	L
11	HYDROGEN C	Sigma-Ald	23.10.2008	Liquid	Acute Aquatic Haz	Danger	S7	6.1			HYDROGEN	1051	Limited evid	Rotate all stock to	/ENTERPRIS	0	L	0	L

Use the same steps to create other report templates and generate respective reports based on other types of datapoints; the exported data will resemble the following report, although the datapoints may vary from one report template to another. Close the report generator panel by clicking the close icon or the cancel button.

Directory	Method Builder Data Points
Risk Assessment	Approved By, Assessment Date, Status, Task, Assessment Expiry Date, Hazard Rating, Risk Rating



	CATALOGUE NAME	MATERIAL NAME	FOLDERS/STORES NAME	ILO APPROVED BY	ILO ASSESSMENT DATE	ILO ASSESSMENT EXPIRED DATE	ILO HAZARD RATING	ILO RISK RATING	ILO STATUS	ILO TASK	UN APPROVED BY	UN ASSESSMENT DATE	UN ASSESSMENT EXPIRED DATE	UN HAZARD RATING	UN RECOMMENDED PPE	ILO RECOMMENDED PPE	UN RISK RATING	UN STATUS
2	Acetone	acetone	/ENTERPRISE/MANIFEST/ Area/Building/Hazards Storage								Supervisor	03/02/2015 00:00	03/02/2020 00:00	3			4	Assessment Complete
3	Acetone	acetone	/ENTERPRISE/MANIFEST/ Area/Building/Hazards Storage											3			4	Assessment Incomplete
4	Acetone	acetone	/ENTERPRISE/MANIFEST/ Area/Building/Hazards Storage	Oconnor	09/02/2016 12:03	09/02/2021 00:00	2	1	Assessment Complete	Mixing								
5	Benzene	benzene	/ENTERPRISE/MANIFEST/ Area/Building/Hazards Storage											3			3	Assessment Incomplete
6	Benzene	benzene	/ENTERPRISE/MANIFEST/ Area/Building/Hazards Storage		10/21/2015 18:01	10/21/2020 00:00	4+	4	Assessment Complete	No task defined								
7		kerosene	/ENTERPRISE/MANIFEST/ Area/Building/Hazards Storage															Assessment Required
8		kerosene	/ENTERPRISE/MANIFEST/ Area/Building/Hazards Storage		04/19/2016 00:00	04/19/2021 00:00	2	1	Assessment Complete	No task defined								
9	Benzene	benzene	/ENTERPRISE/MANIFEST/ Area/Building/Oils and Lubricants											3			2	Assessment Incomplete
10	Benzene	benzene	/ENTERPRISE/MANIFEST/ Area/Building/Oils and Lubricants		11/12/2018 00:00	11/12/2023 00:00	4+	2	Assessment Complete	Mixing								

Use the same steps to create other report templates and generate respective reports based on other types of datapoints; the exported data will resemble the following report, although the datapoints may vary from one report template to another. Close the report generator panel by clicking the close icon or the cancel button CANCEL.


Copyright©2025 by Chemwatch. All Rights Reserved

3.3 Generate Reports using Theme Formatted Styles


The Basic Mode Formatted Styles

Chemwatch has implemented various types of Formatted Template Styles in XLSX format, which encompass different themes. The template styles are available in the **Basic mode tab**, located in the "**Format**" field as themes:

- Soft Light
- Light Grey-Blue
- Grey-Blue
- Grey-Blue RGB



These themes come in presentation-ready styled sheets that have colour coded schemes. For example, an Assets basic report using the “Light Grey-Blue” template style is generated below.




ASSETS REPORT


Location: /ENTERPRISE/MANIFEST/1 Chemical Storage

Container Catalogue Number	Container Catalogue Name	Container Name	Vendor	Container				Sara				
				Size	Size Unit	Qty	Type	Average Volume	Average Volume Unit	Release Volume	Release Volume Unit	Temp
108744	Abound 400 Herbicide	Abound 400 Herbicide	DowDuPont	50	L	5	Above ground tank	Ambient	*Ambient*	None	*False*	
	Asc-500 Esomeprazole sodium	Asc-500 Esomeprazole sodium	Ascent Scientific	10	L	8	Above ground tank	Ambient	*Ambient*	None	*False*	
	trichloroethane	1,1,1-Trichloroethane for synthesis	Merck	20	L	3	Above ground tank	Ambient	*Ambient*	None	*False*	
	Thinner	Chemtools Acetone	ChemTools	10	L	1	Above ground tank	Ambient	*Ambient*	None	*False*	
	acetone-D6	acetone-D6	Merck	5	L	5	Above ground tank	Ambient	*Ambient*	None	*False*	
108744	abound 400 herbicide	Abound 400 Herbicide	DowDuPont	50	L	2	Above ground tank	Ambient	*Ambient*	None	*False*	
	acetone	acetone	3M	10	L	4	Above ground tank	Ambient	*Ambient*	None	*True*	
12095	Benzene	BENZENE, 99.9+%, HPLC GRADE	Sigma-Aldrich (as MilliporeSigma, Merck)	2	L	4	Above ground tank	Ambient	*Ambient*	None	*False*	

Copyright©2025 by Chemwatch. All Rights Reserved

The Advanced Mode Formatted Styles




The newly "Formatted Template (xlsx)" will be triggered through the "**Wizard**" button 

from the Report Generator panel when the format "**Template**" is assigned from the drop-down list of various formats.

The Wizard template provides radio buttons to be able to sort the report by these options:

- By Location
- By Material Name
- None



The template wizard contains the following elements to style your report:

Template Wizard Element	Report Options
Report **Style**	Choose the report style from the 4 options: **Soft Light, Light Grey-Blue, Grey-Blue, Grey-Blue RGB**
Report **Title**	Assign a title to your type of report

Copyright©2025 by Chemwatch. All Rights Reserved

Template Wizard Element	Report Options
	○ Gold Dps (Chemwatch Gold Datapoints) ○ VGD Dps (Vendor Gold Datapoints) ○ UGD Dps (User Gold Datapoints) ○ SISOT Dps (Assets and Containers Datapoints) ○ RA Dps (Risk Assessment Datapoints) *And many more…*
Report **Name**	Report file name during template creation.
Type of **Sort**	Sort the report by “Location” or “By Material Name or None.
Change **Cell Colour**	Table cells can be set to desired colour(s).
Report **Preview**	Enables preview content and style of the formatted report.


The template styles based reports can vary from a wide range of data points listed in the Method Builder directories.

The descriptions of the Method Builder data points can be found here. This means that these reports can contain datapoints for a range of common set of data:


- Gold (Chemwatch Gold Datapoints)
- VGD (Vendor Gold Datapoints)
- UGD (User Gold Datapoints)
- SISOT (Assets and Containers Datapoints)
- RA (Risk Assessment Datapoints)

The samples of the advanced template reports based on the above data points are shown below.

Gold (Chemwatch Gold Datapoints)




VGD (Vendor Gold Datapoints)



Copyright©2025 by Chemwatch. All Rights Reserved


UGD (User Gold Datapoints)



UGD dps

CHEMWATCH NUMBER	MATERIAL NAME	CATALOGUE NAME	VENDOR	DOCUMENT NO	SDS COUNTRY UGD	CAS NUMBER UGD	EXTRACTION DATE UGD	GHS CLASSIFICATION UGD	GHS PICTOGRAM IMAGES UGD	HAZCHEM UGD	UN	SHIPPING NAME	TOTAL VOLUME	TOTAL UNIT	FOLDERSYSTONES NAME
20-0876	CR Brands Moss Green Super Strength Cleaner & Degreaser	Moss Green	CR Brands	13306851							3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	0	L	/ENTERPRISE/FOLDERS/Diego Iuchtig/Gold Yr YGD
14521	LPS 3 (Bulk)	LPS 3 (Bulk)	ITW	12345668							1268	PETROLEUM DISTILLATES, N.O.S. or PETROLEUM PRODUCTS, N.O.S.	0	L	/ENTERPRISE/FOLDERS/Diego Iuchtig/Gold Yr YGD
1327337	Mr. Muscle Floor Cleaner	Mr Muscle Floor Cleaner	SC Johnson	19025052	Australia		12/02/2018	1)Carcinogenicity Category 1A2)Chronic Aquatic Hazard Category 1)Eye Irritation Category 2A)Flammable Liquid Category 3)Germ cell mutagenicity Category 1)Germ cell mutagenicity Category 1B)Reproductive Toxicity Category 2)Specific target organ toxicity - repeated exposure Category 1)Specific target organ toxicity - single exposure Category 3)Skin			Not Applicable	Not Applicable	1	L	/ENTERPRISE/FOLDERS/Diego Iuchtig/Gold Yr YGD
52-5906	Swertex Colloidal Silica (alkaline)	Swertex Colloidal Silica (alkaline)	Nissan Chemical Industries	12220733							Not Applicable	Not Applicable	10	L	/ENTERPRISE/FOLDERS/Diego Iuchtig/Gold Yr YGD
26-6343	UTG 96 (unleaded fuel gasoline)	UTG 96 (unleaded fuel gasoline)	Chevron Phillips Chemical Company	12665643							1203	MOTOR SPIRIT or GASOLINE or PETROL	100	L	/ENTERPRISE/FOLDERS/Diego Iuchtig/Gold Yr YGD
40-3954	ZR-6148 White Topcoat	ZR-6148 WHITE TOPCOAT	PPG Aerospace PRC-DeSoto	13329197							Not Applicable	Not Applicable	0	L	/ENTERPRISE/FOLDERS/Diego Iuchtig/Gold Yr YGD
40-3954	ZR-6148 White Topcoat	ZR-6148 WHITE TOPCOAT	PPG Aerospace PRC-DeSoto	13329197	United States		19/04/2018	1)Carcinogenicity Category 1A2)Category 1)Specific target organ toxicity - single exposure Category 3)Skin Corrosion/Irritation Category 2			Not Applicable	Not Applicable	0	L	/ENTERPRISE/FOLDERS/Diego Iuchtig/Gold Yr YGD


SISOT (Assets and Containers Datapoints)



SISOT Dps

CONTAINER CATALOGUE NAME	VENDOR	CONTAINER CATALOGUE NUMBER	CONTAINER CREATION DATE	CONTAINER EXPIRY DATE	CONTAINER QUANTITY	CONTAINER BARCODE	CONTAINER OWNER	CONTAINER SIZE	CONTAINER UNIT	CONTAINER SUBJECT TO QUARANTINE	TOTAL VOLUME	TOTAL UNIT
Galmet Fast Dry High Gloss	ITW (ITW Polymers & Fluids)	GSPSA350	12/10/2016	04/11/2016	1	0000000013	None	1	L	False	4	L
Galmet Fast Dry High Gloss	ITW (ITW Polymers & Fluids)	GSPSA350	12/10/2016	04/11/2016	1	0000000014	None	1	L	False	4	L
Galmet Fast Dry High Gloss	ITW (ITW Polymers & Fluids)	GSPSA350	12/10/2016	04/11/2016	1	0000000015	None	1	L	False	4	L
Galmet Fast Dry High Gloss	ITW (ITW Polymers & Fluids)	GSPSA350	12/10/2016	04/11/2016	1	0000000016	None	1	L	False	4	L
Chair	CW SA		29/07/2017	29/09/2017	1	0000000027	Administrator	10	lb	False	0	kg
Chair	CW SA		29/07/2017	29/09/2017	1	0000000028	Administrator	10	lb	False	0	kg
Chair	CW SA		29/07/2017	29/09/2017	1	0000000029	Administrator	10	lb	False	0	kg
Chair	CW SA		29/07/2017	29/09/2017	1	0000000030	Administrator	10	lb	False	0	kg
Chair	CW SA		29/07/2017	29/09/2017	1	0000000031	Administrator	10	lb	False	0	kg
Chair	CW SA		29/07/2017	29/09/2017	1	0000000032	Administrator	10	lb	False	0	kg
Chair	CW SA		29/07/2017	29/09/2017	1	0000000033	Administrator	10	lb	False	0	kg
Chair	CW SA		29/07/2017	29/09/2017	1	0000000034	Administrator	10	lb	False	0	kg
Chair	CW SA		29/07/2017	29/09/2017	1	0000000035	Administrator	10	lb	False	0	kg
Chair	CW SA		29/07/2017	29/09/2017	1	0000000036	Administrator	10	lb	False	0	kg
Mr Muscle Anti Bacterial APC	SC Johnson	test Diego Nov 02	03/11/2016	31/10/2016	1	0000000004	None	1	L	False	763.0823568	L
Mr Muscle Anti Bacterial APC	SC Johnson	User-Vendor Test Number	04/10/2016	01/11/2016	1	0000000006	Administrator	2	L	False	763.0823568	L
Mr Muscle Anti Bacterial APC	SC Johnson	User-Vendor Test Number	04/10/2016	01/11/2016	1	0000000007	Administrator	2	L	False	763.0823568	L
Mr Muscle Anti Bacterial APC	SC Johnson	User-Vendor Test Number	12/10/2016		1	0000000023	None	1	L	False	763.0823568	L
Mr Muscle Anti Bacterial APC	SC Johnson	02112016	03/11/2016	03/12/2016	1	0000000025	None	100	gal	False	763.0823568	L
Mr Muscle Anti Bacterial APC	SC Johnson	02112016	03/11/2016	03/12/2016	1	0000000026	None	100	gal	False	763.0823568	L

RA (Risk Assessment Datapoints)



RA Dps

MATERIAL NAME	ILO TASK	ILO STATUS	ILO HAZARD RATING	ILO RECOMMENDED PPE	ILO RISK RATING	ILO ASSESSMENT DATE	ILO ASSESSMENT EXPIRED DATE	ILO APPROVED BY
"CYREL" FLEXO SUPER CLEANER	No task defined	Assessment Complete	1		3	15/05/2018	15/05/2021	Tester 1
(+)-10-camphorsulfonyl chloride		Assessment Required						
(+)-10-camphorsulfonyl chloride		Assessment Required						
(+)-10-camphorsulfonyl chloride		Assessment Required						
(+)-10-camphorsulfonyl chloride	No task defined	Assessment Complete	3		4+	15/05/2018	15/05/2021	Tester 2
(+)-10-camphorsulfonyl chloride		Assessment Required						
(+)-10-camphorsulfonyl chloride		Assessment Required						
(+/-)-2,4-dimethylcyclopentanone		Assessment Required						
(+/-)-2-chloropropionitrile		Assessment Required						
(+/-)-2-methylglutaronitrile		Assessment Required						

How to Generate these Reports?

Consider this following overarching overview on Formatted Styles.

Note that before selecting an advanced formatted template, a report template must be created first, which can then be used to export the data by using the styles template wizard. Any selected datapoints during the creation of a template, those data points will be generated as columns in the exported report.

Copyright©2025 by Chemwatch. All Rights Reserved


Format (Style) Template Report	1. Set Report Generator Report to "Selected/Current Page/All of your inventory list of materials in a folder
	2. Create a report template by selecting data points from the Method Builder window in Advanced Tab
	3. Select the report template name and assign it to the new format template (advanced mode). Open the template wizard to assign report style and the type of sorting.

3.3.1 Generate a Theme Formatted Style Report in Basic Mode


The following steps demonstrate how to use a basic template to export data to a spreadsheet using a theme formatted style. In this worked example, the data will be exported from a folder node at the Area level 1 of the tree using the basic template name "Manifest locations and volumes GOLD" and the formatted style theme name "Grey-Blue RGB" colour scheme.

Steps: Generate a Them Formatted Style Report in Basic Mode

1. Open the **Home** module (if it's not already the default module).
2. Press the **Folder name**. Take note that the manifest list grid defaults to Cat Name.



3. Change Cat Name header to **Material Name** to generate any data points based on Chemwatch GOLD data.




4. Click the **Report Generator** button at the top right corner of the user interface.


Ignore the default selection "Selected" and click **the Current page** radio button option.

5. Click **the OK** button,

Copyright©2025 by Chemwatch. All Rights Reserved



6. Select the **Report** field's drop-down arrow to list available report templates.
7. Select the **Report name** template from the list, e.g., Materials volumes and locations GOLD.



8. Select the **Country** from the drop-down arrow, e.g., Australia.
9. Select the **Language** from the drop-down arrow, e.g., English.
10. Select the **SDS format as GHS** from the drop-down arrow.
11. Select the **Report units** from the drop-down arrow, e.g., Original.
12. Select the **Format** from the drop-down arrow, e.g., Formatted Style.
13. Select the **Template Style** from the drop-down arrow, e.g., Grey-Blue RGB.
14. Press the **Download** button.

Copyright©2025 by Chemwatch. All Rights Reserved




15. Choose a "**file location**  " from the desktop/laptop to save the report if your desktop is not set to automatically save downloads to the "**Downloads Folder**".
16. Open the downloaded file "Manifest volumes and locations GOLD".xls.



17. The report exports data into the spreadsheet based on the default Chemwatch datapoints.

The default datapoints in the report templates in Basic mode – Theme Formatted Styles have been created by Chemwatch and the information exported is inferenced to the data located from the source folder or location. Samples of these types of themes formatted style reports based on the basic default templates are provided in the appendix of this guide for reference.

Manifest volumes and locations GOLD Report



MANIFEST VOLUMES AND LOCATION GOLD REPORT

Location: /ENTERPRISE/MANIFEST/Area/Building/Hazards Storage

CW NUMBER	MATERIAL NAME	CATALOGUE NAME	VENDOR	TOTAL VOLUME	TOTAL VOLUME UNIT	MAXIMUM VOLUME	MAXIMUM VOLUME UNIT	GOLD DG PRIMARY CLASS	GOLD HAZCHEM	GOLD PACKING GROUP
1090	acetone	Acetone	Wilmar BioEthanol (Sucrogen BioEthanol)	0	L	20	L	3	2[Y]E	II
2491886	Ammonium magnesium phosphate hydrate	Ammonium magnesium phosphate hydrate	Sigma-Aldrich (Merck)	15	L	15	L			
5174-42	Antistatic Spray #514-486	Antistatic Spray #514-486	RS Components	0	L	0	L	Not Applicable	Not Applicable	Not Applicable
5856716	ANTISTATIC SPRAY 514-486			0	L	0	L			
1006	argon			0	L	0	L	2.2	2[T]	Not Applicable
1114	benzene	Benzene	Alfa Aesar (Avocado Research Chemicals, Ltd.)	50	L	50	L	3	3WE	II
2626	chloric acid	Chloric acid	Sigma-Aldrich (Merck)	0	L	4	L	5.1	2PE	II
1051	hydrogen cyanide	HYDROGEN CYANIDE (PRODUCT OBSOLETE)	BOC (a division of Linde)	0	L	0	L	6.1	Not Applicable	I
1051	hydrogen cyanide	HYDROGEN CYANIDE	Sigma-Aldrich (Merck)	0	L	0	L	6.1	Not Applicable	I
1051	hydrogen cyanide			0	L	0	L	6.1	Not Applicable	I
1223	kerosene	Kerosene	Blackwoods	15	L	20	L	3	3Y	III
1223	kerosene			250	L	250	L	3	3Y	III
21517	L-alanine	L-Alanine	MP Biomedicals Australia Pty Limited	35	kg	50	kg	Not Applicable	Not Applicable	Not Applicable


Copyright©2025 by Chemwatch. All Rights Reserved

3.3.2 Generate a Theme Formatted Style Report in Advanced Mode


In the Report Generator Advanced mode; the **Wizard** provides users with the ability to set a specific format template. The following steps show **how to use the advanced template** to **export data to a spreadsheet using a theme formatted style.** In this worked example, the data will be exported from a folder node at the Area level 1 of the tree using the basic template name "Manifest locations and volumes GOLD" and the formatted style theme name "**Grey-Blue RGB**" colour scheme.

Steps: Generate a Them Formatted Style Report in Advanced Mode

1. Open the **Home** module (if it's not already the default module).
2. Press the **Folder name**. Take note that the manifest list grid defaults to Cat Name. The default view mode is Cat Name.




3. Change Cat Name header to **Material Name** header in order to generate any data points based on Chemwatch Gold data.



4. Click the **Report Generator** button at the top right corner of the user interface.
5. Ignore the default selection "Selected" and click **the Current page** radio button option.
6. Click **the OK** button.

Copyright©2025 by Chemwatch. All Rights Reserved




7. Press the **Advanced** tab from the report generator panel.
8. Select the **Language** from the drop-down arrow, e.g., English.
9. Select the **Country** from the drop-down arrow, e.g., Australia.
10. Select the **SDS format as GHS** from the drop-down arrow.
11. Select the **Report name** from the drop-down list of available report names (if any templates have been created). In this case, the Manifest Data Report created in section 3.2.1, will be selected for this worked example.
12. Select the **Enable multiple** checkbox.
13. Select the **Report units** from the drop-down arrow, e.g., Original.
14. Select the **Format** from the drop-down arrow, e.g., Template.
15. Select the **Download Images** checkbox.
16. Press the **Wizard** button to open the Template Wizard window.




17. Select the **Style** from the Template Wizard drop-down arrow, e.g., Grey-Blue RGB.
18. Maintain the same report name and file name as per the selected **template report name** in step 11 above.

Copyright©2025 by Chemwatch. All Rights Reserved




19. Select ⊙ the sorting "By Location or **None**". In this worked example, no sorting is applied.
20. Press the "**Preview**" button on the bottom left on the Template Wizard to check how the report would look like.
21. Press ⊙ the **Edit** button to go back to the edit mode.




22. Click **Inside a cell** on the table to change a colour if need be. Choose the background color ☐ and/or the text colour ■ by selecting the respective boxes. The default colour theme is shown below.

Copyright©2025 by Chemwatch. All Rights Reserved




An example of an assigned colour change for a column cell has been selected below.




23. Press the **Next** button to change the layout and the coloring alternate row, grid border and orientation. The default coloring for the Grey-Blue theme is set to a white background, black text, a thin grid border and landscape orientation.
24. Set the respective **coloring alternate row**, **grid border** and **orientation (**portrait or landscape**).** Note that in this worked example, will maintain the default fields.


Copyright©2025 by Chemwatch. All Rights Reserved



25. Press the "**Preview**" button on the bottom left on the Template Wizard to check how the report would look like.
26. Press the **Edit** button to go back to the edit mode.



27. Press the **Save** button to save the template for future use.



28. Press the **Download** button to export data.

Copyright©2025 by Chemwatch. All Rights Reserved


29. Choose a "**file location**" from the desktop/laptop to save the report if your desktop is not set to automatically save downloads to the "**Downloads Folder**".
30. **Open** the downloaded file "Manifest Data Report".xls.



31. The report exports data into the spreadsheet based on the selected Chemwatch datapoints.
32. Click the **Cancel** button on the Template Wizard and then press the close icon on the Report Generator panel.

The default datapoints in the report templates in the Advanced mode – Theme Formatted Styles have been created by Chemwatch and the information exported is inferenced to the data located from the source folder or location within the system's tree structure, which is data drawn from your company's inventory. Samples of these types of formatted style themes based on the Basic mode templates are provided in the Appendix of this guide for reference. Close the report generator panel by clicking the close icon or the cancel button.

Manifest Data Template Report



Manifest Data Report-Template 2

CATALOGUE NAME	VENDOR	VENDOR ISSUE DATE	GHS CLASSIFICATION GOLD	GHS SIGNAL WORD GOLD	SUSMP POISON SCHEDULE GOLD	DG PRIMARY CLASS GOLD	PACKING GROUP GOLD	SHIPPING NAME	UN	CHRONIC HEALTH EFFECTS	SAFE STORAGE REQUIREMENT	FOLDERS/STORES NAME	MAXIMUM VOLUME	MAXIMUM UNIT	TOTAL VOLUME	TOTAL UNIT	GHS PICTOGRAM IMAGES GOLD
Antistatic Spray #514-486	RS Components	14.08.2015	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative	Store in original containers. Keep containers securely sealed.	/ENTERPRISE/MANIFEST /Area/Building/Hazards Storage	0	L	0	L	Not Applicable
Benzene	Alfa Aesar (Avocado Research	17.11.2016	Aspiration Hazard Category 1|Carcinogenicity	Danger	S7	3	II	BENZENE	1114	On the basis of epidemiological data, the material is regarded as	Store in original containers in approved flame-	/ENTERPRISE/MANIFEST /Area/Building/Hazards Storage	50	L	50	L	
Kerosene	Blackwoods	01.03.2015	Aspiration Hazard Category 1|Flammable	Danger	S5	3	III	KEROSENE	1223	Limited evidence suggests that repeated or long-term occupational exposure	Store in original containers in approved	/ENTERPRISE/MANIFEST /Area/Building/Hazards Storage	20	L	15	L	
			Aspiration Hazard Category 1|Flammable	Danger	S5	3	III	KEROSENE	1223	Limited evidence suggests that repeated or long-term occupational exposure	Store in original containers in approved	/ENTERPRISE/MANIFEST /Area/Building/Hazards Storage	250	L	250	L	
								Not Applicable	Not Applicable			/ENTERPRISE/MANIFEST /Area/Building/Hazards	0	L	0	L	
Chloric acid	Sigma-Aldrich (Merck)	13.04.2013	Eye Irritation Category 2A|Oxidizing Liquid	Danger	Not Applicable	5.1	II	CHLORIC ACID, AQUEOUS SOLUTION with	2626	Limited evidence suggests that repeated or long-term occupational exposure	Store in original containers. Keep containers	/ENTERPRISE/MANIFEST /Area/Building/Hazards Storage	4	L	0	L	
Acetone	Wilmar BioEthanol (Sucrogen	16.12.2015	Eye Irritation Category 2A|Flammable	Danger	S5	3	II	ACETONE	1090	Prolonged or repeated skin contact may cause drying with cracking.	Store in original containers in approved flame-	/ENTERPRISE/MANIFEST /Area/Building/Hazards Storage	20	L	0	L	
			Gas under Pressure (Compressed gas)	Warning	Not Applicable	2.2	Not Applicable	ARGON, COMPRESSED	1006	Long-term exposure to the product is not thought to produce chronic effects	Cylinders should be stored in a purpose-built	/ENTERPRISE/MANIFEST /Area/Building/Hazards Storage	0	L	0	L	
HYDROGEN CYANIDE (PRODUCT OBSOLETE)	BOC (a division of Linde)	26.05.2015	Acute Aquatic Hazard Category 1|Acute Toxicity	Danger	S7	6.1	I	HYDROGEN CYANIDE, STABILISED	1051	Limited evidence suggests that repeated or long-term occupational exposure	Rotate all stock to prevent ageing. Use on FIFO (First	/ENTERPRISE/MANIFEST /Area/Building/Hazards Storage	0	L	0	L	
HYDROGEN CYANIDE	Sigma-Aldrich (Merck)	23.10.2008	Acute Aquatic Hazard Category 1|Acute Toxicity	Danger	S7	6.1	I	HYDROGEN CYANIDE, STABILISED	1051	Limited evidence suggests that repeated or long-term occupational exposure	Rotate all stock to prevent ageing. Use on FIFO (First	/ENTERPRISE/MANIFEST /Area/Building/Hazards Storage	0	L	0	L	

3.4 Personal Protective Equipment (PPE) Data Points

The **Report Generator Advanced** tool ADVANCED provides users who have been granted access by the domain administrator with the ability to create/edit user dependent templates and use the user defined templates to generate reports. Chemwatch has made upgrades to the way users receive PPE information generated from your newly created templates using this advanced report generator mode. Previously, PPE data points generated an image and a URL address as output via the Report Generator.

Copyright©2025 by Chemwatch. All Rights Reserved




Image: GHS PPE, ILO Recommended PPE

CHEMWATCH NUMBER	MATERIAL NAME	CATALOGUE NAME	VENDOR	GHS PPE GRAPHICS GOLD	ILO RECOMMENDED PPE
21-2846	Septone Methylated Spirits	Septone Methylated Spirits	ITW AAMTech		

URL: GHS PPE, ILO Recommended PPE

CHEMWATCH NUMB	MATERIAL NAME	CATALOGUE NAME	VENDOR	GHS PPE GRAPHICS GOLD	ILO RECOMMENDED PPE
21-2846	Septone Methylated Spirits	Septone Methylated Spirits	ITW AAMTech	http://jr.chemwatch.net/Resources/Images/PPE/GHS/GHSGLV.gif|http://jr.chemwatch.net/Resources/Images/PPE/GHS/GHSOVE.gif|http://jr.chemwatch.net/Resources/Images/PPE/GHS/GHSBTS.gif|http://jr.chemwatch.net/Resources/Images/PPE/GHS/GHSHR.gif|http://jr.chemwatch.net/Resources/Images/PPE/GHS/GHSGGL.gif	http://jr.chemwatch.net/Resources/Images/PPE/GHS/GHSGLV.gif|http://jr.chemwatch.net/Resources/Images/PPE/GHS/GHSOVE.gif|http://jr.chemwatch.net/Resources/Images/PPE/GHS/GHSBTS.gif|http://jr.chemwatch.net/Resources/Images/PPE/GHS/GHSHR.gif|http://jr.chemwatch.net/Resources/Images/PPE/GHS/GHSGGL.gif

However, The URL address will be replaced for the PPE names, so you can view PPE information in a way that's easier to understand. There are no changes to the images generated - the PPE images will still appear as they always have.

CHEMWATCH NUMBER	MATERIAL NAME	CATALOGUE NAME	VENDOR	GHS PPE GRAPHICS GOLD	ILO RECOMMENDED PPE
21-2846	Septone Methylated Spirits	Septone Methylated Spirits	ITW AAMTech	Gloves|Overalls|Boots|Half-Face Respirator|Goggles	Boots|Face protection|Long Gloves

The advanced user defined templates must be created using specific datapoints available in the Method Builder directory folders. The Method Builder contains a filter function to look up for a specific datapoint from the directory. Once datapoints are identified, e.g., PPE, those datapoints can be selected to add them to your template to be able to generate the information input to the report.


Copyright©2025 by Chemwatch. All Rights Reserved



The following steps show 'how to create a template and export Manifest related data and graphics into a spreadsheet (xls format).


Steps: Creating a User Defined Template and Export Data to Generate a Report

1. Open the **Home module** (if it's not already the default module).
2. Press the **Folder name**. Take note that the Manifest list grid defaults to Cat Name.




3. Click the **Report Generator** button at the top right corner of the user interface.
4. **Ignore the default selection** "Selected" and click the Current page radio button option
5. Click the **OK** button.

Copyright©2025 by Chemwatch. All Rights Reserved



6. Press the **Advanced** tab from the report generator panel.
7. Select the **Country** from the drop-down arrow, e.g., Australia.
8. Select the **Language** from the drop-down arrow, e.g., English.
9. Select the **SDS format** as GHS from the drop-down arrow.
10. Hover move pointer over the **Add** + icon to open the method builder window in order to add data points and then create a report template. Click the Add Report Datapoints button to open the method builder window and create a report template.





Copyright©2025 by Chemwatch. All Rights Reserved


11. Select the **expand arrow** next to the **Identification** folder directory to open the list of datapoints.
12. **Click** the **data points checkboxes** listed below. Note that the selected data points will be automatically listed on the right-hand side pane for further editing.

Directory	Method Builder Data Points
Identification	Cat Name, SDS Country, Vendor details, Vendor Issue Date



13. Scroll up to select the **expand arrow** next to the **PPE** folder directory to open the list of datapoints.
14. **Click** the **data point checkboxes** listed below. Note that the selected data points will be automatically listed on the right-hand side pane for further editing.


Directory	Method Builder Data Points
PPE	GHS PPE Graphics



15. Scroll down to select the **expand arrow** **next** to the **Physical Properties** folder directory to open the list of datapoints.
16. **Click** the **data points checkboxes** listed below. Note that the selected data points will be automatically listed on the right-hand side pane for further editing.


Directory	Method Builder Data Points
Physical Properties	Physical Sate

Copyright©2025 by Chemwatch. All Rights Reserved



17. Scroll down to select the **expand arrow** **next** to the **Regulatory** folder directory to open the list of datapoints.
18. **Click** the **data points checkboxes** listed below. Note that the selected data points will be automatically listed on the right-hand side pane for further editing.


Directory	Method Builder Data Points
Regulatory	GHS Classification, Signal Word, SUSMP



19. Scroll down to select the **expand arrow** **next** to the **PPE Data** folder directory to open the list of datapoints.
20. **Click** the **data points checkboxes** listed below. Note that the selected data points will be automatically listed on the right-hand side pane for further editing.


Directory	Method Builder Data Points
Dangerous Goods (DG) Data	DG Primary Class, Packing Group, UN Number, Shipping Name, DG Diamond Graphic

Copyright©2025 by Chemwatch. All Rights Reserved



21. Scroll down to select the **expand arrow** **next** to the **Safety** folder directory to open the list of datapoints.
22. **Click** the **data points checkboxes** listed below. Note that the selected data points will be automatically listed on the right-hand side pane for further editing.

Directory	Method Builder Data Points
Safety	Health Effects, Safe Storage




23. Scroll down to select the **expand arrow** **next** to the **Manifest** folder directory to open the list of datapoints.
24. **Click** the **data points checkboxes** listed below. Note that the selected data points will be automatically listed on the right-hand side pane for further editing.

Directory	Method Builder Data Points
Manifest	Folders/Stores Name, Max Volume, Total Volume, Units

Copyright©2025 by Chemwatch. All Rights Reserved




25. Type the Report template name in the Report Name free text field.
26. Press the **Create Report** button.




27. Select the "**Enable multiple**" checkbox.
28. Select the **Report units** from the drop-down arrow, e.g., Original.
29. Select the **Format** from the drop-down arrow, e.g., XLS.
30. Select the **Download** images checkbox.
31. Press the **Download** button.

Copyright©2025 by Chemwatch. All Rights Reserved




32. Choose a "**file location**" from the desktop/laptop to save the report if your desktop is not set to automatically save downloads to the "**Downloads Folder**".
33. **Open** the downloaded file "Manifest Data Report.xls".




34. The report exports data into the respective report format, e.g., spreadsheet .

Manifest with GHS PPE Report



MATERIAL NAME	VENDOR	MAXIMU	FOLDERS/STORES NAME	MAX	GHS PPE GRAPHICS GOLD	GHS CLASSIFICATION GOLD	DG DIAMOND GRAPH	GHS PICTOGRAM IMAGES GOLD
1,1,1-trichloroethane	Sigma Aldrich (as Millipore	0	/ENTERPRISE/MANIFEST/1 Store	L		Acute Toxicity (Inhalation) Category 4|Eye Irritation Category 2A|Hazardous to the Ozone Layer Category 1		
acetic acid glacial	Fisher Scientific	0	/ENTERPRISE/MANIFEST/1 Store	L		Acute Toxicity (Dermal) Category 4|Flammable Liquid Category 3|Serious Eye Damage Category 1|Skin Corrosion/Irritation Category 1A		
acetic acid glacial	Sigma-Aldrich (Merck)	0	/ENTERPRISE/MANIFEST/1 Store	L		Acute Toxicity (Dermal) Category 4|Flammable Liquid Category 3|Serious Eye Damage Category 1|Skin Corrosion/Irritation Category 1A		

ILO Recommended PPE Report



CHEMWATCH NUMBER	MATERIAL NAME	CATALOGUE NAME	VENDOR	GHS PPE GRAPHICS GOLD	ILO RECOMMENDED PPE
21-2846	Septone Methylated Spirits	Septone Methylated Spirits	ITW AAMTech		

Copyright©2025 by Chemwatch. All Rights Reserved


4.0 Intray Mode

The primary objective of this chapter is to explore how to use the Intray mode to create intray folders as a temporary repository of special materials of interest for quick access or frequent use to displaying Vendor SDS, Gold SDS, Mini SDS, Labels and Emergency Reports.

WHAT YOU'LL LEARN

- → Identify materials in your folders or Chemwatch full collection
- → Create intray folders based on a criterion
- → Add materials into your categorised intray folders
- → Print, share or download materials in intray folders
- → Delete intray folders
- → Remove intray materials
- → Generate Vendor SDS, Gold SDS, Mini SDS, Labels and Emergency Reports

The **Intray** mode is a storage area, where users can create Intray folders to keep materials in order to access various types of reports. The Intray folders can be used as a temporary collection of materials for later viewing or retrieval. The Intray button is available in the **Advanced Search Panel** in Home Module.



The activities below illustrate how to create an intray, add materials into it and display of various types of reports.


4.1 Create an Intray Folder

The following steps illustrate how to create and edit an Intray folder.


Steps: Create an Intray

1. Press **Home** module button.
2. Press **Advanced tab.**
3. Click on the **Intray** button within the Search Panel.
4. Click on the **Add** button ADD.


Copyright©2025 by Chemwatch. All Rights Reserved




5. Type the **Intray Name**, e.g., Fire Fighting to create an Intray folder
6. Click the **Save** button



A message will be displayed to confirm successful addition.





Copyright©2025 by Chemwatch. All Rights Reserved

4.2 Adding Material(s) into an Intray Folder


The following steps illustrate how to add a material to an intray.

To add a material to an intray folder, the material must exist in the Chemwatch full collection or in your inventory and you must have an already created intray folder where the material can be added.


The steps below are a continuation from section 7.1: Create an Intray Folder above.

Steps: Add Material into an Intray

7. Click on a **folder/store** to display a list to choose the material(s) you want to add into the Intray folder. Select checkbox alongside each material of interest to add multiple materials into the intray folder.
8. **Right click** on a material name.
9. Select **Add to Intray** option from the right click options.




10. Click the **drop-down arrow** from the add material panel.



11. Select the **Intray folder** name.


Copyright©2025 by Chemwatch. All Rights Reserved



12. Click the Add button ADD to the Save record input.



A message will be displayed to confirm successful addition of material(s).



4.2.1 Display a Report for a Material in an Intray Folder

The following steps show how to display a document for a material added into an Intray folder.


Steps: Show a Report for a Material in an Intray

1. Press **Home** module button.
2. Press **Advanced tab.**
3. Click on the **Intray** button within the Search Panel.
4. Click on the **Intray folder name** to view a list of added materials.

Copyright©2025 by Chemwatch. All Rights Reserved



5. Select the **type of report** from the SDS and Labels Panel.
6. Click on the **Material Name** to load the report, e.g. Mini SDS button has been selected from the SDS and Labels Panel.



Note that there are five types of reports to choose from within the SDS and Labels Panel; Vendors SDS, Gold SDS, **Mini SDS** (displayed below), Labels and Emergency Reports (First Aid, Fire Fighting, Environmental, SOP, Toxicology, CHINA, Transport ERG and Monographs).




Copyright©2025 by Chemwatch. All Rights Reserved

4.3 Edit an Intray Name


The following steps illustrate how to edit to change an Intray name.

Steps: Edit an Intray


1. Open **Home** module .
2. Press **Advanced tab.**
3. Click on **Intray** button within the Search Panel.




4. Click the **Edit** link.



5. **Modify** text for the **Intray name**; e.g., Emergency Fire Fighting.
6. Click the **Save** button to save changes (message display confirms edition).



A message will be displayed to confirm successful update.




Copyright©2025 by Chemwatch. All Rights Reserved

4.4 Deleting Material from an Intray Folder


The following steps demonstrate **how to delete material from an Intray folder**.

Steps: Delete a Material from ab Intray


1. Open **Home** module .
2. Click on **Advanced** tab.
3. Click on **Intray** button within the Search Panel.
4. Select **Intray name** to display existing register of materials.
5. Click on checkbox(es) alongside a single or multiple materials to remove from Intray
6. **Right click** on material name to display menu options.
7. Select the **Delete from the Intray** option.



8. Confirm deletion of material by clicking the **YES** button.



A message will be displayed to confirm successful deletion of material(s).




Copyright©2025 by Chemwatch. All Rights Reserved

4.5 Deleting an Intray Folder


The following steps show how to delete an Intray folder.

Steps: Delete an Intray

1. Open **Home** module .
2. Click on **Advanced** tab.
3. Click on **Intray** button within the Search Panel.



4. Select the **Delete** link from the Actions column alongside an Intray folder name.



5. Select the **YES** button to confirm deletion of the intray folder with its content.

A message will be displayed to confirm successful deletion of an intray.



Any intray folder that is deleted from the system including its content will not be archived.

Copyright©2025 by Chemwatch. All Rights Reserved

5.0 Form Builder (Create Forms)

The primary objective of this chapter is to demonstrate how to use the Form Builder Settings to create forms for internal or external use.

WHAT YOU'LL LEARN

- → The type of form to create and/or include saving form history
- → Master language to use or if translation is required
- → Add standard fields
- → Add fancy fields
- → Add system fields and draw information using datapoints
- → Define fields, labels and set value requirement where applicable
- → Publish newly created or edited form
- → User accessibility and how to fill forms

Form builder **Form Builder** is a powerful database customisation tool which enables organisations to create online forms with questions and labels for the pieces of information to be collected from users for a variety of purposes. In general, these forms are used by respondents through input elements, freeform text boxes, checkboxes, drop-down options, radio buttons, calendar and many more. The collection of information may include employee details, incident occurrence, training attendance, emergency response, chemical risk assessment status, chemical storage, chemical use, etc. depending on the design of the form and the specific information required to be filled by users.

User Accessibility to Form Builder

The domain administrator of the Backpack system within your business or organisation has the arching responsibility to determine which users will be given the permission to access Form Builder Settings in order to create or edit forms that will in turn be used by others.

Form Builder allows permitted users to create unlimited data points and associate them with chemicals, folders/locations, persons/employees or any other type of data. Corresponding database fields are created automatically and can be populated automatically or manually using forms. User custom data is stored in a secure, user-specific database and can be used for:

- Searching
- Generating custom reports
- Showing information on labels
- Showing on Documents
- Building queries

Copyright©2025 by Chemwatch. All Rights Reserved


This tool allows users create and edit forms that may contain any of the following type of fields through various tabs.

- Plain input text fields
- Multi-line text fields
- Checkbox fields and menus
- Radio-button fields and menus
- Drop-down menus
- Date pickers
- Upload buttons
- Lists
- Special fields such as "Personnel" and "Contact Details" that automatically populate from your database if contacts are available

The Form Builder user interface contains these tabs; Forms, Form Settings, Add Field, Field Settings.

The Forms Tab


This window lists the names of forms that have been created, the type of form and master language.



The Form Settings Tab

This window allows the form settings to be applied to the form to save history, set the type of data to be driven and choose the translation language if required.

Copyright©2025 by Chemwatch. All Rights Reserved



The Add Field Tab


This window provides three types of fields to choose the data input types for information to be filled and captured in the form. The types of fields are described below.

Field Type	Use	Input Type
Standard	User dependent fields	Single line text.
Fancy	User dependent fields	Plain text, checkbox, multiline text, checkbox list, radio list, dropdown, list, upload, date picker, separator.
System	Database	Users list, groups list, folders list, vendors list, chemicals list.


The Field Settings Tab

This window provides form creators the ability to assign labels, describe labels and set a value requirement where applicable for selected type of fields.

Copyright©2025 by Chemwatch. All Rights Reserved




The image below shows an example of training record form designed to collect training information from users with regards to type of training attended, training checklist, training date and assessment outcome.



The following flowchart illustrates the steps users need to take when creating usable forms.

Copyright©2025 by Chemwatch. All Rights Reserved



5.1 Creating a Form

Creating a form requires that the form creator must have handy information to help guide what type of data fields will be used to collect general, user or procedural related information. Form Builder also the option of using custom datapoints. This data can be used in the following ways:

- Report generator data export and integration
- Data can be exported using the file formats; CSV, XML, XLS, HTML
- Label generator
- Documents
- Searches and Queries



The form that is illustrated in the steps below is a sample of a business's training records main fields that users can fill to collect trainee data for specific training program outcomes.


Copyright©2025 by Chemwatch. All Rights Reserved

Table: Example of Training Record Fields

Form Fields	Description
Trainee's name	Full name of trainee
Email	Email address field
Type of training mode	List of the types of training modes available
Training checklist	Training categories
Training date	Date of training
Assessment outcome	Training competency

Steps: Creating a Form

1. Select the **Settings link** Settings.
2. Click on the **Form Builder** button.
3. Press the **Forms** tab Forms.
4. Select **Create New** button CREATE NEW.



5. Select the **Forms Settings** tab Form Settings.
6. Select the **Settings** text field and type the name of the form.
7. Click on the **Save** history option if applicable.


Copyright©2025 by Chemwatch. All Rights Reserved



8. Select the drop-down arrow for the type of datapoints to be associated with the program interface element.
9. Choose the applicable language for translation from the language drop arrow. Note that "English" is the 'master language' by default.
10. Select the Single Line Text 1 form field.
11. Select the Add Field tab and select Single Line Text 1 field to assign standard field.
12. Click on the language settings name text field for the form.
13. Select the Single Line Text 1 form field to assign specific label.




14. Define a Label for the select from field. Type the name of the label to assign a label.
15. Enter a Description of the label.
16. Assign a Value for the label by clicking on the checkbox if the field is required to be filled by user.
17. Select Create button to save form fields.




18. Select Field Settings tab.

Copyright©2025 by Chemwatch. All Rights Reserved


19. Define a **Label** for the selected email address form field. Type the name of the label to assign a label.
20. Enter a **Description** of the label.
21. Select **Required** checkbox if applicable.
22. Select **Update** button.




23. Select **Add Field** tab.
24. Select the **Radio List** fancy field button.
25. Press the "Radio List" fancy field in the form window.
26. Define a **Label** for the select Radio List from field. Type the name of the label to assign a label.




27. Enter a **Description** of the label.
28. Add an item to the list by **typing a radio list item** for the 'Training Category'.




Copyright©2025 by Chemwatch. All Rights Reserved

29. Select the add icon to add a line item for the 'Training Category' and keep adding new line items as per form design.
30. Select Update button.
31. Repeat similar steps by adding more form fields as per your form structure (refer to steps 23 to 30).
32. Assign a Date Picker field into the form for the "Training Date".
33. Once all the required fields have been added into the form, click the Back button 

to go back to the Home module page.






The next topic illustrates how users can access the form and fill in the respective information.

5.2 Filling in Form


Note that the form is assigned the category; Type = Materials. What this form attribute mean is that a user will follow the steps below to fill in the form against a selected material from the inventory.

Copyright©2025 by Chemwatch. All Rights Reserved




Steps: Filling in a Form

1. Select the **Home** module .
2. Select a **folder/store** to display a list of materials.
3. Select a **checkbox** alongside the material name.
4. **Right click** on the material name.
5. Hover mouse pointer to **Forms** -> **Global**
6. Select the appropriate **Form Name**.




7. **Fill in the form** with the required information.
8. Press the **Submit** button to save input data.

Copyright©2025 by Chemwatch. All Rights Reserved




A message will be displayed to confirm successful submission of data.



Note that any form that is filled by any user, the information will be archived in the database and a report can be generated by a user permitted to create templates in order to export data related to users and forms. Go to the Report Generator section to learn how to export existing data using the method builder. Below is an example of the training records form in method builder showing the respective fields as datapoints to draw information from the database.

Copyright©2025 by Chemwatch. All Rights Reserved



Example: Training Records Form Exported Data

	D	E	F	J	K	N	O	P	Q
1	ASSESSMENT OUTCO	TRAINER EMAIL ADDRESS	TRAINER FULL NAME	TRAINING	TRAINING	TRAINING DATE(3)	TRAINING TYPE		
2									
3	Satisfactory	trainee1@company.com	Name Surname	Specialised training		04/05/2021	On-line		
4									
5									
6	Knowledge acquired	training@chemwatch.net	John Smith	Ready to use		05/06/2019	Written Assessment		
7									
8	Knowledge acquired	training@chemwatch.net	Cassie Langham	Specialised training		05/11/2020	On-line		
9									
10	Satisfactory	training@chemwatch.net	James Hardy	Refresher training		08/10/2020	On-line		
11									

Copyright©2025 by Chemwatch. All Rights Reserved


6.0 Tools Panel

This chapter explores the following objectives:

- → Identify the material in folder inventory
- → Create intray folders based on your criteria
- → Add materials into your categorised intray folders
- → Print, share or download materials in intray folders
- → Delete intray folders
- → Remove intray materials
- → Generate Vendor SDS, Gold SDS, Mini SDS, Labels and Emergency Reports



WHAT YOU'LL LEARN

The **Tools** panel provides a quick way of accessing specific features based on the active mode of a particular module. It contains as much of the features that are available through a right click on a materials grid.



Module	Feature Elements	Description	Use
Tools Panel	Tools for specific functional attributes	Materials grid functions in various modules	Users can utilize the tools functionality actions for materials in the various modules such as copy, move, remove, preferred vendor, Ingredients In and many more.

Copyright©2025 by Chemwatch. All Rights Reserved

Module	Feature Elements	Description	Use
			
	Maps mode for hotspots (Heat Maps)	Materials function to heat maps	Users can utilize the tools functionality to create/use blueprint maps to create heat maps for respective sites/areas/storage facilities/buildings.
			

The table below is a summary description of each feature and its use in various modules.

Menu Options	Description
Send to Approval	Send request for material to be approved. Applicable to Approvals Module's availability in license package
Copy	Copy single or multiple materials
Move	Move single or multiple materials
Remove	Delete single or multiple materials
Hide	Hide materials from view
Unhide	Unhide materials from view
Preferred Vendor	Assign a preferred vendor to a Gold MSDS
Ingredients In	Filter for ingredients in materials
Ingredients In Folder	Filter for material ingredients in a folder
Add to Intray	Add material into a favorites folder called an intray
Delete from Intray	Remove materials from an Intray
Data Extraction	Access to the data extraction tool
Attachments	Add attachments (documents) to a material

Copyright©2025 by Chemwatch. All Rights Reserved


Menu Options	Description
Notes	Create notes (text based) for a material and view notes in the Gold MSDS section 15
Phase Out	Assign authorization and sunset dates for phaseout substances
Add Part Number	Create a part number for a material
Add Preferred Name	Create a preferred name for a material
Add Red Flag	Create/Add a Red Flag for materials
Delete Red Flag	Remove or delete a red flag for materials

The steps below illustrate how to assign fields in the Phaseout substances form.

Steps: Assign Phaseout Substances Fields Using the Tools panel

1. Select the **Tools** panel.
2. Select a **folder/store** to view a register of materials.
3. Click on the **checkbox** alongside a material.
4. Select the **Phase Out** option from the Tools panel.

By default, the tools panel is greyed out. However, in order to activate the tools panel features, a material's checkbox from the grid must be selected first and then the applicable options will be activated as shown below.




5. **Identify regulatory instrument** where the material is listed
6. **Check** whether the material is **authorized**
7. Set the **Sunset Date** from dd/mm/yyyy to dd/mm/yyyy or set internal start and last application dates.
8. Press the **Submit** button to save your data.

Copyright©2025 by Chemwatch. All Rights Reserved




When selecting multiple materials to use a particular feature from the Tools Panel you may notice some attributes getting greyed out. For example, when selecting more than one material the Tools Panel will only allow to:

- Copy
- Move
- Remove
- Hide
- Add to Intray
- Add Red Flag



Whereas when a single material is selected, the Tools Panel will provide more options.



Copyright©2025 by Chemwatch. All Rights Reserved


7.0 Query Builder (Advanced Query Search)

The main objective of this chapter is to demonstrate how to use the Query Builder search mode to create queries that can be used query the database for specific chemicals of interest and also associating a particular query with tags (optional).

WHAT YOU'LL LEARN

- → The type of form to create and/or include saving form history
- → Master language to use or if translation is required
- → Add standard fields
- → Add fancy fields
- → Add system fields and draw information using datapoints
- → Define fields, labels and set value requirement where applicable
- → Publish newly created or edited form
- → User accessibility and how to fill forms


Query Builder search is designed for conditional construction of queries to search for specific information by using a set of rules and search properties. This type of search is referred to as "Query Builder advanced search criteria" and is accessible via the Query Builder tab within the Search Panel.



This extended search method provides users with the ability to look up for materials based on the following context:

- Search by creating a specific query
- Include Ingredients to the search Query (optional)
- Associate a query by using tags

Copyright©2025 by Chemwatch. All Rights Reserved



Note that Query Builder users must be granted permission to create, edit and use custom queries by the system's administrator within your company or organisation.

Logical Operands

A query is built by selecting a search index from the context menu options and can also choose a database logical operand "AND, OR" for complex searches to extend the search further.

Operator	Description
AND	Retrieves records that contain the word or term
OR	Broadens the records that contain the word or term




Field Types

String values and numbers can be applied in a search query as per the following operands.

String Operands	Image – Drop Down List
Equals	
Not Equal	
Contains	
Does not contain	

Copyright©2025 by Chemwatch. All Rights Reserved

Starts with Ends with Does not start with Does not end with	

Number Operands	Image – Drop Down List
=	

7.1 Add/Edit/Delete Query


The ADM will have full scope of the Query Builder mode's usage. The Query Builder mode for the ADM will show the three buttons to "Add", "Edit" or "Delete" queries.




Button	Description
Add	The Add button enables a user to create a query
Edit	The Edit button provides a user with the ability to edit an existing query
Delete	The Delete button allow a user to remove a query

Users other than the ADM/SDM will be able to use already existing queries within their domain to query the database (Full/Own) but cannot edit those queries.


Copyright©2025 by Chemwatch. All Rights Reserved



The query builder mode will show only the “Add” button to allow such users to create their own queries but cannot edit existing queries that they did not create/own.



If a user creates own query, that user will be able to see the edit functions alongside the name of the query as shown below.



7.2 Add (Create) a Cat Name or Material Name Query


The steps below illustrate how to add (create) a search query for a Cat or Material Name that equals “Acetone”. This search query excludes ingredients.

Steps: Creating a Cat or Material Name Query

1. Select the **Home** module button .
2. Press the **Query Builder** tab from the Search Panel.
3. Click the **Add** icon .
4. Type the **query name** in the query name text field, e.g., Material Acetone Search Query.

Copyright©2025 by Chemwatch. All Rights Reserved

5. Click the **drop-down arrow** to select the "Search option from the drop-down list.



6. Click the **drop-down arrow** to select the string operand, e.g., Equals.
7. Type the name of the **Material**, e.g., Acetone.
8. Click the **Save button** to complete the creation of a material name search query.


A confirmation message displays. 


7.3 Search by Cat or Material Name Query

The steps below illustrate how to use the created search query for "Acetone". Note that the search query excludes ingredients.

Steps: Search by Cat or Material Name Query


1. Select the **Home** module.
2. Press the **query builder** tab from the Search Panel.
3. Click the **drop-down arrow** from the query builder search panel's field to list the available search options.
4. Click the "**query name**, e.g., Material Acetone Search Query.
5. Click the Full or **Own** link to specify the database path.

   "Own" option refers to your own's company or organization's inventory within the Chemwatch Database collection.
6. Click the 

button to start the query.
7. Click the 


button to expand material name row to cat name (product names) associated with the found material.

Copyright©2025 by Chemwatch. All Rights Reserved



The query search results display the name(s) of cat name(s) with respective vendor

8. Hover mouse pointer on the cat name's information icon view more details on the pop-window.



7.4 Search by a Query that Contains an Operand

The steps below illustrate how to Add (Create) a query that contains an operand, equates to cat or material "Acetone" and then search the database. Note that the query excludes searching the database for "ingredients also".

Steps: Create a Query that Contains an Operand

1. Select the Home module.
2. Press the Query Builder button from the Search Panel.
3. Click the Add icon.
4. Type the query name in the query name text field, e.g., Complex Query for H225 by Sigma.
5. Click the drop-down arrow to select the search option from the drop-down list.
6. Choose the search option H-Code.
7. Click the drop-down arrow to select the string operand, e.g., Contains.
8. Type the hazard code classification (H-Code), e.g., 225.
9. Click the button to add another string.

Copyright©2025 by Chemwatch. All Rights Reserved

Note that another line operand will be added and will default to the logical operand "AND". If you choose to change this operand, click on this "AND" button and it will change to "OR" for the desired operation to meet your search criteria.


10. Click the **search option's** drop-down arrow to add another search index, e.g., Vendor.
11. Assign the search operand, e.g., Contains.
12. Type the name of the **Vendor** in the text field, e.g., Sigma.

    Note that this query will exclude ingredients.
13. Click the **Save** button to complete the query creation.




A confirmation message is displayed. 

14. Use the **main query builder search field's drop-down arrow** to select this newly added query to search the "Own" database.
15. Click the SEARCH button.
16. Click the Multiple button to expand material name row to cat name (product names) associated with the found material.
17. **Hover mouse pointer** on the cat name's information icon view more details on the pop-window.
18. You may close the pop-up window by clicking on the icon.




If you search in "Own" the system provides information under the main search field to choose a folder that can be used to search in it for that particular search query.

Copyright©2025 by Chemwatch. All Rights Reserved



The example below displays a selected folder name/location when for a query. In this case, the query name “Complex Query for H225 by Sigma” has been used to find any records that meet this criterion.



7.5 Regulation Name Search Query

Chemwatch has improved the Query Builder’s search criteria to look up for Regulation Name within the directory listing of regulatory lists. This new search criterion has been indexed against each list for searching by a word or keyword(s) to return main results from the Regulatory Listing.

What is a Regulatory List?

The regulation of chemicals is managed through respective legislative arrangements by use of a wide variety of national, regional laws and international agreements, conventions or strategies. The legislative instruments provide regulatory lists of chemicals to be implemented at the local level as well as exposure or emission limits. For example, chemicals in Europe are managed by the REACH (Registration, Evaluation and Authorisation and Restriction of Chemicals) and the CLP (Classification, Labelling and Packaging) regulations.

What is expected from you?


To search/filter for a Regulatory Name, simply type a keyword, e.g., OEL (Occupational Exposure Limit) that you know is contained in the Regulatory List and press the Apply button from the Regulatory Tree to look up.

Copyright©2025 by Chemwatch. All Rights Reserved

Expected Search Result

The Regulatory Tree expands to the respective location directory/folder in relation to the filtered keyword index for any found record, e.g., OEL (Occupational Exposure Limit); will expand the Regulatory Tree to display any existing Regulatory List that contains the key word or acronym. Select the **checkbox** alongside regulation name to save.

Example: Regulatory Tree – keyword acronym's search results




What to do with a found Regulation Name?

Save the selected Regulation Name into your Query Builder Search Name.



Complete your Query Name Search criteria and save it for future use.


Copyright©2025 by Chemwatch. All Rights Reserved




Regulatory List Tag Improvement in Query Builder

Regulatory List codes have now been tagged with the applicable Regulation name in the Query Builder Regulatory Tree.

Query Builder Mode




Regulatory Tree in Query Builder Mode



This improvement will help you when creating regulatory related queries and the respective search results to easily identify the corresponding Regulatory List code with the full Regulatory Name where the material is listed.

Copyright©2025 by Chemwatch. All Rights Reserved



Note that ONLY the materials that are found in a Regulatory List will contain the information icon within the grid to view the matching substance's query element matched in the database.

7.5.1 Create a Regulation Name Query

The steps below illustrate how to create a Regulation Name query that will enable the search for materials found in the Regulatory List. Note that this worked example below does not include querying ingredients.


Steps: Add (Create) a Regulation Name Query

1. Select the **Home** module.
2. Press the **Query Builder** button from the Search Panel.
3. Click the **Add** icon.
4. Type the **query name** in the Query Name text field, e.g., Regulation Name Query.
5. Click the **drop-down arrow** to select the Search option from the drop-down list.
6. Choose the search option "**Regulatory List**".




7. Click the **SELECT** button to **filter by region, country or key word.**
8. Type a Keyword, e.g., **Exposure Limit.**
9. Click the **Apply** button to filter the Regulatory Database by keyword.

Copyright©2025 by Chemwatch. All Rights Reserved




*The **Regulatory Lists** in relation to the keyword gets filtered out. Note that the filtered list is global.*

10. Assign the applicable filter by **Country** to further apply filter conditions; e.g., click on country field to choose desired country from the drop-down list, e.g., United Sates.
11. Assign the applicable filter by **Region** to further apply filter conditions; e.g., click on region field to choose region from the drop-down list, e.g., North America.
12. Select the **Regulatory Document** from the expanded folder tree, e.g., Exposure Limits.
13. Click the **Apply** button.



After applying the filter conditions, the system will filter the entire selected folder “Regulatory List” to found records as shown below.

Copyright©2025 by Chemwatch. All Rights Reserved



14. Click the **Regulatory Name Checkbox** from the filtered list.
15. Click the **Save** button to complete the assigned filter for the query.
16. Click the **Save** button in query builder dialogue to create the Regulation Name Query based on the selected name of the regulatory exposure list. Note that for this worked example shows that the regulatory list selected is coded.




A confirmation message displays.



17. Click the Full or **Own** link to set the database path.
18. Click the SEARCH button to look up for materials that are applicable to the regulatory query. Own search is applied in this example.
19. Query search display the found matching materials that meet the criteria. **Hover mouse pointer** to any material name's information icon to display summary of matching substance and substance type (ingredient) via a pop-up window.

Copyright©2025 by Chemwatch. All Rights Reserved



7.6 Create and Search by Chemicals of Security Concern

The steps below illustrate how to create a query to search for chemicals of security concern in Australia.

Steps: Creating a Regulation Name Query for Chemicals of Security Concern


1. Select the **Home** module.
2. Press the **Query Builder** button from the Search Panel.
3. Click the **Add** icon.
4. Type the **query name** in the Query Name text field, e.g., Chemicals of Security Concern (applicable in Australia).
5. Click the **drop-down arrow** to select the Search option from the drop-down list.
6. Choose the search option **Regulatory List**.



7. Click the **SELECT** button to filter by region, country and key word.
8. Assign the applicable filter by **Country** to further apply filter conditions; e.g., click on country field to choose country from drop down list, e.g., Australia.
9. Assign the applicable filter by **Region** to further apply filter conditions; e.g., click on region field to choose region from the drop-down list, e.g., Asia/Pacific.
10. Type a **Keyword**, e.g., Security Concern.

Copyright©2025 by Chemwatch. All Rights Reserved


11. Click the **Apply** button to filter the Regulatory Database by using the specified keyword. After applying the filter conditions, the system will filter the entire selected folder regulatory list to records.



After applying the filter conditions, the system will filter the entire selected folder regulatory list to records.

12. Select the **Regulatory Document Checkbox** from the expanded folder tree, e.g., Regulatory/Hazardous Materials/Drug Enforcement/Australia Council of Australian Governments (COAG) Chemicals of Security Concern.

13. Click the **Save** button to lock in the filter conditions.




14. Click the **Save** button in query builder dialogue to create the Regulation Name Query based on the selected name of the regulatory exposure list.


Note that for this worked example to regulatory list selected is coded 3339. A confirmation message displays.



Copyright©2025 by Chemwatch. All Rights Reserved



15. Ensure to click the Full or **Own** link to set the database path.
16. Click the SEARCH button to query the database from your own collection.
    The found records that meet the criteria will be displayed with matching substance(s). **Hover mouse pointer** to any material's information icon to display a pop-up window for matching results.



Chemicals of Security Concern, Australia

There are about 40, 00 chemicals that are approved for use in Australia and out of these, only 96 are identified as chemicals of security concern due to their potential to be used to make bombs or toxic weapons. There ae 15 assessed chemicals that are of high risk and are covered by the National Code of Practice for Chemicals of Security Concern. Find out more from the government website here.


Copyright©2025 by Chemwatch. All Rights Reserved

8.0 Print, Download and Share Reports

The primary objective of this chapter is to demonstrate how to use the Print, Download and Share functions to generate documents or reports.

→ Print list, SDS or product update
→ Download list, material list, external links, SDS and product update
→ Share list, material list, SDS, offline archive, offline archive store and product update

WHAT YOU'LL LEARN



The **Print, Download and Share** (PDS) functions contain menus to choose the specific report type/documents to generate. Users can PDS the following documents and report types:

Print List, SDS or Product Update

Print List, SDS or Product Update	
List, Materials List	**Print a list of materials** from the grid (either selected, current page or all)
SDS - SDS/Gold, SDS/Mini, SDS/Vendor, Labels	**Print a specific type of document (s)** for a single material or multiple materials (either for selected or all materials) and choose the specific document (Mini SDS, Gold SDS, Vendor SDS or Labels).
Product Update	**Print product document(s)** for a single material or multiple materials by applying the specific Product Update from the options; Products Added, Products Updated or Issue Date).

Download List, External Links, Offline Archive, SDS or Product Update

Download (Save) List, External Links, Offline Archive, SDS or Product Update	
List, Materials List	**Download a list of materials** from the grid (either selected, current page or all)
SDS - SDS/Gold, SDS/Mini, SDS/Vendor, Labels	**Download a specific type of document(s)** for a single material or multiple materials (either for selected or all materials) and choose the specific document (Mini SDS, Gold SDS, Vendor SDS or Labels).

Copyright©2025 by Chemwatch. All Rights Reserved

Download (Save) List, External Links, Offline Archive, SDS or Product Update	
External Link HTML - Gold, Mini, Vendor SDS, Labels	**Download specific type of document(s)** through an "**External Link HTML**" based on selected or all materials from the grid and choose the specific type of document (Mini SDS, Gold SDS, Vendor SDS or Labels). You may also include preferred names for all materials.
Offline Archive	**Download specific types of document(s)** for a single material or multiple materials (either for selected or all materials) and choose the specific type(s) of SDS (Mini SDS, Gold SDS, Vendor SDS or Labels) through the **Offline Archive** function. The selected material documents will be archived as a zip file that will contain separated documents in the **zip file's "docs" folder.**
Offline Archive Store	**Download document(s)** for a single material or multiple materials (either for selected or all materials) through the **Offline Archive Store** function. The selected material SDS documents will be archived as a zip file that will contain separated documents in the **zip file's "docs" folder** based on folder locations of those documents.
Product Update	**Download product document(s)** for a single material or multiple materials by applying the specific Product Update from the options; Products Added, Products Updated or Issue Date).

Share List, External Links, Offline Archive, SDS or Product Update

Share (Email) List, External Links, Offline Archive, SDS or Product Update	
List, Materials List	**Share a list of materials** from the grid (either selected, current page or all) by using the email function.
SDS - SDS/Gold, SDS/Mini, SDS/Vendor, Labels	**Email a specific type of document(s)** for a single material or multiple materials (either for selected or all materials) and choose the specific document (Mini SDS, Gold SDS, Vendor SDS or Labels).
External Link HTML - Gold, Mini, Vendor SDS, Labels	**Email specific type of document(s)** through an "**External Link HTML**" based on selected or all materials from the grid and choose the specific type of document (Mini SDS, Gold SDS, Vendor SDS or Labels). You may also include preferred names for all materials.
Offline Archive	**Email specific types of document(s)** for a single material or multiple materials (either for selected or all materials) and choose the specific type(s) of SDS (Mini SDS, Gold SDS, Vendor SDS or Labels) through the **Offline Archive** function. The selected material documents will be archived as a zip file that will contain separated documents in the **zip file's "docs" folder.**

Copyright©2025 by Chemwatch. All Rights Reserved

Share (Email) List, External Links, Offline Archive, SDS or Product Update	
Offline Archive Store	**Email document(s)** for a single material or multiple materials (either for selected or all materials) through the **Offline Archive Store** function. The selected material SDS documents will be archived as a zip file that will contain separated documents in the **zip file's "docs" folder** based on folder locations of those documents.
Product Update	**Email product document(s)** for a single material or multiple materials by applying the specific Product Update from the options; Products Added, Products Updated or Issue Date).

The document types; Labels, Mini SDS, Gold SDS, Vendor SDS and Material List can be generated using pdf format. The Material List can also be generated using html format.

Note that offline archive generates reports as a zip file where the documents are separated in a docs' folder. To view the documents generated in the zip file, open the zip file and click on the "docs" folder to open each separate document.

The following sub-topics cover printing a list of materials, batch printing vendor SDS, downloading (saving) a batch of Gold or Mini SDS, sharing (emailing) a batch of vendor SDS, generating an offline archive report and saving external html links report using the PDS menu options.


8.1 Batch Print Vendor SDS

This exercise demonstrates the steps on how to print multiple Vendor SDS into a single batch file in pdf format. This helps to collate all Vendor SDS for selected materials to keep an archive file for reference as a paper trail.


Steps: Batch print Vendor SDS into a Single PDF File

1. Select the **Home** module.
2. Select **folder** name that contains materials.

Copyright©2025 by Chemwatch. All Rights Reserved




3. Select **checkboxes** ☐ for each row in the materials list or click on the checkbox header to mark all materials.
4. Click on **Print** button to open print menu options.
5. Select **SDS** radio button from the print menu.
6. Click on **Selected** radio button or **All** for all materials in the list.
7. Select **Vendor** checkbox under the SDS options.
8. Press the **Submit** button.



"All" selected material(s) Vendor SDS will be collated into a single pdf file. Take note of the number of pages shown in the middle top of the acrobat reader area.

9. Click the **Submit** button to generate the file.
10. The system's Print window displays processed reports. Select the **Print** icon from the acrobat reader program to print all the generated vendor SDS.

Copyright©2025 by Chemwatch. All Rights Reserved



8.2 Save a Batch of Vendor SDS

This exercise, demonstrates the steps on how to save multiple Vendor SDS as a single batch file in pdf format. This helps to collate all Vendor SDS for selected materials to keep an archive file for reference.

Steps: Save a batch of Vendor SDS into PDF File

1. Select the **Home** module.
2. Select **Folder** name.




3. Select **Checkboxes** for each row in the materials list or click on the checkbox header to mark all materials.
4. Click on **Download** button to open the save menu options.

Copyright©2025 by Chemwatch. All Rights Reserved


5. Select **SDS** radio button from the print menu.
6. Click on **Selected** radio button or **All** for all materials in the list.
7. Select **Vendors** checkbox.

If “All” option is selected from the print menu, this option will be generated reports for all materials in the list based on the current set pagination (or default); 25, 50, 100, 500 materials per page.

8. Click the **Submit** button to generate the file.



9. Save panel displays processed reports. Select the **Download** icon from the pdf reader to save all the generated documents.



Copyright©2025 by Chemwatch. All Rights Reserved

8.3 Email a Batch of Vendor SDS

This exercise demonstrates the steps on how to email multiple Vendor SDS as a single batch file in pdf format.

Steps: Email a Batch of Vendor SDS as a PDF File

1. Select the **Home** module button.
2. Select **folder** name.




3. Select **checkboxes** for each row in the materials list or click on the checkbox header to mark all materials.
4. Click on **Share** button to open email menu options.
5. Select **SDS** radio button from the Share menu.
6. Select **Vendors** checkbox.
7. Click on **Selected** radio button or **All** for all materials in the list.

   If "All" option is selected from the print menu, this option will be generated reports for all materials in the list based on the current set pagination (or default); 10, 25, 50, 100, 500 materials per page. The default pagination is always set to 25.

8. Click the **Submit** button to open the email window.

Copyright©2025 by Chemwatch. All Rights Reserved



9. **The email window** displays emailing fields.

a. Type **email address** to send the report file **To**


b. **Do not change** the default **Form** field. Note that if you change the "from" default 'do not reply' address may not be accepted by spam filters due to security settings

c. Type the **Subject** for the email

d. Type **Comments** in the Comments text field

e. Type "**your email address**" in the Reply to" field. Note that this field will provide us with your email address for a quicker response from Chemwatch support.

10. Click the **Send** button to send the batch file.



The recipient will receive the SDS batch file as an attachment in the email.

Copyright©2025 by Chemwatch. All Rights Reserved

8.4 Batch Print Vendor SDS by Product Update

This exercise, demonstrates the steps on how to print multiple Vendor SDS into a single batch file in pdf format by Products Updated or by a specific Date Range.

8.4.1 Batch Print Vendor SDS by Products Updated

Steps: Batch print Vendor SDS by Products Updated


1. Select the **Home** module button.
2. Select **folder** name.



3. Select **checkboxes** for each row in the materials list or click on the checkbox header to mark all materials.
4. Click on **Print** button to open print menu options.
5. Click on **Vendors** checkbox under the SDS radio button options.
6. Click on **Products Added** radio button or **Products Updated** or **Issue Date**.


> If "All" option is selected from the print menu, this option will generate reports for all materials in the list based on the current set pagination (or default); 25, 50, 100, 500 materials per page. The default pagination is always set to 25.

In this exercise, the **Product Update** batch file will be generated based on any available products added into your inventory and at least assign the "Form" date to pick a date range by selecting calendar dates. If you miss the "Form" date. A warning message will get displayed.




7. Select the **"From" date** and set a date from the calendar field.

Copyright©2025 by Chemwatch. All Rights Reserved




8. Click the **Submit** button to generate the file.




The print panel displays a process bar and estimated time frame to generate the batch links if there are multiple documents to process.

9. Select the **Print** icon from the pdf reader to print all the generated documents.




10. Select each batched processed data range per batch by **clicking the link** to open the file.



11. **Print** the Vendor SDS from the pdf reader print icon.

Copyright©2025 by Chemwatch. All Rights Reserved



12. Click the **Close** button to go back to the list.

8.4.2 Batch Print Vendor SDS by Issue Date Range

The steps below will guide you to batch print Vendor SDS a few chosen materials from own folder by Issue Date range.

Steps: Batch print Vendor SDS by Issue Date Range

1. Select the **Home** module button
2. Select **Folder** name .




3. Select **Checkboxes** for each row in the materials list or click on the checkbox header to mark all materials in the list.
4. Click on **Print** button to open print menu options.


Copyright©2025 by Chemwatch. All Rights Reserved

5. Click on **Issue Date** radio button under the Product Update segment.

6. Select the "**From" calendar icon** to set the respective date.
7. Select the **month/year** to set the respective date.
8. Select the **day**.




9. Select the "**To" calendar icon** to set the respective date.




10. Click the **Submit** button from the print panel to generate the batch file.

Copyright©2025 by Chemwatch. All Rights Reserved



11. Print the Vendor SDS from the pdf reader print icon



8.5 Saving External HTML Links Reports

The **Download** (Save) function for External HTML Links contains optional types of documents to choose from. In the following steps; these options are considered.

- Gold SDS
- Mini SDS
- Labels
- Vendors SDS

Copyright©2025 by Chemwatch. All Rights Reserved


Download External Link HTML	
List, Materials List	**Download a list of materials** as HTML or PDF from the grid (either selected, current page or all).
External Link HTML Gold, Mini, Labels, Vendors	**Download specific type of document(s)** through an "**External Link HTML**" based on selected or all materials from the grid and choose the specific type of document (Mini SDS, Gold SDS, Vendors SDS or Labels). Note that Preferred Names for all materials can be included in the HTML report if required.

The steps below show how to download an **External HTML Links Report** for selected materials based on available types of documents; Vendor SDS, Gold SDS, Mini SDS and/or Labels.

Note that the External HTML Links document (Report) can be used to quickly render or display a selected material's type of generated document (Gold, Mini, Label or Vendor). You may also share links with your internal customers online or via email. To be able to generate such links, you must have an inventory or materials linked to available SDS in your folder locations/stores.

Steps: **Download an External HTML Links Report**

1. Select the **Home** module.
2. Select **Folder** name.




3. Select **Checkboxes** for each row in the Material list or click on the checkbox header to mark all materials in the displayed list. Note that if you ignore checkboxes from the grid, then you have to select "All" from the External Link HTML options. In this example, a few materials have been selected.
4. Click on **Download** button to open the menu for options.
5. Select **External Link HTML** radio button from the menu.
6. Select **Vendors** checkbox.
7. Click on **Selected** radio button or **All** for preferred names to be included (optional).

Copyright©2025 by Chemwatch. All Rights Reserved


8. Click on **Selected** radio button or **All** for all materials in the list.

If "All checkbox" option is selected from the grid, the SDS will be generated for all materials in the list based on the current set pagination (or default); 25, 50, 100, 500 materials per page. Note that if a huge list of material SDS are selected, this may take some time to download.

9. Click the **Submit** button to generate the HTML report.




10. Save panel displays processed HTML file. Select the **Save** icon from your desktop or laptop location folder.




11. Click on the **Downloaded HTML file** from your desktop task bar to open the file.

Copyright©2025 by Chemwatch. All Rights Reserved




The HTML file displays the following columns; Type of SDS, Document Name, CW Number, Vendor, Lang (for Language), Country and **EXTERNAL URL**. The EXTERNAL URL column contains the respective Static web address (HTML) links for each type of SDS as per your selection from the Download Menu.



12. Click on a **Document Name's associated External URL link** for a particular Vendor to display the respective SDS.

Copyright©2025 by Chemwatch. All Rights Reserved



SAFETY DATA SHEET

SECTION 1 IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: **Apparent Weedy Seedy 250 Herbicide**

Other Names: Paraquat dichloride + Diquat dibromide, Group L herbicide.
Use: A liquid 'knockdown' agricultural herbicide.
Company: Apparent Pty Ltd
Address: Suite G.08, 762 Toorak Rd, Hawthorn East, Vic. 3123.
PO Box 3092, Cotham PO, Kew, Vic 3101
ACN/ABN: 143 724 136
Telephone Number: 03 9822 1321
Fax Number: 03 9817 7845
Email: wwardell@bigpond.net.au
Emergency Contact: 0411 227 338

SECTION 2 HAZARDS IDENTIFICATION

Classified as hazardous according to criteria of Safe Work Australia.
Classified as a Dangerous Good according to the ADG Code.

FOR USE AS AN AGRICULTURAL HERBICIDE ONLY.
THIS PRODUCT IS TOO HAZARDOUS FOR USE IN THE HOME GARDEN.

GHS Classification:
Acute Toxicity – Oral: Hazard Category 3.
Acute Toxicity – Dermal: Hazard Category 3.
Acute Toxicity – Inhalation: Hazard Category 1, 2.
Skin Corrosion/Irritation: Category 2.
Sensitization – Skin: Hazard Category: 1, 1A, 1B.
Eye Damage/Irritation – Hazard Category 2B.
Specific Target Organ Toxicity (Single Exposure): Hazard Category 3.
Specific Target Organ Toxicity (Repeated Exposure): Hazard Category 1.

GHS Signal Word: DANGER

Hazard Statements:
H301 Toxic if swallowed.
H311 Toxic in contact with skin.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H320 Causes eye irritation.
H330 Fatal if inhaled.
H335 May cause respiratory irritation.
H372 Causes damage to organs through prolonged or repeated exposure.

Precautionary statements:


If there's a need to share specific External URL links internally or externally, use the links provided in the html file. For further details, contact heldpesk@chemwatch.net.

8.6 Print List of Materials

This exercise demonstrates the steps on how to print a list of materials into a single file in pdf format. This helps to collate a list for your inventory of chemical records for archiving.


Steps: Print materials list into a single pdf File

1. Select the **Home** module.
2. Select **folder** name that contains materials.




Copyright©2025 by Chemwatch. All Rights Reserved

3. Click on **Print** button to open print menu options.
4. Select the **List** radio button option from the print menu.
5. Press the **Submit** button to generate report.




6. Enter **header** and **footer** information in the respective dialogue boxes' text fields to be generated in the final report.
7. Press the **Print** button to generate report.




8. Use the pdf reader icon to print or download the report.


Copyright©2025 by Chemwatch. All Rights Reserved



9. Rename the file name if you selected the download option. Note that the system's default file name is "GetOperationResult.pdf".
10. Click on **Save** button to archive the report into your desktop or external drive.



Copyright©2025 by Chemwatch. All Rights Reserved



HAZARD	MATERIAL NAME	CAS NUMBER	VENDOR	HAZARD CODES	VOLUME / WEIGHT	LANGUAGE	COUNTRY	DGC	PKG
1	5040 Indexflüssigkeit				0.0 kg	German	Germany	None	None
3	acetone-D6	666-52-4	Merck	EUH066,H225	0.0 L	Swedish	Germany	3	II
0	BATTERY ACID		Johnson Controls	-	0.0 L	English	United States	None	None
4	Benzene	71-43-2, 1053658-43-7, 1173023-23-8, 174973-66-1, 54682-86-9	Sigma-Aldrich (Merck)	H225,H304,H315,H319,H336,H340,H350,H360Fd,H372,H401	0.0 L	English	Australia	3	II
3	chloroform	67-66-3	Sigma-Aldrich (Merck)	H302,H315,H319,H331,H351,H361d,H372	0.0 L	English	France	6.1	III
2	DO TEQUILA SUNRISE KAMELEON OPAL		Valspar (a part of Sherwin-Williams)	H315,H319	10.0 L	English	Australia	None	None
3	MOPAR® Lacquer Touch-Up Paint Tequila Sunrise (KJA)		FCA Group	H225,H304,H315,H319,H335,H336,H351,H361,H373,H401	0.0 kg	English	United States	3	II
3	Sherwin-Williams Industrial		Sherwin-Williams	-	0.0 kg	English	United States	3	II
3	TEQUILA FLAVOR		Symrise	EUH019,H225,H318,H350	0.0 kg	English	United Kingdom	3	II

Copyright©2025 by Chemwatch. All Rights Reserved

9.0 Preferred Names and Part Numbers

This chapter delves on how to create preferred names and part numbers for materials and generating reports that reflect the assigned part numbers and preferred names.

WHAT YOU'LL LEARN

- → Activate preferred names in filter settings
- → Create preferred name
- → Search for a product using preferred name
- → Edit preferred name
- → Create part number
- → Add a user part number
- → Edit a user part number
- → Remove a part number
- → Search by part number

What is a "Preferred Name"?

A ***preferred name*** is any name that can be created and assigned to a material for the ease of searching the database. A preferred name is strictly user or domain dependent.

Generally, the IUPAC system of naming chemicals include long and slightly complex chemical names, which tend to be difficult to remember, especially when searching databases for such materials, e.g., 2-(methylamino) ethanol, 2-(4-methylpentan-2-ylideneamino)-N-[2-(4-methylpentan-2-ylideneamino) ethyl.

Common industrial products can be assigned a preferred name or a part number for ease of searching by use of a trivial name that will only correspond to its use within your organisation.

The identification of materials within the system extends to the use of Part Numbers. Part numbers are generally used to search for specific products as a quick and easier way of finding an exact match to locate a particular SDS within the inventory. In other instances, part numbers can also be used as barcodes identification criteria, where a container can be assigned a part number (identical to a barcode number) for ease of locating containers within the stores. This will be applicable to domains that have Sisot module.

Note that a part number can also be vendor or user dependent. A Vendor Dependent Part Number is the number reference provided by the manufacturer on the actual Vendor SDS for that particular product and it is only applicable that product SDS. A User Dependent Part Number is the type of number that is assigned by the user within the Chemwatch system as another identification method.

Creating a preferred name or a part number is attributed to user privileges as determined by the administrator of the system within your business or organisation. Some users may only be

Copyright©2025 by Chemwatch. All Rights Reserved

granted privileges to view preferred names or part numbers, search by those assigned preferred names or part numbers but not able to delete or edit them.

If uncertain of your privileges, contact you're a system's administrator or send an email to helpdesk@chemwatch.net.

9.1 Activate Preferred Names Filter Setting

Preferred Names Filter Setting

The preferred name filter setting must be checked in order to activate the preferred name feature to display on the materials grid's chemical name right click menu and the tools panel. The following steps will guide you on how to activate the preferred names feature (if permissions to the Filter Settings are granted by the administrator).


Steps: Activate Preferred Names to Show in the Grid

1. Select the **Settings Link** Settings from the top left area of the user interface.
2. Select **Filter Settings** button .
3. The **Global tab** will be displayed by default.
4. Select the **Show Preferred Names** checkbox from the options.
5. Press the **Submit** button.




Copyright©2025 by Chemwatch. All Rights Reserved

6. Click the **Back** button Back from the top left area of the user interface to go back to the home page. A confirmation message will display from the top middle area of the user interface.



If preferred names already exist in your domain account, this will be flagged by a display of the preferred name icon on the grid alongside the name acetone of the material or cat name. Preferred name(s) list can be viewed by clicking on the preferred name icon.



9.2 Creating and Editing a Preferred Name

Users granted permission to manage preferred names will be able to create new preferred names for materials and also edit already existing ones. The steps below show how to create a preferred name for a material by using the mouse right click functionality.

In this section, the information below will be used to illustrate the use of preferred names and part numbers.

Chemical Name (IUPAC)	Preferred Name by User	Part Number by User
2,2-Dibromo-1,1,1-trifluoroethane	**Max Dibromoethane, 140SAE** *(This is a depositor-supplied synonym associated with the compound)*	**007195** *(e.g., Stock number used by employees for internal purposes)*


9.2.1 Creating a Preferred Name

Steps: Creating a Preferred Name for a Material


1. Select the **Home** module button .
2. Select **Folder** name that contains materials.

Copyright©2025 by Chemwatch. All Rights Reserved


3. Mouse **right click** on cat name from the list.
4. Select **Add Preferred Name** option from the menu.



5. Click on **Add New** button.




6. Select **drop-down arrow** to set the applicable language (if required) or retain it to "**Any**". Note that Any will apply to any available language.
7. Type the **Preferred Name** in the preferred name text field, e.g., Max Dibromoethane
8. Click the **Save** button.




The preferred name is now assigned to the material. A message will be displayed to confirm the successful action undertaken.


Copyright©2025 by Chemwatch. All Rights Reserved



9. Select the **Folder name** to view the list of materials to confirm addition of preferred name in the list.



10. Select the **preferred name icon** alongside the preferred name on the grid to print SDS by checking the box and clicking on the preferred name.



9.2.2 Search for a Material by Preferred Name


This section will demonstrate how to perform a simple search for a material by preferred name.

Steps: Search for a Product from own Inventory by Preferred Name

1. Select **Home** module button.
2. Press the **Simple** tab.
3. Press **Own** search path from the Search panel.
4. Select **Vendor SDS** button from the SDS and Labels panel.
5. Type the **Preferred Name**, in the Name/CAS field e.g., Max dibromoethane.
6. Press the **Search** button.

Copyright©2025 by Chemwatch. All Rights Reserved

7. Click on the track icon to locate the folder.




8. Click on the folder name to open the list and open the Vendor SDS linked to the material with preferred name.

9.2.3 Editing a Preferred Name


Steps: Editing a Preferred Name

1. Select the **Home** module button.
2. Select the **Folder** name that contains materials.
3. **Right click** on a material that has a preferred name.
4. Select **Add Preferred Name** from the menu.




Copyright©2025 by Chemwatch. All Rights Reserved


5. Click the action **Edit.**



6. Type **new preferred name** in the text field .
7. Click **Save** button.



The updated preferred name gets confirmed through a message show below.



9.3 Creating and Editing Part Numbers

Chemwatch applications support assigning part numbers (stock or product identity numbers) to a material or product in the database. Part numbers help to quickly find the material or product by conducting a simple search by part number. Note that part numbers can also be "vendor dependent" (i.e., assigned as per registration of the product in the Chemwatch full collection) or User dependent (i.e., assigned by the user)".

What is a "Part Number"?

A ***Part Number*** is any number used to identify materials/products in the Chemwatch system. The part number system also supports some Unicode characters in the English keyboard (excluding "+" and "Greek" symbols).

Copyright©2025 by Chemwatch. All Rights Reserved

Types of Part Numbers and Assignment to Documents

There are two main types of part numbers; User Part Number and Vendor Part Number:


- **User part number** is the type of part number that is assigned by a user and this part number can be linked to a Gold SDS (**User Gold**) or a Vendor SDS (**User Vendor**).
- **Vendor part number** is the type of part number that is a default number provided by the manufacturer on the Vendor SDS. This number cannot be changed by a user as it is a reference identity number or product ID/code issued by the manufacturer of the product.

Part Number Filter Setting

The part number filter setting must be checked in order to activate the part number feature to display on the materials grid's chemical name right click menu and the tools panel. The following steps will guide you on how to activate the part number feature (if permissions to the Filter Settings are granted by the administrator).


Steps: **Activate Part Number to Show in the Grid**

1. Select the **Settings Link** Settings from the top left area of the user interface.
2. Select **Filter Settings** button .
3. The **Global** tab will be displayed by default.
4. Select the **Show Part Number** checkbox from the options.
5. Press the **Submit** button.




Copyright©2025 by Chemwatch. All Rights Reserved

6. Click the **Back** button Back from the top left area of the user interface to go back to the home page. A confirmation message will display from the top middle area of the user interface.



If part numbers already exist in your domain account, this will be flagged by a display of the part number icon 123 on the grid's Part No column alongside the material or cat name. Part No.s can be viewed by clicking on the part number icon as shown below.




9.3.1 Opening the Part Number Window from a Simple Search

Option1 – Open the Part Number Window from the Materials Table


Steps: Open the Part Number window after performing a Simple Search

1. Press the **Home** module button.
2. Select **Own** search path from the Search panel.
3. Press the **Vendor SDS** button within the SDS and Labels panel.
4. Type the **name of the material**, e.g., Max dibromoethane.
5. Click the **Search** button.
6. Select the **Part Number icon** 123 alongside the name of the material.

Copyright©2025 by Chemwatch. All Rights Reserved



7. The part number window displays the available part numbers from the vendor or user dependent part numbers (if they were created by a user).



In this case, if a part number is added from the material's list, this part number will default to a User Gold part number as it will be linked to a material's Gold SDS.


Option2 – Open the Part Number Window from the Documents Table

Steps: **Part Number window view from the Documents Table after a Simple Search**

1. Press the **Home** module button.
2. Select **Own** search from within the Search Panel.


Copyright©2025 by Chemwatch. All Rights Reserved

3. Press the **Vendor SDS** button within the SDS and Labels panel.
4. Type the **name of the material**, e.g., Acetone.
5. Click the **Search** button.
6. Select the Part Number icon 123 alongside the document name of the product.



7. The Part Number window will display available list of part numbers.

In this case, if a part number is added from the documents list, this part number will default to a user vendor part number as it will be linked to a document.




9.3.2 Adding a User Part Number to a Material

There are three ways to add a user part number to a material:

1. By using the part number icon on the material grid

Copyright©2025 by Chemwatch. All Rights Reserved

2. By using the tools panel
3. By using the right click menu option



A **Part Number** cannot be added when a user conducts a full search. In order to add a part number associated with a material or a Vendor SDS product, that particular product must be in your OWN inventory, otherwise adding a user part number to the Chemwatch Full Collection is not supported.

The following topics delve into searching for material and adding a user part number as well as finding a user part number on Section 1 of a Gold SDS. Adding a user part number will be shown by using the part number icon option for all the activities.

9.3.3 Search for a Material and add a User Part Number to a Gold SDS

The search criteria will be conducted from the OWN inventory in order to add a user part number to a material and associate it with a Gold SDS record.

If the material does not exist in your own inventory, then the first step should be “to add the material into your inventory first” and thereafter, add the user part number.

The steps below illustrate a worked example for an already existing material in OWN inventory list to add a user dependent part number.


Steps: Search and Add a User Part Number to a Material (to associate it with a Gold SDS)

1. Press the **Home** module button.
2. Select **Own** search from within the Search panel.
3. Press the **Gold SDS** button within the SDS and Labels panel.
4. Type the Material, e.g., Acetone.


Copyright©2025 by Chemwatch. All Rights Reserved

5. Click the **Search** button.
6. Press the **Multiple** button Multiple to expand the list to view linked vendor products (cat names). The multiple button gets displayed only when there's more than one vendor for the same material in your inventory.
7. Select the **Part Number icon** 123 alongside the name of the material.

In this case, if a part number is added from the material's list, this part number will default to a User Gold part number as it will be linked to a material's Gold SDS.




8. Click the **Add New** part number button ADD NEW.




9. Type the **new part number** in the free text field, e.g., 2082.
10. Click the **OK** button next to the free text field.

Copyright©2025 by Chemwatch. All Rights Reserved



11. **Part number** is **displayed in** the **list**.



Note that the Part Number added from a materials list table is automatically associated with the part number type; **User Gold**.

12. Press the **Close** button.

9.3.3.1 User Part Number on a Gold SDS


A user part number will get displayed in Section 1 of the Gold SDS. The follow steps show how to display a Gold SDS and confirm your user part number.

Steps: Find a User Part Number on a Gold SDS


1. Select the **Home** module button .
2. Select **folder** name .
3. Press the **Gold SDS** button within the SDS and Labels panel.

Copyright©2025 by Chemwatch. All Rights Reserved

4. Click the **Material Name**.



5. Go to **Section 1** of the Gold SDS,



9.3.4 Search for a Material and Add a User Part Number to a Vendor SDS


The search criteria will be conducted from the OWN inventory option in order to add a user part number to a material and associate it with a Vendor SDS record. If the material does not exist in your own inventory, then the first step should be “to add the product Vendor SDS into your inventory first” or into a folder and thereafter, add the user part number.

The following steps show a worked example for an already existing material in Own inventory list on how to add a user part number.


Copyright©2025 by Chemwatch. All Rights Reserved

Steps: Search and Add a User Part Number to a Product (to associate it with a Vendor SDS)

1. Press the **Home** module button.
2. Select **Own** search from within the Search panel.
3. Press the **Vendor SDS** button in the SDS and Labels panel.
4. Type the **name of the material**, e.g., Acetone.
5. Click the **Search** button.
6. Select the Part Number icon alongside the document name of the material.





7. Click the **Add New** button ADD NEW. The Part Number window will display any available list of part numbers.



8. Type the **new part number** in the free text field.
9. Click the **OK** button next to the free text field.


Copyright©2025 by Chemwatch. All Rights Reserved



Message is displayed. 

10. Press the **Close** button.

If a product already contains Vendor Part numbers for associated vendor documents (with respective issue dates), the part numbers will be shown as Vendor type. A Vendor type of part number is issued by the manufacturer.




9.3.5 Deleting a User Part Number

The steps below illustrate how to delete a user part number assigned to a product (Cat Name).


Copyright©2025 by Chemwatch. All Rights Reserved

Steps: Delete a User Part Number

1. Select the **Home** module button.
2. Select **Folder** name that contains materials with part numbers.
3. Press the **Part Number** icon alongside the name of the product.




4. Select the **Checkbox** next to the user part number.
5. Press the **Delete** button.




6. Click the **Yes** button to confirm deletion of a part number.

Copyright©2025 by Chemwatch. All Rights Reserved




A confirmation message will display to alert you of the successful removal of the part number from the records.



9.3.7 Search by Part Number

The Search Panel contains Advanced Search options that allow users to look up for materials by using a specific criterion to find an exact match or close (associated) matches.



Copyright©2025 by Chemwatch. All Rights Reserved


The advanced search options relevant to look for materials by part number are;

- User Part No
- Vendor Part No

The following steps show how to search for a material from your own inventory by **User Part No.** option.


Steps: Search by User Part Number

1. Select **Home** Module button.
2. Press the **Advanced** search tab from the Search panel.
3. Press the **Own** search option within the Search panel.
4. Select **Name drop-down arrow** in the Search text field.
5. Hover the mouse over to **Part No forward arrow.**
6. Click on the **User Part No** to set it as the current search method.




7. Type the **User Part number** for the material in the free text field.
8. Press the **Search** button.
9. Click the **Part Number** icon 123 alongside the name of the product

Copyright©2025 by Chemwatch. All Rights Reserved



10. The part number window displays a list of available part numbers associated with the material.



9.3.8 Part Number Functionality in Other Modules


Part Numbers Data Points in Report Generator

The User and Vendor Part Numbers are split into the following datapoints within the Report Generator's Identification Folder Directory:

- Part Numbers for User Vendor (All)
- Part Numbers for User Vendor (Latest)
- Part Numbers (All)
- Part Numbers for Vendor (Latest)

Users can create a template to generate a report by using these various types of datapoints.

Copyright©2025 by Chemwatch. All Rights Reserved



The spreadsheet will show the datapoints as header columns.

	A	B	C	D	E	F	G
1	Material Name	Catalogue Name	Part No.s User Vendor (All)	Part No.s User Gold	Part No.s User Vendor (Latest)	Part No.s Vendor (All)	Part No.s Vendor (Latest)
2	benzene	benzene		333|3456|9369999026790|88|1.4		676985|561452|154628|481076|32212|CRM46323|52585|319953	676985|154628|319953
3	hydrogen cyanide	hydrogen cyanide		5678		401765|395749	401765|395749
4	acetone	acetone		2082|Product Code 45|12345|1.2.3|1.1.1|578X			

Part Numbers in Sisot Module

Part Numbers have been redesigned and are now stored at the document level as we have seen in the previous topics. Part Numbers are now reported per vendor document and not per group of vendor documents. Part numbers cannot be managed at cat name level as cat names are associated with barcodes, cat numbers for containers.



Contact your Account Manager in Chemwatch for more information about the Scan In ScanOut Technology (Sisot) and Chemeritus package upgrades.

Copyright©2025 by Chemwatch. All Rights Reserved

Appendix

Summary Structure of an SDS

The Summary of the information contained in the Code of Practice for the Preparation of an SDS is tabled below. *[It is not a comprehensive list of information required on the SDS]*

Section	Headers
1. Product identifier & identity for the chemical	▸ Product Identifier ▸ Other means of identification ▸ Recommended use of the chemical and restrictions on use ▸ Supplier's name, address and phone number ▸ Emergency phone number
2. Hazard Identification	▸ Classification of the hazardous chemical ▸ Label elements, including precautionary statements ▸ Other hazards which do not result in classification
3. Composition/information on ingredients	▸ Identity of chemical ingredients ▸ CAS number and other unique identifiers ▸ Concentration of ingredients
4. First Aid Measures	▸ Description of necessary first aid measures ▸ Symptoms caused by exposure ▸ Medical Attention and Special Treatment
5. Fire Fighting Measures	▸ Suitable extinguishing media ▸ Specific hazards arising from the chemical ▸ Special protective equipment and precautions for fire fighters
6. Accidental release measures	▸ Personal precautions, protective equipment and emergency procedures ▸ Environmental precautions ▸ Methods and materials for containment and cleaning up
7. Handling and Storage	▸ Precautions for safe handling ▸ Conditions for safe storage, including any incompatibilities
8. Exposure controls/personal protection	▸ Control parameters – exposure standards, biological monitoring ▸ Appropriate engineering controls ▸ Personal protective equipment (PPE)
9. Physical and chemical properties	▸ Appearance ▸ Odour ▸ Odour threshold ▸ pH ▸ Melting point/freezing point ▸ Boiling point and boiling range ▸ Flash point


Copyright©2025 by Chemwatch. All Rights Reserved

	▸ Evaporation rate ▸ Flammability ▸ Upper/lower flammability or explosive limits ▸ Vapour pressure ▸ Vapour density ▸ Relative density ▸ Solubility ▸ Partition coefficient: n-octanol/water ▸ Auto-ignition temperature ▸ Decomposition temperature ▸ Viscosity ▸ Specific heat value ▸ Particle size ▸ Volatile organic compounds content ▸ % volatile ▸ Saturated vapour concentration ▸ Release of invisible flammable vapours and gases
Additional parameters	▸ Shape and aspect ratio ▸ Crystallinity ▸ Dustiness ▸ Surface area ▸ Degree of aggregation or agglomeration ▸ Ionisation (redox potential) ▸ Biodurability or biopersistence
10. Stability and Reactivity	▸ Reactivity ▸ Chemical stability ▸ Conditions to avoid ▸ Incompatible materials and possible hazardous reactions ▸ Hazardous decomposition products
11. Toxicological information	▸ Information on routes of exposure ▸ Symptoms related to exposure ▸ Numerical measures of toxicity ▸ Immediate, delayed and chronic health effects from exposure ▸ Exposure Levels ▸ Interactive effects ▸ Data limitations
12. Ecological information	▸ Ecotoxicity ▸ Persistence and degradability ▸ Bioaccumulative potential ▸ Mobility in soil ▸ Other adverse effects
13. Disposal considerations	▸ Safe handling and disposal methods ▸ Disposal of any contaminated packaging ▸ Environmental regulations

Copyright©2025 by Chemwatch. All Rights Reserved

14. Transport information	▸ UN number ▸ Proper shipping name ▸ Transport hazard class(es) ▸ Packing group ▸ Environmental hazards ▸ Special precautions during transport ▸ Hazchem Code
15. Regulatory information	▸ Safety, health and environmental regulations specific for the product in question ▸ Poisons Schedule number
16. Other information	▸ Date of preparation or review ▸ Key abbreviations or acronyms used

Gold SDS Sample



ACETONE

Mera Chemicals

Chemwatch Hazard Alert Code: 3

Chemwatch: 1080
Version No: 4.1.1.1
Safety Data Sheet according to WHS and ADG requirements

Issue Date: 26/02/2016
Print Date: 08/12/2015
L.GHS.AUS.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	ACETONE
Chemical Name	acetone
Synonyms	C3-H6-O; CH3COCH3; propanone; pyroacetic acid; pyroacetic ether; 2-propanone; beta-ketopropane; methyl ketone; propan-2-one; dimethyl ketone; ketone, dimethyl ketone propane; dimethyl formaldehyde; RF Services; RCRA Waste No. U002; EM000739; APS RETL00020006 UCH00002546 RDEH06089000; SPOL00000585 AR0000006 UL0000007 MAB00004946; Asniand Acetone ECD Mobil 878033 971934; J.T.Baker Chem-Supply; Product code: 11831; Product Code: 1.00014; Product Code: 100014
Proper shipping name	ACETONE
Chemical formula	CH3COCH3
Other means of identification	1.1.1, 1.2.3, 111, 2082, 444, 56789, 578X, 97, Product Code 45
CAS number	67-64-1

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Solvent for fats, oils, waxes, resins, rubber, plastics, lacquers. Used in manufacture of methyl isobutyl ketone, mesityl oxide, acetic acid, diacetone alcohol, isoprene. Used in solvent extraction processes. Solvent in the manufacture of explosives and rayon. Component of adhesives, glues, cleaning solvents, lacquer thinners, nail polish, paint removers. Storing acetylene gas (takes up about 24 times its volume of the gas). Purifying paraffin and biomedical hardening and dehydrating tissues. Minor food additive, permitted in USA.

Details of the supplier of the safety data sheet

Registered company name	Mera Chemicals	Chem-Supply
Address	34 Law Court West Sunshine VIC 3020 Australia	38 - 50 Bedford Street GILLMAN SA 5013 Australia
Telephone	+613 9311 4244/0417 339927	+61 8 8440 2000
Fax	+613 9311 3755	+61 8 8440 2001
Website	Not Available	https://www.chemsupply.com.au
Email	info@merachemicals.com.au	info@chemsupply.com.au

Emergency telephone number

Association / Organisation	Not Available	Not Available
Emergency telephone numbers	Not Available	Not Available
Other emergency telephone numbers	Not Available	Not Available

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

HAZARDOUS CHEMICAL. DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

CHEMWATCH HAZARD RATINGS

	Min	Max
Flammability	3	
Toxicity	1	
Body Contact	2	
Reactivity	1	
Chronic	0	

0 = Minimum
1 = Low
2 = Moderate
3 = High
4 = Extreme

NFPA 704 diamond

Note: The hazard category numbers found in GHS classification in section 2 of this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Health Red = Fire Yellow = Reactivity White = Special (Oxidizer or water reactive substances)


Poisons Schedule	S5
Classification [1]	Flammable Liquid Category 2, Specific target organ toxicity - single exposure Category 3 (narcotic effects), Eye Irritation Category 2A
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HSIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI

Label elements

Hazard pictogram(s)	

Copyright©2025 by Chemwatch. All Rights Reserved

Vendor SDS Sample



SIGMA-ALDRICH sigma-aldrich.com

SAFETY DATA SHEET

Version 3.16

Revision Date 21.08.2018

Print Date 22.09.2018

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifiers

Product name : Acetone

Product Number : 650501
Brand : Sigma-Aldrich

1.2 Other means of identification

No data available

1.3 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.4 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Pty. Ltd.
12 Anella Avenue
CASTLE HILL NSW 2154
AUSTRALIA

Telephone : +61 2 9841 0555 (1800 800 097)
Fax : +61 2 9841 0500 (1800 800 096)

1.5 Emergency telephone number

Emergency Phone # : Free call (24/7): 1800 448 465
Int'l (24/7): +61 2 9037 2994 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 GHS Classification

Flammable liquids (Category 2)
Serious eye damage/eye irritation (Category 2A)
Specific target organ toxicity - single exposure (Category 3), Central nervous system

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Danger

Hazard statement(s)
H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Precautionary statement(s)

Prevention
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Copyright©2025 by Chemwatch. All Rights Reserved

Mini SDS Sample



Chemwatch: 1090

Chemwatch Hazard Alert Code: 3

MINI SDS

ACETONE

INGREDIENTS	CAS NO	%	8HR OEL
acetone	67-64-1	95-99.5	1185 mg/m3

GHS

DG

UN No: **1090**
DG Class: 3
Subsidiary Risk: **Not Applicable**
Packing Group: **II**

HEALTH HAZARD INFORMATION

Signal word:	Danger	
Hazard statement(s):	**H225**	Highly flammable liquid and vapour.
	H303	May be harmful if swallowed.
	H313	May be harmful in contact with skin.
	H305	May be harmful if swallowed and enters airways.
	H316	Causes mild skin irritation.
	H319	Causes serious eye irritation.
	H336	May cause drowsiness or dizziness.
	H333	May be harmful if inhaled.

PRECAUTIONS FOR USE

Appropriate engineering controls:	Local Exhaust Ventilation recommended.
Glasses:	Consider chemical goggles.
Gloves:	1.BUTYL/NEOPRENE 2.PE/EVAL/PE
Respirator:	Type AX Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)
Storage and Transportation:	Store in cool, dry, protected area. Restrictions on Storage apply. Refer to Full Report. Use only in well ventilated areas. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. Keep out of reach of children. Keep container in a well ventilated place. Keep away from sources of ignition. No smoking.
Fire/Explosion Hazard:	HIGHLY FLAMMABLE. Vapours/gas heavier than air. Toxic smoke/fumes in a fire. Use only in well ventilated areas. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. In case of fire and/or explosion, DO NOT BREATHE FUMES.

PROPERTIES

Liquid. Mixes with water.Highly flammable.

EMERGENCY

FIRST AID

Swallowed:	Give water (if conscious). Seek medical advice.
Eye:	Wash with running water.
Skin:	Remove contaminated clothing. Wash with soap & water.
Inhaled:	Fresh air. Rest, keep warm. If breathing shallow, give oxygen. Medical attention.
Advice To Doctor:	No antidote. Supportive care.
Fire Fighting:	Keep containers cool. Water spray/ fog. Foam - alcohol type.
Spills and Disposal:	Spilled liquid has low boiling temperature and evaporates quickly. Eliminate ignition sources. Consider evacuation. Prevent from entering drains. Contain spillage by any means. Control vapour with water spray/ fog. Absorb with dry agent. Stop leak if safe to do so. Use only in well ventilated areas. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. This material and its container must be disposed of in a safe way. To clean the floor and all objects contaminated by this material, use water.


SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS

+	x	x	x	+	+	+

x — *Must not be stored together*
0 — *May be stored together with specific preventions*
+ — *May be stored together*

Copyright©2025 by Chemwatch. All Rights Reserved

Label Sample



A List of Default Label Templates

Label Template Names	Labels Per-Page Template	Legislative Format
GHS 1 per A4_3 language Portrait	1	GHS format
GHS 1 per A4_Portrait	1	GHS format
GHS 2 per A4_Portrait	2	GHS format
GHS 3 per A4_Portrait	3	GHS format
GHS 4 A4_Protrait	4	GHS format
GHS 14 per A4_Protrait	14	GHS format
GHS small 27 per A4_Portrait	27	GHS format
GHS + Transport 1 per A4_Lanscape	1	GHS format
GHS + Transport 2 per A4_Protrait	2	GHS format
non-GHS 2 per A4_Portrait	2	non-GHS format
non-GHS 3 per A4_Portrait	3	non-GHS format
non-GHS 4 per A4_Portrait	4	non-GHS format
non-GHS 14 per A4_Portrait	14	non-GHS format
non-GHS + Transport 1 per A4_Landscape	1	non-GHS format
non-GHS + Transport A3_Portrait	1	Non-GHS format


Copyright©2025 by Chemwatch. All Rights Reserved

Label Template Names	Labels Per-Page Template	Legislative Format
Emergency_Information_Panel-Diamond_1	1	Default settings
Emergency_Information_Panel-Diamond_2	2	Default settings
Emergency_Information_Panel-Diamond_3	3	Default settings
Transport A4 Landscape	1	Default settings
Transport A4_Portrait	1	Default settings
TREM_Card_English	1	Default settings
NZ 2 per A4_Portrait	2	New Zealand GHS format
NZ 4 per A4_Portrait	4	New Zealand GHS format
NZ + Transport 1 per A4_Landscape	1	New Zealand GHS format
NZ + Transport 2 per A4_Portrait	2	New Zealand GHS format
NZ + Transport A3_Portrait	1	New Zealand GHS format
Canada EN 1 per A4_Portrait	1	Canadian format
Canada FR 1 per A4_Portrait	1	Canadian format
China 500L-1000L_A4 Portrait	1	Chinese format
China_Workplace Label 800x600mm	1	Chinese format
Malaysia GHS 2 per A4_Portrait	2	Malaysia GHS format
Malaysia GHS 3 per A4_Portrait	3	Malaysia GHS format
Malaysia_GHS 125ml or less_14 per A4_Portrait	14	Malaysia GHS format
NFPA small 27 per A4_Portrait	27	Default settings
NFPA small 14 per A4_Portrait	14	Default settings
Conical GHS 1 per A4_Landscape	1	GHS format
Conical GHS 3 per A4_Portrait	3	GHS format
Conical non-GHS 1 per A4_Landscape	1	Non-GHS format
Conical Transport 1 per A4_Landscape	1	Default settings
Avery 2x4 template	8	Avery format
Avery 2x7 template	14	Avery format
Avery 2x8 template	16	Avery format
Avery 3x7 template	21	Avery format
Avery 3x8 template	24	Avery format
Avery 3x10 template	30	Avery format

Copyright©2025 by Chemwatch. All Rights Reserved

Label Template Names	Labels Per-Page Template	Legislative Format
Avery 3x11 template	33	Avery format
Avery 4x12 template	48	Avery format
Avery 5x13 template	65	Avery format
Avery 5160-30 labels on 8-5x11 Page with hazard phrases	30	Avery format
Avery 5160-30 labels on 8-5x11 Page	30	Avery format
Labelpower 30x20mm labels on roll		
Labelpower 40x20mm labels on roll		
Note: SDS Settings and Filter conditions effect the data generated on labels		Country, MSDS Format…

Emergency Report Sample– First Aid



FIRST AID

INGESTION

- If swallowed do **NOT** induce vomiting.
- If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.
- Observe the patient carefully.
- Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.
- Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.
- Seek medical advice.
- If spontaneous vomiting appears imminent or occurs, hold patient's head down, lower than their hips to help avoid possible aspiration of vomitus.

EYE CONTACT

If this product comes in contact with the eyes:

- Wash out immediately with fresh running water.
- Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.
- Seek medical attention without delay; if pain persists or recurs seek medical attention.
- Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

SKIN CONTACT

If skin contact occurs:

- Immediately remove all contaminated clothing, including footwear.
- Flush skin and hair with running water (and soap if available).
- Seek medical attention in event of irritation.

INHALATION

- If fumes or combustion products are inhaled remove from contaminated area.
- Lay patient down. Keep warm and rested.
- Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.
- Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.
- Transport to hospital, or doctor.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Any material aspirated during vomiting may produce lung injury. Therefore emesis should not be induced mechanically or pharmacologically. Mechanical means should be used if it is considered necessary to evacuate the stomach contents; these include gastric lavage after endotracheal intubation. If spontaneous vomiting has occurred after ingestion, the patient should be monitored for difficult breathing, as adverse effects of aspiration into the lungs may be delayed up to 48 hours.

For acute or short term repeated exposures to acetone:

- Symptoms of acetone exposure approximate ethanol intoxication.
- About 20% is expired by the lungs and the rest is metabolised. Alveolar air half-life is about 4 hours following two hour inhalation at levels near the Exposure Standard; in overdose, saturable metabolism and limited clearance, prolong the elimination half-life to 25-30 hours.
- There are no known antidotes and treatment should involve the usual methods of decontamination followed by supportive care.

[Ellenhorn and Barceloux: Medical Toxicology]

Management:


Measurement of serum and urine acetone concentrations may be useful to monitor the severity of ingestion or inhalation.

Inhalation Management:

- Maintain a clear airway, give humidified oxygen and ventilate if necessary.
- If respiratory irritation occurs, assess respiratory function and, if necessary, perform chest X-rays to check for chemical pneumonitis.
- Consider the use of steroids to reduce the inflammatory response.
- Treat pulmonary oedema with PEEP or CPAP ventilation.

Copyright©2025 by Chemwatch. All Rights Reserved

Emergency Report Sample – Fire Fighting



FIRE FIGHTING

UN No: **1090**
Hazchem Code: **•2YE**
DG Class: **3**
Subsidiary Risk: **None**
Packing Group: **II**
Poisons Schedule: **Not Available**

FLAMMABILITY
HEALTH HAZARDS
REACTIVITY

PROPERTIES

Liquid.
Mixes with water.
Highly flammable.

EMERGENCY

Keep containers cool.
Water spray/ fog.
Foam - alcohol type.
Spilled liquid has low boiling temperature and evaporates quickly.
Eliminate ignition sources.
Consider evacuation.
Prevent from entering drains.
Contain spillage by any means.
Control vapour with water spray/ fog.
Absorb with dry agent.
Stop leak if safe to do so.
Use only in well ventilated areas.
Take precautionary measures against static discharges.
Dispose of this material and its container at hazardous or special waste collection point.
This material and its container must be disposed of in a safe way.
To clean the floor and all objects contaminated by this material, use water.

EXTINGUISHING MEDIA

- Alcohol stable foam.
- Dry chemical powder.
- BCF (where regulations permit).
- Carbon dioxide.
- Water spray or fog - Large fires only.

FIRE INCOMPATIBILITY

- Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result

FIRE FIGHTING

- Alert Fire Brigade and tell them location and nature of hazard.
- May be violently or explosively reactive.
- Wear breathing apparatus plus protective gloves in the event of a fire.
- Prevent, by any means available, spillage from entering drains or water course.
- Consider evacuation (or protect in place).

Copyright©2025 by Chemwatch. All Rights Reserved

Emergency Report Sample – Spills

SPILLS AND DISPOSAL

MINOR SPILLS

- Remove all ignition sources.
- Clean up all spills immediately.
- Avoid breathing vapours and contact with skin and eyes.
- Control personal contact with the substance, by using protective equipment.
- Contain and absorb small quantities with vermiculite or other absorbent material.
- Wipe up.
- Collect residues in a flammable waste container.

MAJOR SPILLS

Chemical Class: ketones
For release onto land: recommended sorbents listed in order of priority.

SORBENT TYPE	RANK	APPLICATION	COLLECTION	LIMITATIONS
LAND SPILL - SMALL				
CROSS-LINKED POLYMER - PARTICULATE	**1**	**SHOVEL**	**SHOVEL**	**R, W, SS**
cross-linked polymer - pillow	1	throw	pitchfork	R, DGC, RT
sorbent clay - particulate	2	shovel	shovel	R,I, P
wood fiber - pillow	3	throw	pitchfork	R, P, DGC, RT
treated wood fiber - pillow	3	throw	pitchfork	DGC, RT
foamed glass - pillow	4	throw	pitchfork	R, P, DGC, RT
LAND SPILL - MEDIUM				
CROSS-LINKED POLYMER - PARTICULATE	**1**	**BLOWER**	**SKIPLOADER**	**R,W, SS**
cross-linked polymer - pillow	2	throw	skiploader	R, DGC, RT
sorbent clay - particulate	3	blower	skiploader	R, I, P
polypropylene - particulate	3	blower	skiploader	R, SS, DGC
expanded mineral - particulate	4	blower	skiploader	R, I, W, P, DGC
polypropylene - mat	4	throw	skiploader	DGC, RT

Legend
DGC: Not effective where ground cover is dense
R; Not reusable
I: Not incinerable
P: Effectiveness reduced when rainy
RT:Not effective where terrain is rugged
SS: Not for use within environmentally sensitive sites
W: Effectiveness reduced when windy

Copyright©2025 by Chemwatch. All Rights Reserved


Emergency Report Sample – CHINA

CHINA

CHINA CODE

002, 003, 004, 006, 007, 008, 009, 010, 012, 013, 015, 016, 017, 024, 026, 027, 031, 034, 040, 048, 049, 051, 052, 066, 071, 079, 102, 104, 112

ACTION	
008	Consider evacuation
009	Eliminate ignition sources
010	Stop leak, if safe to do so
012	Contain spillage, by any means
013	Prevent from entering the drains
015	Absorb with dry agent
016	Absorb with earth/sand
017	Avoid contact with skin
024	Control vapour with water spray/fog
026	Keep area and containers cool
027	Ventilate area
071	Wash with water
EFFECTS OF MULTIPLE EXPOSURE	
066	Danger of cumulative effects
EFFECTS WITH WATER	
040	Mixes
EXTINGUISHING MEDIA	
031	Water spray / fog
034	Alcohol resistant foam
HAZARDS	
052	Vapours / Gas heavier than air
PHYSICAL PROPERTIES	
048	Solid
049	Liquid
051	Evaporates quickly
PROTECTIVE CLOTHING	
002	Chemical splash suit
003	Gas-tight chemical resistant suit
004	Breathing apparatus
006	Limit exposure to 1 BA set (30 mins)
007	For protection, seek specialist advice
RISKS	
079	Highly flammable
102	Toxic fumes in fire
104	Vapours may cause suffocation
112	Irritating to eyes



Copyright©2025 by Chemwatch. All Rights Reserved

Emergency Report Sample – Advice To Doctor

ACETONE
FIRST AID

ADVICE TO DOCTOR – ACETONE

Any material aspirated during vomiting may produce lung injury. Therefore emesis should not be induced mechanically or pharmacologically. Mechanical means should be used if it is considered necessary to evacuate the stomach contents; these include gastric lavage after endotracheal intubation. If spontaneous vomiting has occurred after ingestion, the patient should be monitored for difficult breathing, as adverse effects of aspiration into the lungs may be delayed up to 48 hours.
For acute or short term repeated exposures to acetone:

- Symptoms of acetone exposure approximate ethanol intoxication.
- About 20% is expired by the lungs and the rest is metabolised. Alveolar air half-life is about 4 hours following two hour inhalation at levels near the Exposure Standard; in overdose, saturable metabolism and limited clearance, prolong the elimination half-life to 25-30 hours.
- There are no known antidotes and treatment should involve the usual methods of decontamination followed by supportive care.

[Ellenhorn and Barceloux: Medical Toxicology]

Management:
Measurement of serum and urine acetone concentrations may be useful to monitor the severity of ingestion or inhalation.
Inhalation Management:

- Maintain a clear airway, give humidified oxygen and ventilate if necessary.
- If respiratory irritation occurs, assess respiratory function and, if necessary, perform chest X-rays to check for chemical pneumonitis.
- Consider the use of steroids to reduce the inflammatory response.
- Treat pulmonary oedema with PEEP or CPAP ventilation.

Dermal Management:

- Remove any remaining contaminated clothing, place in double sealed, clear bags, label and store in secure area away from patients and staff.
- Irrigate with copious amounts of water.
- An emollient may be required.

Eye Management:

- Irrigate thoroughly with running water or saline for 15 minutes.
- Stain with fluorescein and refer to an ophthalmologist if there is any uptake of the stain.

Oral Management:

- No **GASTRIC LAVAGE OR EMETIC**
- Encourage oral fluids.

Systemic Management:

- Monitor blood glucose and arterial pH.
- Ventilate if respiratory depression occurs.
- If patient unconscious, monitor renal function.
- Symptomatic and supportive care.

The Chemical Incident Management Handbook:
Guy's and St. Thomas' Hospital Trust, 2000
BIOLOGICAL EXPOSURE INDEX
These represent the determinants observed in specimens collected from a healthy worker exposed at the Exposure Standard (ES or TLV):

DETERMINANT	SAMPLING TIME	INDEX	COMMENTS
Acetone in urine	End of shift	50 mg/L	NS

NS: Non-specific determinant; also observed after exposure to other material

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.

Copyright©2025 by Chemwatch. All Rights Reserved

Emergency Report Sample – Environmental

ENVIRONMENTAL REPORT

TOXICITY

For ketones:
Ketones, unless they are alpha, beta--unsaturated ketones, can be considered as narcosis or baseline toxicity compounds
Hydrolysis may also involve the addition of water to ketones to yield ketals under mild acid conditions. However, this addition of water is thermodynamically favorable only for low molecular weight ketones. This addition is an equilibrium reaction that is reversible upon a change of water concentration and the reaction ultimately leads to no permanent change in the structure of the ketone substrateThe higher molecular weight ketones do no form stable ketals. Therefore, the ketones are stable to water under ambient environmental conditions
Another possible reaction of ketones in water involves the enolic hydrogen on the carbons bonded to the carbonyl function. Under conditions of high pH (pH greater than 10), the enolic proton is abstracted by base (OH-) forming a carbanion intermediate that may react with other organic substrates (*e.g.*, ketones, esters, aldehydes) containing a center for nucleophilic attack. The reactions, commonly recognized as condensation reactions, produce higher molecular weight products. Under ambient conditions of temperature, pH, and low concentration, these condensation reactions are unfavorable.
Based on its reactions in air, it seems likely that ketones undergo photolysis in water. It is probable that ketones will be biodegraded to an appreciable degree by micro-organisms in soil and water. They are unlikely to bioconcentrate or biomagnify.
for acetone:
log Kow: -0.24
Half-life (hr) air: 312-1896
Half-life (hr) H2O surface water: 20
Henry's atm m3 /mol: 3.67E-05
BOD 5: 0.31-1.76,46-55%
COD: 1.12-2.07
ThOD: 2.2
BCF: 0.69
Environmental fate:
Acetone preferentially locates in the air compartment when released to the environment. A substantial amount of acetone can also be found in water, which is consistent with the high water to air partition coefficient and its small, but detectable, presence in rain water, sea water, and lake water samples. Very little acetone is expected to reside in soil, biota, or suspended solids. This is entirely consistent with the physical and chemical properties of acetone and with measurements showing a low propensity for soil absorption and a high preference for moving through the soil and into the ground water
In air, acetone is lost by photolysis and reaction with photochemically produced hydroxyl radicals; the estimated half-life of these combined processes is about 22 days. The relatively long half-life allows acetone to be transported long distances from its emission source.
Acetone is highly soluble and slightly persistent in water, with a half-life of about 20 hours; it is minimally toxic to aquatic life.
Acetone released to soil volatilises although some may leach into the ground where it rapidly biodegrades.
Acetone does not concentrate in the food chain.
Acetone meets the OECD definition of readily biodegradable which requires that the biological oxygen demand (BOD) is at least 70% of the theoretical oxygen demand (THOD) within the 28-day test period
Drinking Water Standard: none available.
Soil Guidelines: none available.
Air Quality Standards: none available.
Ecotoxicity:
Testing shows that acetone exhibits a low order of toxicity
Fish LC50: brook trout 6070 mg/l; fathead minnow 15000 mg/l
Bird LC0 (5 day): Japanese quail, ring-neck pheasant 40,000 mg/l
Daphnia magna LC50 (48 h): 15800 mg/l; NOEC 8500 mg/l
Aquatic invertebrate 2100 - 16700 mg/l
Aquatic plant NOEC: 5400-7500 mg/l
Daphnia magna chronic NOEC 1660 mg/l
Acetone vapors were shown to be relatively toxic to two types insects and their eggs. The time to 50% lethality (LT50) was found to be 51.2 hr and 67.9 hr when the flour beetle (*Tribolium confusum*) and the flour moth (*Ephestia kuehniella*) were exposed to an airborne acetone concentration of 61.5 mg/m3. The LT50 values for the eggs were 30-50% lower than for the adult. The direct application of acetone liquid to the body of the insects or surface of the eggs did not, however, cause any mortality.
The ability of acetone to inhibit cell multiplication has been examined in a wide variety of microorganisms. The results have generally indicated mild to minimal toxicity with NOECs greater than 1700 mg/L for exposures lasting from 6 hr to 4 days. Longer exposure periods of 7 to 8 days with bacteria produced mixed results; but overall the data indicate a low degree of toxicity for acetone. The only exception to these findings were the results obtained with the flagellated protozoa (*Entosiphon sulcatum*) which yielded a 3-day NOEC of 28 mg/L.

DO NOT discharge into sewer or waterways.

Copyright©2025 by Chemwatch. All Rights Reserved

Emergency Report Sample – PPE

PERSONAL PROTECTION EQUIPMENT REPORT

PERSONAL PROTECTION



EYE AND FACE PROTECTION

- Safety glasses with side shields.
- Chemical goggles.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent]

SKIN PROTECTION

See Hand protection below

HANDS/FEET PROTECTION

- Wear chemical protective gloves, e.g. PVC.
- Wear safety footwear or safety gumboots, e.g. Rubber

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and.has to be observed when making a final choice.
Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended.
Suitability and durability of glove type is dependent on usage. Important factors in the selection of gloves include:

- frequency and duration of contact,
- chemical resistance of glove material,
- glove thickness and
- dexterity

Select gloves tested to a relevant standard (e.g. Europe EN 374, US F739, AS/NZS 2161.1 or national equivalent).

- When prolonged or frequently repeated contact may occur, a glove with a protection class of 5 or higher (breakthrough time greater than 240 minutes according to EN 374, AS/NZS 2161.10.1 or national equivalent) is recommended.
- When only brief contact is expected, a glove with a protection class of 3 or higher (breakthrough time greater than 60 minutes according to EN 374, AS/NZS 2161.10.1 or national equivalent) is recommended.
- Some glove polymer types are less affected by movement and this should be taken into account when considering gloves for long-term use.
- Contaminated gloves should be replaced.

As defined in ASTM F-739-96 in any application, gloves are rated as:

- Excellent when breakthrough time > 480 min
- Good when breakthrough time > 20 min
- Fair when breakthrough time < 20 min
- Poor when glove material degrades

For general applications, gloves with a thickness typically greater than 0.35 mm, are recommended.

Copyright©2025 by Chemwatch. All Rights Reserved

Emergency Report Sample – SOP

STANDARD OPERATING PROCEDURE

EXPOSURE CONTROLS

APPROPRIATE ENGINEERING CONTROLS

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.
The basic types of engineering controls are:
Process controls which involve changing the way a job activity or process is done to reduce the risk.
Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use.
Employers may need to use multiple types of controls to prevent employee overexposure.

For flammable liquids and flammable gases, local exhaust ventilation or a process enclosure ventilation system may be required. Ventilation equipment should be explosion-resistant.
Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to effectively remove the contaminant.

TYPE OF CONTAMINANT:	AIR SPEED:
solvent, vapours, degreasing etc., evaporating from tank (in still air).	0.25-0.5 m/s (50-100 f/min.)
aerosols, fumes from pouring operations, intermittent container filling, low speed conveyer transfers, welding, spray drift, plating acid fumes, pickling (released at low velocity into zone of active generation)	0.5-1 m/s (100-200 f/min.)
direct spray, spray painting in shallow booths, drum filling, conveyer loading, crusher dusts, gas discharge (active generation into zone of rapid air motion)	1-2.5 m/s (200-500 f/min.)

Within each range the appropriate value depends on:

LOWER END OF THE RANGE	UPPER END OF THE RANGE
1: Room air currents minimal or favourable to capture	1: Disturbing room air currents
2: Contaminants of low toxicity or of nuisance value only.	2: Contaminants of high toxicity
3: Intermittent, low production.	3: High production, heavy use
4: Large hood or large air mass in motion	4: Small hood-local control only

Simple theory shows that air velocity falls rapidly with distance away from the opening of a simple extraction pipe. Velocity generally decreases with the square of distance from the extraction point (in simple cases). Therefore the air speed at the extraction point should be adjusted, accordingly, after reference to distance from the contaminating source. The air velocity at the extraction fan, for example, should be a minimum of 1-2 m/s (200-400 f/min.) for extraction of solvents generated in a tank 2 meters distant from the extraction point. Other mechanical considerations, producing performance deficits within the extraction apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more when extraction systems are installed or used.

PRECAUTIONS FOR SAFE HANDLING

SAFE HANDLING

- Containers, even those that have been emptied, may contain explosive vapours.
- Do NOT cut, drill, grind, weld or perform similar operations on or near containers.
- **DO NOT** allow clothing wet with material to stay in contact with skin
- Avoid all personal contact, including inhalation.

Copyright©2025 by Chemwatch. All Rights Reserved

Emergency Report Sample – Toxicological

TOXICOLOGICAL REPORT

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

INHALED

Inhalation of vapours may cause drowsiness and dizziness. This may be accompanied by narcosis, reduced alertness, loss of reflexes, lack of coordination and vertigo.
Inhalation of vapours or aerosols (mists, fumes), generated by the material during the course of normal handling, may be damaging to the health of the individual. Limited evidence or practical experience suggests that the material may produce irritation of the respiratory system, in a significant number of individuals, following inhalation. In contrast to most organs, the lung is able to respond to a chemical insult by first removing or neutralising the irritant and then repairing the damage. The repair process, which initially evolved to protect mammalian lungs from foreign matter and antigens, may however, produce further lung damage resulting in the impairment of gas exchange, the primary function of the lungs. Respiratory tract irritation often results in an inflammatory response involving the recruitment and activation of many cell types, mainly derived from the vascular system.

Systemic effects of acetone inhalation exposure include central nervous system depression, light-headedness, incoherent speech, ataxia, stupor, hypotension, tachycardia, metabolic acidosis, hyperglycaemia and ketosis. Rarely, convulsions and tubular necrosis may be evident. Other symptoms of exposure may include restlessness, headache, vomiting, low blood-pressure and rapid and irregular pulse, eye and throat irritation, weakness of the legs and dizziness. Inhalation of high concentrations may produce dryness of the mouth and throat, nausea, uncoordinated movement, loss of coordinated speech, drowsiness and, in severe cases, coma. Inhalation of acetone vapours over long periods causes irritation of the respiratory tract, coughing and headache. Rats exposed to 52200 ppm vapour for 1 hour showed clear signs of narcosis; fatalities occurred at 126600 ppm.
Exposure to ketone vapours may produce nose, throat and mucous membrane irritation. High concentrations of vapour may produce central nervous system depression characterised by headache, vertigo, loss of coordination, narcosis and cardiorespiratory failure. Some ketones produce neurological disorders (polyneuropathy) characterised by bilateral symmetrical paresthesia and muscle weakness primarily in the legs and arms.

INGESTION

Swallowing of the liquid may cause aspiration of vomit into the lungs with the risk of haemorrhaging, pulmonary oedema, progressing to chemical pneumonitis; serious consequences may result.
Signs and symptoms of chemical (aspiration) pneumonitis may include coughing, gasping, choking, burning of the mouth, difficult breathing, and bluish coloured skin (cyanosis).
Accidental ingestion of the material may be damaging to the health of the individual.
Large ingestions may produce coma, respiratory depression, and rarely, convulsions.

SKIN CONTACT

Repeated exposure may cause skin cracking, flaking or drying following normal handling and use.
Skin contact with the material may damage the health of the individual; systemic effects may result following absorption.

The material may produce mild skin irritation; limited evidence or practical experience suggests, that the material either:

- produces mild inflammation of the skin in a substantial number of individuals following direct contact, and/or
- produces significant, but mild, inflammation when applied to the healthy intact skin of animals (for up to four hours), such inflammation being present twenty-four hours or more after the end of the exposure period.


Skin irritation may also be present after prolonged or repeated exposure; this may result in a form of contact dermatitis (non allergic). The dermatitis is often characterised by skin redness (erythema) and swelling (oedema) which may progress to blistering (vesiculation), scaling and thickening of the epidermis. At the microscopic level there may be intercellular oedema of the spongy layer of the skin (spongiosis) and intracellular oedema of the epidermis.
Open cuts, abraded or irritated skin should not be exposed to this material
Entry into the blood-stream through, for example, cuts, abrasions, puncture wounds or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

EYE

Evidence exists, or practical experience predicts, that the material may cause severe eye irritation in a substantial number of individuals and/or may produce significant ocular lesions which are present twenty-four hours or more after instillation into the eye(s) of experimental animals. Eye contact may cause significant inflammation with pain. Corneal injury may occur; permanent impairment of vision may result unless treatment is prompt and adequate. Repeated or prolonged exposure to irritants may cause inflammation characterised by a temporary redness (similar to windburn) of the conjunctiva (conjunctivitis); temporary impairment of vision and/or other transient eye damage/ulceration may occur.
The liquid may produce eye discomfort and is capable of causing temporary impairment of vision and/or transient eye inflammation, ulceration

Copyright©2025 by Chemwatch. All Rights Reserved

Emergency Report Sample – Transport, ERG



GUIDE 127 — **FLAMMABLE LIQUIDS (POLAR/WATER-MISCIBLE)** — **ERG2012**

POTENTIAL HAZARDS

FIRE OR EXPLOSION

- **HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or flames.**
- Vapors may form explosive mixtures with air.
- Vapors may travel to source of ignition and flash back.
- Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks).
- Vapor explosion hazard indoors, outdoors or in sewers.
- Those substances designated with a **(P)** may polymerize explosively when heated or involved in a fire.
- Runoff to sewer may create fire or explosion hazard.
- Containers may explode when heated.
- Many liquids are lighter than water.

HEALTH

- Inhalation or contact with material may irritate or burn skin and eyes.
- Fire may produce irritating, corrosive and/or toxic gases.
- Vapors may cause dizziness or suffocation.
- Runoff from fire control may cause pollution.

PUBLIC SAFETY

- **CALL EMERGENCY RESPONSE Telephone Number on Shipping Paper first. If Shipping Paper not available or no answer, refer to appropriate telephone number listed on the inside back cover.**
- As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions.
- Keep unauthorized personnel away.
- Stay upwind.
- Keep out of low areas.
- Ventilate closed spaces before entering.

PROTECTIVE CLOTHING

- Wear positive pressure self-contained breathing apparatus (SCBA).
- Structural firefighters' protective clothing will only provide limited protection.

EVACUATION

Large Spill


- Consider initial downwind evacuation for at least 300 meters (1000 feet).

Fire

- If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions.

Page 192

Copyright©2025 by Chemwatch. All Rights Reserved



Integrated Risk Information System (IRIS)

You are here: EPA Home Research Environmental Assessment IRIS Home Acetone Quickview (CASRN 67-64-1)

Acetone Quickview (CASRN 67-64-1)

Health assessment information on a chemical substance is included in IRIS only after a comprehensive review of toxicity data by U.S. EPA health scientists from several Program Offices, Regional Offices, and the Office of Research and Development.

Disclaimer: This QuickView represents a snapshot of key information. We suggest that you read the IRIS Summary to put this information into complete context.

For definitions of terms in the IRIS Web site, refer to the IRIS Glossary.

Acetone Source Documents

- Acetone Summary
- Toxicological Review of Acetone (PDF) (85 Pages, 1.19 M, about PDF)

Revision History

Date	Section	Description
04/01/1997	III., IV., V.	Drinking Water Health Advisories, EPA Regulatory Actions, and Supplementary Data were removed from IRIS on or before April 1997. IRIS users were directed to the appropriate EPA Program Offices for this information.

- See IRIS Summary for complete revision history.

Status of Data for Acetone

File First On-Line: 03/31/1987; **Last Significant Revision:** 07/31/2003

Category (section)	Status	Last Revised
Oral RfD Assessment	On-line	07/31/2003
Inhalation RfC Assessment	Discussion	07/31/2003
Carcinogenicity Assessment	On-line	07/31/2003

Synonyms

- 67-64-1
- Dimethylformaldehyde
- Dimethyl ketone
- Ketone, dimethyl
- beta-Ketopropane
- Methyl ketone
- Propanone
- Pyroacetic acid
- Pyroacetic ether
- UN 1090
- Acetone
- more...

Chronic Health Hazard Assessments for Noncarcinogenic Effects

Reference Dose for Chronic Oral Exposure (RfD)

Critical Effect	Point of Departure*	UF	RfD
Nephropathy	NOAEL : 900 mg/kg-day	1000	0.9 mg/kg-day

Copyright©2025 by Chemwatch. All Rights Reserved

List of Countries


Filtering by Country

Filter list by country;

- Afghanistan
- Albania
- Algeria
- American Samoa
- Andorra
- Angola
- Argentina
- Aruba
- Australia
- Austria
- Azerbaijan
- Bahamas
- Bahrain
- Bangladesh
- Belarus
- Belgium
- Bermuda
- Bolivia
- Botswana
- Brazil
- Brunei Darussalam
- Bulgaria
- Canada
- Cape Verde
- Chile
- China
- China (Hong Kong)
- Colombia
- Congo, Republic of
- Costa Rica
- Croatia
- Cuba
- Cyprus
- Czech Republic
- Denmark
- Djibouti
- Dominican Republic
- Ecuador
- Egypt
- El Salvador
- Estonia
- Falkland Islands (Malvinas)
- Faroe Islands
- Fiji
- Finland
- France
- Germany
- Ghana
- Greece
- Guam
- Guatemala
- Haiti
- Honduras
- Hungary
- Iceland
- India
- Indonesia
- Iran
- Iraq
- Ireland
- Israel
- Italy
- Ivory Coast
- Japan
- Jordan
- Kazakhstan
- Kenya
- Korea (Democratic Republic of)
- Korea (Republic of)
- Kuwait
- Latvia
- Lebanon
- Liberia
- Lichtenstein
- Lithuania
- Luxembourg
- Macedonia
- Madagascar
- Malaysia
- Malta
- Mauritania
- Mauritius
- Mexico
- Monaco
- Mongolia
- Montenegro
- Morocco
- Mozambique
- Myanmar
- Namibia
- Netherlands
- Netherlands Antilles
- New Zealand
- Nicaragua
- Nigeria
- Norway
- Oman
- Pakistan
- Panama
- Papua New Guinea
- Paraguay
- Peru
- Philippines
- Poland
- Portugal
- Puerto Ricco
- Qatar
- Romania
- Russian Federation
- Saudi Arabia
- Senegal
- Serbia
- Serra Leone
- Singapore
- Slovakia
- Slovenia
- South Africa
- Spain
- Sri Lanka
- Suriname
- Swaziland
- Sweden
- Switzerland
- Taiwan
- Tajikistan
- Tanzania
- Thailand
- Trinidad and Tobago
- Turkey
- Turkmenistan
- Uganda
- Ukraine
- United Arab Emirates
- United Kingdom
- United States
- United States Minor
- Uruguay
- Vanuatu
- Venezuela
- Vietnam
- Yemen
- Zambia
- Zimbabwe


Generated Reports using Basic Templates

Manifest volumes and location GOLD Report



CHEMWATCH	MATERIAL NAME	CATALOGUE NAME	VENDOR	TOTAL VC	TOTAL VOLUMI	MAXIMUM VC	MAXIMUM VOLUME UNIT	DG PRIMARY CLA	HAZCHEM GOL	PACKING GROUP GOLD	FOLDERS/STORES NAME
1090	acetone	acetone	3M	40	L	100	L	3	2[Y]E	II	/ENTERPRISE/MANIFEST/Area/Building/General Storage
1090	acetone	acetone	Sigma-Aldrich (Merck)	20	L	100	L	3	2[Y]E	II	/ENTERPRISE/MANIFEST/Area/Building/General Storage
5174-42	Antistatic Spray #514-486	Antistatic Spray #514-486	RS Components	50	L	100	L	Not Applicable	Not Applicable	Not Applicable	/ENTERPRISE/MANIFEST/Area/Building/General Storage
8514-41	Imaje A17787, A17788, A17789,	Imaje A17787, A17788, A17789, A17790	Dover Corporation (Markem-Imaje)	0	L	0	L	Not Applicable	Not Applicable	Not Applicable	/ENTERPRISE/MANIFEST/Area/Building/General Storage
1090	acetone	Acetone	Wilmar BioEthanol (Sucrogen BioEthanol)	0	L	20	L	3	2[Y]E	II	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
2491886	Ammonium magnesium phospha	Ammonium magnesium phosphate hydrate	Sigma-Aldrich (Merck)	15	L	15	L				/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
5174-42	Antistatic Spray #514-486	Antistatic Spray #514-486	RS Components	0	L	0	L	Not Applicable	Not Applicable	Not Applicable	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
1114	benzene	Benzene	Alfa Aesar (Avocado Research Chemicals, Ltd.)	50	L	50	L	3	3WE	II	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
2626	chloric acid	Chloric acid	Sigma-Aldrich (Merck)	0	L	4	L	5.1	2PE	II	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
1051	hydrogen cyanide	HYDROGEN CYANIDE (PRODUCT OBSOLETE)	BOC (a division of Linde)	0	L	0	L	6.1	Not Applicable	I	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
1051	hydrogen cyanide	HYDROGEN CYANIDE	Sigma-Aldrich (Merck)	0	L	0	L	6.1	Not Applicable	I	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
1051	hydrogen cyanide			0	L	0	L	6.1	Not Applicable	I	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
1223	kerosene	Kerosene	Blackwoods	15	L	20	L	3	3Y	III	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
1223	kerosene			250	L	250	L	3	3Y	III	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
21517	L-alanine	L-Alanine	MP Biomedicals Australia Pty Limited	35	kg	50	kg	Not Applicable	Not Applicable	Not Applicable	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
1090	acetone	Acetone, 99.8%, anhydrous (max. 0.005% H2O)	Scharlab	50	L	300	L	3	2[Y]E	II	/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants
1006	argon	Argon	BOC (a division of Linde)	20	kg	150	kg	2.2	2[T]	Not Applicable	/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants
1114	benzene	Benzene	Alfa Aesar (Avocado Research Chemicals, Ltd.)	70	L	350	L	3	3WE	II	/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants
1223	kerosene	Kerosene	Blackwoods	65	L	250	L	3	3Y	III	/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants
10000	water	DEMINERALISED WATER	DuluxGroup	80	L	100	L	Not Applicable	Not Applicable	Not Applicable	/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants


Assets Report



FOLDERS/STORES NAME	CONTAINER CATALOGUE NUMBER	CONTAINER CATALOGUE NAME	CONTAINER NAME	VENDOR	CONTAINER SIZE	CONTAINER SIZE UNIT	CONTAINER QUANTITY	SARA CONTAINER TYPE	SARA AVERAGE VOLUME	SARA AVERAGE VOLUME UNIT	SARA RELEASE VOLUME	SARA RELEASE VOLUME UNIT	SARA TEMPERATURE	SARA PRESSURE	SARA SOLID FORM	RADIOACTIVE FLAG
/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage		Ammonium magnesium phosphate hydrate		Sigma-Aldrich (Merck)	5	L	3	Above ground tank	0	lb	0	lb	Ambient	Ambient	None	False
/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage		Kerosene		Blackwoods	5	L	4	Above ground tank	0	lb	0	lb	Ambient	Ambient	None	False


Copyright©2025 by Chemwatch. All Rights Reserved

Containers Report




FOLDERS/STORES NAME	CONTAINER CATALOGUE NUMBER	CONTAINER CATALOGUE NAME	CONTAINER NAME	VENDOR	CONTAINER SIZE	CONTAINER SIZE UNIT	CONTAINER QUANTITY	CONTAINER STATUS	CONTAINER REGISTRATION STATUS	CONTAINER OWNER	CONTAINER BARCODE	CONTAINER CREATION DATE	CONTAINER EXPIRY DATE
/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage		Ammonium magnesium phosphate hydrate		Sigma-Aldrich (Merck)	5	L	1	Normal	Registered	Administrator	0000972027	09/19/2016 01:56	
/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage		Ammonium magnesium phosphate hydrate		Sigma-Aldrich (Merck)	5	L	1	Normal	Registered	Administrator	0000972028	09/19/2016 01:56	
/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage		Ammonium magnesium phosphate hydrate		Sigma-Aldrich (Merck)	5	L	1	Normal	Registered	Administrator	0000972029	09/19/2016 01:56	
/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage		Kerosene		Blackwoods	5	L	1	Normal	Registered	Administrator	0000972034	09/19/2016 02:13	
/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage		Kerosene		Blackwoods	5	L	1	Normal	Registered	Administrator	0000972035	09/19/2016 02:13	
/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage		Kerosene		Blackwoods	5	L	1	Normal	Registered	Administrator	0000972036	09/19/2016 02:13	
/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage		Kerosene		Blackwoods	5	L	1	Normal	Registered	Administrator	0000972037	09/19/2016 02:13	

Manifest DG report GOLD



UN	MATERIAL NAME	GHS H CODES GOLD	SHIPPING NAME	DG PRIMARY CLA	HAZCHEM GOLD	PACKING GROUP GOLD	FOLDERS/STORES NAME
1090	acetone	AUH066|H225|H319|H336	ACETONE	3	2[Y]E	II	/ENTERPRISE/MANIFEST/Area/Building/General Storage
1090	acetone	AUH066|H225|H319|H336	ACETONE	3	2[Y]E	II	/ENTERPRISE/MANIFEST/Area/Building/General Storage
Not Applicable	Ammonium magnesium phosphate hydrate		Not Applicable				/ENTERPRISE/MANIFEST/Area/Building/General Storage
Not Applicable	Antistatic Spray #514-486	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	/ENTERPRISE/MANIFEST/Area/Building/General Storage
Not Applicable	Imaje A17787, A17788, A17789, A17790	H319	Not Applicable	Not Applicable	Not Applicable	Not Applicable	/ENTERPRISE/MANIFEST/Area/Building/General Storage
Not Applicable	Imaje A17787, A17788, A17789, A17790	H319	Not Applicable	Not Applicable	Not Applicable	Not Applicable	/ENTERPRISE/MANIFEST/Area/Building/General Storage
Not Applicable	water	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	/ENTERPRISE/MANIFEST/Area/Building/General Storage
1090	acetone	AUH066|H225|H319|H336	ACETONE	3	2[Y]E	II	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
Not Applicable	Ammonium magnesium phosphate hydrate		Not Applicable				/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
Not Applicable	Antistatic Spray #514-486	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
Not Applicable	ANTISTATIC SPRAY 514-486		Not Applicable				/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
1006	argon	AUH044|H280	ARGON, COMPRESSED	2.2	2[T]	Not Applicable	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
1114	benzene	H225|H304|H315|H319|H336|H340|H	BENZENE	3	3WE	II	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
2626	chloric acid	H272|H319	CHLORIC ACID, AQUEOUS SOLUTION with not more than 10% chloric acid	5.1	2PE	II	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
1051	hydrogen cyanide	H224|H300|H310|H330|H410	HYDROGEN CYANIDE, STABILISED containing less than 3% water	6.1	Not Applicable	I	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
1051	hydrogen cyanide	H224|H300|H310|H330|H410	HYDROGEN CYANIDE, STABILISED containing less than 3% water	6.1	Not Applicable	I	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
1051	hydrogen cyanide	H224|H300|H310|H330|H410	HYDROGEN CYANIDE, STABILISED containing less than 3% water	6.1	Not Applicable	I	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
1223	kerosene	H226|H304|H315|H336	KEROSENE	3	3Y	III	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
1223	kerosene	H226|H304|H315|H336	KEROSENE	3	3Y	III	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
Not Applicable	L-alanine	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
1090	acetone	AUH066|H225|H319|H336	ACETONE	3	2[Y]E	II	/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants
1006	argon	AUH044|H280	ARGON, COMPRESSED	2.2	2[T]	Not Applicable	/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants
1114	benzene	H225|H304|H315|H319|H336|H340|H	BENZENE	3	3WE	II	/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants
1223	kerosene	H226|H304|H315|H336	KEROSENE	3	3Y	III	/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants
Not Applicable	water	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants


Manifest report VGD



UN	MATERIAL NAME	CATALOGUE NAME	VENDOR	GHS H CODES VGD	SHIPPING NAME	DG PRIMARY CLASS VGD	HAZCHEM VGD	PACKING GROUP VGD	FOLDERS/STORES NAME
1090	acetone	acetone	3M		ACETONE	3	*2YE	II	/ENTERPRISE/MANIFEST/Area/Building/General Storage
1090	acetone	acetone	Sigma-Aldrich (Merck)	H225|H319|H336	ACETONE	3	*2YE	II	/ENTERPRISE/MANIFEST/Area/Building/General Storage
Not Applicable	Ammonium magnesium phosp	Ammonium magnesium phosphate hydrat	Sigma-Aldrich (Merck)		Not Applicable				/ENTERPRISE/MANIFEST/Area/Building/General Storage
Not Applicable	Antistatic Spray #514-486	Antistatic Spray #514-486	RS Components		Not Applicable	None	None	None	/ENTERPRISE/MANIFEST/Area/Building/General Storage
Not Applicable	Imaje A17787, A17788, A1778				Not Applicable				/ENTERPRISE/MANIFEST/Area/Building/General Storage
Not Applicable	Imaje A17787, A17788, A1778	Imaje A17787, A17788, A17789, A17790	Dover Corporation (Marke		Not Applicable				/ENTERPRISE/MANIFEST/Area/Building/General Storage
Not Applicable	water				Not Applicable				/ENTERPRISE/MANIFEST/Area/Building/General Storage
1090	acetone	Acetone	Wilmar BioEthanol (Sucr	AUH066|H225|H319|H33	ACETONE	3	*2YE	II	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
Not Applicable	Ammonium magnesium phosp	Ammonium magnesium phosphate hydrat	Sigma-Aldrich (Merck)		Not Applicable				/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
Not Applicable	Antistatic Spray #514-486	Antistatic Spray #514-486	RS Components		Not Applicable	None	None	None	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
Not Applicable	ANTISTATIC SPRAY 514-486				Not Applicable				/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
1006	argon				ARGON, COMPRESSED				/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
1114	benzene	Benzene	Alfa Aesar (Avocado Res	H225|H304|H315|H319|H	BENZENE	3		II	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
2626	chloric acid	Chloric acid	Sigma-Aldrich (Merck)		CHLORIC ACID, AQUEOUS SOLUTI				/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
1051	hydrogen cyanide	HYDROGEN CYANIDE (PRODUCT OBS(	BOC (a division of Linde)		HYDROGEN CYANIDE, STABILISED				/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
1051	hydrogen cyanide	HYDROGEN CYANIDE	Sigma-Aldrich (Merck)		HYDROGEN CYANIDE, STABILISED				/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
1051	hydrogen cyanide				HYDROGEN CYANIDE, STABILISED				/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
1223	kerosene	Kerosene	Blackwoods		KEROSENE				/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
1223	kerosene				KEROSENE				/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
Not Applicable	L-alanine	L-Alanine	MP Biomedicals Australi		Not Applicable				/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
1090	acetone	Acetone, 99.8%, anhydrous (max. 0.005%	Scharlab	H225|H319|H336	ACETONE	3		II	/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants
1006	argon	Argon	BOC (a division of Linde)		ARGON, COMPRESSED				/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants
1114	benzene	Benzene	Alfa Aesar (Avocado Res	H225|H304|H315|H319|H	BENZENE	3		II	/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants
1223	kerosene	Kerosene	Blackwoods		KEROSENE				/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants
Not Applicable	water	DEMINERALISED WATER	DuluxGroup		Not Applicable				/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants


Copyright©2025 by Chemwatch. All Rights Reserved

Manifest volumes and location VGD Report




CHEMWATCH NUMBER	MATERIAL NAME	CATALOGUE NAME	VENDOR	TOTAL VOLUME	TOTAL VOLUME UNIT	MAXIMUM VOLUME	MAXIMUM VOLUME UNIT	DG PRIMARY CLASS VGD	HAZCHEM VGD	PACKING GROUP VGD	FOLDERS/STORES NAME
1090	acetone	acetone	3M	40	L	100	L	3	*2YE	II	/ENTERPRISE/MANIFEST/Area/Building/General Storage
1090	acetone	acetone	Sigma-Aldrich (Merck)	20	L	100	L	3	*2YE	II	/ENTERPRISE/MANIFEST/Area/Building/General Storage
2491886	Ammonium magnesium phosphate hydrate	Ammonium magnesium phosphate	Sigma-Aldrich (Merck)	0	L	0	L				/ENTERPRISE/MANIFEST/Area/Building/General Storage
5174-42	Antistatic Spray #514-486	Antistatic Spray #514-486	RS Components	50	L	100	L	None	None	None	/ENTERPRISE/MANIFEST/Area/Building/General Storage
8514-41	Imaje A17787, A17788, A17789, A17790			0	L	0	L				/ENTERPRISE/MANIFEST/Area/Building/General Storage
8514-41	Imaje A17787, A17788, A17789, A17790	Imaje A17787, A17788, A17789, A	Dover Corporation (Markem-Imaje)	0	L	0	L				/ENTERPRISE/MANIFEST/Area/Building/General Storage
10000	water			0	L	0	L				/ENTERPRISE/MANIFEST/Area/Building/General Storage
1090	acetone	Acetone	Wilmar BioEthanol (Sucrogen BioEthanol)	0	L	20	L	3	*2YE	II	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
2491886	Ammonium magnesium phosphate hydrate	Ammonium magnesium phosphate	Sigma-Aldrich (Merck)	15	L	15	L				/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
5174-42	Antistatic Spray #514-486	Antistatic Spray #514-486	RS Components	0	L	0	L	None	None	None	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
5856716	ANTISTATIC SPRAY 514-486			0	L	0	L				/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
1006	argon			0	L	0	L				/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
1114	benzene	Benzene	Alfa Aesar (Avocado Research Chemicals	50	L	50	L	3		II	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
2626	chloric acid	Chloric acid	Sigma-Aldrich (Merck)	0	L	4	L				/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
1051	hydrogen cyanide	HYDROGEN CYANIDE (PRODUC	BOC (a division of Linde)	0	L	0	L				/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
1051	hydrogen cyanide	HYDROGEN CYANIDE	Sigma-Aldrich (Merck)	0	L	0	L				/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
1051	hydrogen cyanide			0	L	0	L				/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
1223	kerosene	Kerosene	Blackwoods	15	L	20	L				/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
1223	kerosene			250	L	250	L				/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
21517	L-alanine	L-Alanine	MP Biomedicals Australia Pty Limited	35	kg	50	kg				/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
1090	acetone	Acetone, 99,8%, anhydrous (max.	Scharlab	50	L	300	L	3		II	/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants
1006	argon	Argon	BOC (a division of Linde)	20	kg	150	kg				/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants
1114	benzene	Benzene	Alfa Aesar (Avocado Research Chemicals	70	L	350	L	3		II	/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants
1223	kerosene	Kerosene	Blackwoods	65	L	250	L				/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants
10000	water	DEMINERALISED WATER	DuluxGroup	80	L	100	L				/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants

Materials GOLD Report



CHEMWATCH NUMBER	MATERIAL NAME	PART NO.S USER GOLD	PREFERRED NAME	GOLD SDS ISSUE DATE (LATEST)
1090	acetone			
1090	acetone			
1090	acetone			
1090	acetone			
2491886	Ammonium magnesium phosphate hydrate			
5174-42	Antistatic Spray #514-486			14/08/2015
5856716	ANTISTATIC SPRAY 514-486			
1006	argon			27/06/2017
1006	argon			
1114	benzene			
2626	chloric acid			
1051	hydrogen cyanide			
1051	hydrogen cyanide			
1051	hydrogen cyanide	5678		04/12/2017
8514-41	Imaje A17787, A17788, A17789, A17790			
8514-41	Imaje A17787, A17788, A17789, A17790			04/12/2017
1223	kerosene	1.1.2		30/08/2016
1223	kerosene			
21517	L-alanine			
10000	water			27/06/2017
10000	water			


Materials VGD Report



CHEMWATCH NUMBER	MATERIAL NAME	CATALOGUE NAME	VENDOR	PART NO.S USER VENDOR (ALL)	VENDOR ISSUE DATE
1090	acetone	Acetone	Wilmar BioEthanol (Sucrogen BioEthanol)		16.12.2015
1090	acetone	Acetone, 99,8%, anhydrous (max. 0,005% H2O)	Scharlab		03.08.2018
1090	acetone	acetone	3M		21.01.2010
1090	acetone	acetone	Sigma-Aldrich (Merck)		21.08.2018
2491886	Ammonium magnesium phosphate hydrate	Ammonium magnesium phosphate hydrate	Sigma-Aldrich (Merck)		13.04.2013
5174-42	Antistatic Spray #514-486	Antistatic Spray #514-486	RS Components		14.08.2015
5856716	ANTISTATIC SPRAY 514-486				
1006	argon				
1006	argon	Argon	BOC (a division of Linde)		17.08.2000
1114	benzene	Benzene	Alfa Aesar (Avocado Research Chemicals, Ltd.)		17.11.2016
2626	chloric acid	Chloric acid	Sigma-Aldrich (Merck)		13.04.2013
1051	hydrogen cyanide	HYDROGEN CYANIDE (PRODUCT OBSOLETE)	BOC (a division of Linde)		26.05.2015
1051	hydrogen cyanide	HYDROGEN CYANIDE	Sigma-Aldrich (Merck)		23.10.2008
1051	hydrogen cyanide				
8514-41	Imaje A17787, A17788, A17789, A17790				
8514-41	Imaje A17787, A17788, A17789, A17790	Imaje A17787, A17788, A17789, A17790	Dover Corporation (Markem-Imaje)		19.01.2009
1223	kerosene	Kerosene	Blackwoods		01.03.2015
1223	kerosene				
21517	L-alanine	L-Alanine	MP Biomedicals Australia Pty Limited		04.01.2016
10000	water	DEMINERALISED WATER	DuluxGroup		02.02.2010
10000	water				


Copyright©2025 by Chemwatch. All Rights Reserved

Risk Assessment ILO



MATERIAL NAME	ILO TASK	ILO STATUS	ILO HAZARD RATING	ILO RISK RATING	ILO ASSESSMENT DATE	ILO ASSESSMENT EXPIRED DATE	ILO APPROVED BY	FOLDERS/STORES NAME
acetone		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/General Storage
Ammonium magnesium phosphate hydrate		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/General Storage
Antistatic Spray #514-486		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/General Storage
Imaje A17787, A17788, A17789, A17790		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/General Storage
water		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/General Storage
acetone	Mixing	Assessment Complete	2	1	09/02/2016 12:03	09/02/2021 00:00	Oconnor	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
Ammonium magnesium phosphate hydrate		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
Antistatic Spray #514-486		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
ANTISTATIC SPRAY 514-486		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
argon	No task defined	Assessment Complete	0	0	04/19/2016 00:00	04/19/2021 00:00		/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
benzene	No task defined	Assessment Complete	4+	4	10/21/2015 18:01	10/21/2020 00:00		/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
chloric acid	General storage	Assessment Complete	1	0	10/25/2016 12:16	10/25/2021 00:00	User2	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
hydrogen cyanide	Weighing	Assessment Complete	4	2	09/02/2016 00:00	09/02/2021 00:00	user2	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
kerosene	No task defined	Assessment Complete	2	1	04/19/2016 00:00	04/19/2021 00:00		/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
L-alanine		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
acetone		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants
argon		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants
benzene		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants
hydrogen cyanide		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants
Imaje A17787, A17788, A17789, A17790		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants
kerosene		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants
water		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants


Risk Assessment UN Report



MATERIAL NAME	UN TASK	UN STATUS	UN HAZARD RATING	UN RISK RATING	UN ASSESSMENT DATE	UN ASSESSMENT EXPIRED DA	UN APPROVED BY	FOLDERS/STORES NAME
acetone		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/General Storage
Ammonium magnesium phosphate hydrate		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/General Storage
Antistatic Spray #514-486		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/General Storage
Imaje A17787, A17788, A17789, A17790		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/General Storage
water		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/General Storage
acetone	Mixing	Assessment Complete	3	4	03/02/2015 00:00	03/02/2020 00:00	Supervisor	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
acetone	Mixing	Assessment Incomplete	3	4				/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
Ammonium magnesium phosphate hydrate		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
Antistatic Spray #514-486		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
ANTISTATIC SPRAY 514-486		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
argon		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
benzene	Mixing	Assessment Incomplete	3	3				/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
chloric acid	General st	Assessment Complete	3	0	08/19/2016 00:00	08/19/2021 00:00		/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
hydrogen cyanide	Weighing	Assessment Incomplete	4	4				/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
kerosene		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
L-alanine		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage
acetone		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants
argon		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants
benzene		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants
hydrogen cyanide		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants
Imaje A17787, A17788, A17789, A17790		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants
kerosene		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants
water		Assessment Required						/ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants

Generated Reports using Basic Formatted Style Templates

Soft Light Theme for Manifest volumes a locations GOLD



MANIFEST VOLUMES AND LOCATION GOLD REPORT

Location: /ENTERPRISE/MANIFEST/Area/Building/General Storage


CW NUMBER	MATERIAL NAME	CATALOGUE NAME	VENDOR	TOTAL VOLUME	TOTAL VOLUME UNIT	MAXIMUM VOLUME	MAXIMUM VOLUME UNIT	GOLD DG PRIMARY CLASS	GOLD HAZCHEM	GOLD PACKING GROUP
1090	acetone	acetone	3M	40	L	100	L	3	2[Y]E	II
1090	acetone	acetone	Sigma-Aldrich (Merck)	20	L	100	L	3	2[Y]E	II
2491886	Ammonium magnesium phosphate hydrate	Ammonium magnesium phosphate hydrate	Sigma-Aldrich (Merck)	0	L	0	L			
5174-42	Antistatic Spray #514-486	Antistatic Spray #514-486	RS Components	50	L	100	L	Not Applicable	Not Applicable	Not Applicable

Location: /ENTERPRISE/MANIFEST/Area/Building/Hazards Storage

CW NUMBER	MATERIAL NAME	CATALOGUE NAME	VENDOR	TOTAL VOLUME	TOTAL VOLUME UNIT	MAXIMUM VOLUME	MAXIMUM VOLUME UNIT	GOLD DG PRIMARY CLASS	GOLD HAZCHEM	GOLD PACKING GROUP
1090	acetone	Acetone	Wilmar BioEthanol (Sucrogen BioEthanol)	0	L	20	L	3	2[Y]E	II
5174-42	Antistatic Spray #514-486	Antistatic Spray #514-486	RS Components	0	L	0	L	Not Applicable	Not Applicable	Not Applicable
1006	argon			0	L	0	L	2.2	2[T]	Not Applicable
1114	benzene	Benzene	Alfa Aesar (Avocado Research Chemicals, Ltd.)	50	L	50	L	3	3WE	II
2626	chloric acid	Chloric acid	Sigma-Aldrich (Merck)	0	L	4	L	5.1	2PE	II

Copyright©2025 by Chemwatch. All Rights Reserved

Grey-Blue RGB Theme for Manifest volumes a locations GOLD




MANIFEST VOLUMES AND LOCATION GOLD REPORT

Location: /ENTERPRISE/MANIFEST/Area/Building/Hazards Storage

CW NUMBER	MATERIAL NAME	CATALOGUE NAME	VENDOR	TOTAL		MAXIMUM		GOLD		
				VOLUME	VOLUME UNIT	VOLUME	VOLUME UNIT	DG PRIMARY CLASS	HAZCHEM	PACKING GROUP
1090	acetone	Acetone	Wilmar BioEthanol (Sucrogen BioEthanol)	0	L	20	L	3	2[Y]E	II
2491886	Ammonium magnesium phosphate hydrate	Ammonium magnesium phosphate hydrate	Sigma-Aldrich (Merck)	15	L	15	L			
5174-42	Antistatic Spray #514-486	Antistatic Spray #514-486	RS Components	0	L	0	L	Not Applicable	Not Applicable	Not Applicable
5856716	ANTISTATIC SPRAY 514-486			0	L	0	L			
1006	argon			0	L	0	L	2.2	2[T]	Not Applicable
1114	benzene	Benzene	Alfa Aesar (Avocado Research Chemicals, Ltd.)	50	L	50	L	3	3WE	II
2626	chloric acid	Chloric acid	Sigma-Aldrich (Merck)	0	L	4	L	5.1	2PE	II
1051	hydrogen cyanide	HYDROGEN CYANIDE (PRODUCT OBSOLETE)	BOC (a division of Linde)	0	L	0	L	6.1	Not Applicable	I
1051	hydrogen cyanide	HYDROGEN CYANIDE	Sigma-Aldrich (Merck)	0	L	0	L	6.1	Not Applicable	I
1051	hydrogen cyanide			0	L	0	L	6.1	Not Applicable	I
1223	kerosene	Kerosene	Blackwoods	15	L	20	L	3	3Y	III
1223	kerosene			250	L	250	L	3	3Y	III
21517	L-alanine	L-Alanine	MP Biomedicals Australia Pty Limited	35	kg	50	kg	Not Applicable	Not Applicable	Not Applicable

Light Grey-Blue Theme for Manifest volumes a locations GOLD



MANIFEST VOLUMES AND LOCATION GOLD REPORT

Location: /ENTERPRISE/MANIFEST/Area/Building/General Storage


CW Number	Material Name	Catalogue Name	Vendor	Total		Maximum		GOLD		
				Volume	Volume Unit	Volume	Volume Unit	DG Primary Class	Hazchem	Packing Group
1090	acetone	acetone	3M	40	L	100	L	3	2[Y]E	II
1090	acetone	acetone	Sigma-Aldrich (Merck)	20	L	100	L	3	2[Y]E	II
2491886	Ammonium magnesium phosphate hydrate	Ammonium magnesium phosphate hydrate	Sigma-Aldrich (Merck)	0	L	0	L			

Location: /ENTERPRISE/MANIFEST/Area/Building/Oils and Lubricants

CW Number	Material Name	Catalogue Name	Vendor	Total		Maximum		GOLD		
				Volume	Volume Unit	Volume	Volume Unit	DG Primary Class	Hazchem	Packing Group
1090	acetone	Acetone, 99,8%, anhydrous (max. 0,005% H2O)	Scharlab	50	L	300	L	3	2[Y]E	II
1006	argon	Argon	BOC (a division of Linde)	20	kg	150	kg	2.2	2[T]	Not Applicable
1114	benzene	Benzene	Alfa Aesar (Avocado Research Chemicals, Ltd.)	70	L	350	L	3	3WE	II
1223	kerosene	Kerosene	Blackwoods	65	L	250	L	3	3Y	III
10000	water	DEMINERALISED WATER	DuluxGroup	80	L	100	L	Not Applicable	Not Applicable	Not Applicable

Copyright©2025 by Chemwatch. All Rights Reserved

Grey-Blue Theme for Manifest volumes a locations GOLD



MANIFEST VOLUMES AND LOCATION GOLD REPORT


Location: /ENTERPRISE/MANIFEST/Area/Building/General Storage

CW NUMBER	MATERIAL NAME	CATALOGUE NAME	VENDOR	TOTAL		MAXIMUM		GOLD		
				VOLUME	VOLUME UNIT	VOLUME	VOLUME UNIT	DG PRIMARY CLASS	HAZCHEM	PACKING GROUP
1090	acetone	acetone	3M	40	L	100	L	3	2[Y]E	II
1090	acetone	acetone	Sigma-Aldrich (Merck)	20	L	100	L	3	2[Y]E	II
2491886	Ammonium magnesium phosphate hydrate	Ammonium magnesium phosphate hydrate	Sigma-Aldrich (Merck)	0	L	0	L			
5174-42	Antistatic Spray #514-486	Antistatic Spray #514-486	RS Components	50	L	100	L	Not Applicable	Not Applicable	Not Applicable

Location: /ENTERPRISE/MANIFEST/Area/Building/Hazards Storage

CW NUMBER	MATERIAL NAME	CATALOGUE NAME	VENDOR	TOTAL		MAXIMUM		GOLD		
				VOLUME	VOLUME UNIT	VOLUME	VOLUME UNIT	DG PRIMARY CLASS	HAZCHEM	PACKING GROUP
1090	acetone	Acetone	Wilmar BioEthanol (Sucrogen BioEthanol)	0	L	20	L	3	2[Y]E	II
2491886	Ammonium magnesium phosphate hydrate	Ammonium magnesium phosphate hydrate	Sigma-Aldrich (Merck)	15	L	15	L			
1006	argon			0	L	0	L	2.2	2[T]	Not Applicable
1114	benzene	Benzene	Alfa Aesar (Avocado Research Chemicals, Ltd.)	50	L	50	L	3	3WE	II
2626	chloric acid	Chloric acid	Sigma-Aldrich (Merck)	0	L	4	L	5.1	2PE	II

Manifest Data Template Style (Edited) Report for Grey-Blue theme



Manifest Data Report-Template 2



CATALOGUE NAME	VENDOR	VENDOR ISSUE DATE	GHS CLASSIFICATION GOLD	GHS SIGNAL WORD GOLD	SUSMP POISON SCHEDULE GOLD	DG PRIMARY CLASS GOLD	PACKING GROUP GOLD	SHIPPING NAME	UN	CHRONIC HEALTH EFFECTS	SAFE STORAGE REQUIREMENT	FOLDERS/STORES NAME	MAXIMUM		TOTAL		GHS PICTOGRAM IMAGES GOLD
													VOLUME	UNIT	VOLUME	UNIT	
Antistatic Spray #514-486	RS Components	14.08.2015	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative	Store in original containers. Keep containers securely sealed.	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage	0	L	0	L	Not Applicable
Benzene	Alfa Aesar (Avocado Research	17.11.2016	Aspiration Hazard Category 1|Carcinogenicity	Danger	S7	3	II	BENZENE	1114	On the basis of epidemiological data, the material is regarded as	Store in original containers in approved flame-	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage	50	L	50	L	
Kerosene	Blackwoods	01.03.2015	Aspiration Hazard Category 1|Flammable	Danger	S5	3	III	KEROSENE	1223	Limited evidence suggests that repeated or long-term occupational exposure	Store in original containers in approved	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage	20	L	15	L	
			Aspiration Hazard Category 1|Flammable	Danger	S5	3	III	KEROSENE	1223	Limited evidence suggests that repeated or long-term occupational exposure	Store in original containers in approved	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage	250	L	250	L	
								Not Applicable	Not Applicable			/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage	0	L	0	L	
Chloric acid	Sigma-Aldrich (Merck)	13.04.2013	Eye Irritation Category 2A|Oxidizing Liquid	Danger	Not Applicable	5.1	II	CHLORIC ACID, AQUEOUS SOLUTION with	2626	Limited evidence suggests that repeated or long-term occupational exposure	Store in original containers. Keep containers	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage	4	L	0	L	
Acetone	Wilmar BioEthanol (Sucrogen	16.12.2015	Eye Irritation Category 2A|Flammable	Danger	S5	3	II	ACETONE	1090	Prolonged or repeated skin contact may cause drying with cracking,	Store in original containers in approved flame-	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage	20	L	0	L	
			Gas under Pressure (Compressed gas)	Warning	Not Applicable	2.2	Not Applicable	ARGON, COMPRESSED	1006	Long-term exposure to the product is not thought to produce chronic effects	Cylinders should be stored in a purpose-built	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage	0	L	0	L	
HYDROGEN CYANIDE (PRODUCT OBSOLETE)	BOC (a division of Linde)	26.05.2015	Acute Aquatic Hazard Category 1|Acute Toxicity	Danger	S7	6.1	I	HYDROGEN CYANIDE, STABILISED	1051	Limited evidence suggests that repeated or long-term occupational exposure	Rotate all stock to prevent ageing. Use on FIFO (First	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage	0	L	0	L	
HYDROGEN CYANIDE	Sigma-Aldrich (Merck)	23.10.2008	Acute Aquatic Hazard Category 1|Acute Toxicity	Danger	S7	6.1	I	HYDROGEN CYANIDE, STABILISED	1051	Limited evidence suggests that repeated or long-term occupational exposure	Rotate all stock to prevent ageing. Use on FIFO (First	/ENTERPRISE/MANIFEST/Area/Building/Hazards Storage	0	L	0	L	

Copyright©2025 by Chemwatch. All Rights Reserved

GHS Pictogram and DG Diamonds

The nine hazard pictograms represent physical, health and/or environmental hazards. Chronic health hazards include carcinogens, reproductive toxins, mutagens, specific target organ toxicants, and aspiration toxicants. Below is a comparison table between the WHS hazard pictograms and the ADG diamonds.

Hazard pictograms and ADG

Hazard Pictograms	GHS Hazard	Dangerous Goods class labels (pictograms)	Dangerous goods classes
 Exploding bomb	Explosives Self-reactive Organic peroxides		Explosive
 Flame	Flammables Self-reactives Pyrophorics Self-heating Emits flammable gas in contact with water Organic peroxides		Flammability (Liquid, Solid or Gas) Pyrophoric, Emits Flammable Gas Organic Peroxide
 Flame over circle	Oxidisers		Oxidiser Oxidising gas
 Gas Cylinder	Gases under pressure		Non-toxic non-flammable gas, flammable gas, oxidising gas, toxic gas

Copyright©2025 by Chemwatch. All Rights Reserved

 Skull and crossbones	Acute toxicity		Acute toxicity Acute Toxic gas
 Exclamation mark	Acute toxicity Skin irritants Eye irritants Skin sensitisers	No equivalent	
 Health hazard	Carcinogens Respiratory sensitisers Reproductive toxicants Target organ toxicants Germ cell mutagens	No equivalent	
 Corrosion	Eye corrosion Skin corrosion Corrosive to metal		Corrosive to metals
 Environment	Aquatic toxicity. Not covered within the scope of workplace hazardous chemicals requirements		Environmental hazard
No equivalent hazard pictogram			Miscellaneous dangerous goods
Not covered within the scope of workplace hazardous chemicals requirements			Infectious

Copyright©2025 by Chemwatch. All Rights Reserved

Not covered within the scope of workplace hazardous chemicals requirements		Radioactive

Dangerous Goods Classification Descriptions

Dangerous Goods
Class 1: Explosives



DG Diamonds	DG Class	Description	Definition
	Class 1.1 (DGC 1.1)	A substance which is able to exert a mass explosion hazard whereby the entire load is affected.	Explosive substances can form an explosive atmosphere of gas, vapour or dust. The class also includes substances and articles produced for an explosive or pyrotechnic effect.
	Class 1.2 (DGC 1.2)	A substances or article with a projection hazard but not a mass explosion hazard.	
	Class 1.3 (DGC 1.3)	These substances and articles can produce quantities of radiant heat or burn one another causing either a minor blast or a minor projection hazard or both, but not a mass explosion.	
	Class 1.4 (DGC 1.4)	Small hazards are presented by these substances, in the event of ignition or initiation during transport. Effects are confined to the package; no projection of fragments of appreciable size or range is expected. External fire should not cause instantaneous explosion of the total load.	
	Class 1.5 (DGC 1.5)	Extremely explosive and sensitive substances able to induce a mass explosion hazard.	
	Class 1.6 (DGC 1.6)	This class contains extremely insensitive detonating substances that demonstrate a negligible probability of exploding.	

Copyright©2025 by Chemwatch. All Rights Reserved

Dangerous Goods
Class 2: Gases



DG Diamonds	DG Class	Description	Definition
 	Class 2.1 Flammable Gases (DGC 2.1)	Flammable gases are gases that can ignite in air if the flammable/vapour concentration lies within certain limits. These limits are identified as the upper and lower flammable or explosive limits. The flammable range is the flammable vapour/air concentration, which falls between these limits. The flammable or explosive limits are expressed as the percentage of a particular vapour in air. The vapour/air density is usually greater than one, therefore many flammable gases will settle in low areas. Examples: propane, butane, ethylene, acetylene and Liquid Petroleum Gas.	Exhibit a vapour pressure greater than 300kPa at 50 degrees Celsius. Completely gaseous at 20 degrees at Standard Temperature and Pressure (STP). Subdivision during transport is required and it is determined by the primary hazard of the gas.
 	Class 2.2 Non-Flammable Non Toxic Gases (DGC 2.2)	Class 2.2 gases are not flammable when exposed to an ignition source, nor are they toxic. Non-flammable and non-toxic gases are asphyxiants, diluting or replacing the oxygen content in the atmosphere.	
	Class 2.3 Toxic Gases (DGC 2.3)	Class 2.3 gases are very toxic or corrosive to humans, so they may pose a health hazard. Inhalation may cause death or seriously damage human health. Lingering and irritating odours often identify some but not all toxic gases. Breathing apparatus must also be provided in areas where toxic gases are stored or transported. Examples include: ammonia and sulphur dioxide.	

Copyright©2025 by Chemwatch. All Rights Reserved

Dangerous Goods **Class 3: Flammable Liquid**



DG Diamonds	DG Class	Description	Definition
	Class 3 Flammable Liquid (DGC 3)	**Class 3 is divided into Packing groups as follows:** **Class 3 Packing Group I** Boiling Point <=35°C. **Class 3 Packing Group II** Flash Point<= 23°C, Boiling Point > 35°C. **Class 3 Packing Group III** Flash Point > 23°C to <=61°C, Boiling Point > 35°C. **Combustible Liquids** are less flammable (higher flash point), but when stored in very large quantity or with other flammable liquids, they pose an increased hazard. Examples include acetone, benzene, petrol	Liquids that can generate a vapour, forming a flammable mixture with air. The flash point is the lowest temperature at which a liquid generates vapour which will remain alight when a flame is applied.

Dangerous Goods **Class 4: Flammable Solids**



DG Diamonds	DG Class	Description	Definition
	Class 4.1 Flammable Solids (DGC 4.1)	Combust readily in the presence of external ignition sources like sparks and flames. Examples: red phosphorus, picric acid, hexamine, sulphur and naphthalene	Solid substances which are flammable in air and can sustain spontaneous combustion and emit flammable gases upon contact with water.
	Class 4.2 Substances liable to spontaneous combustion (DGC 4.2)	Class 4.2 solids are able to heat up and catch fire spontaneously without any influence from external ignition sources. Examples: Activated Carbon and White Phosphorus	Ability to; spontaneously combust
	Class 4.3 Substances in contact with water emit	Spontaneous ignition may occur as heat is liberated when the substance is in contact	Ability to; spontaneously ignite when in contact with water.

Copyright©2025 by Chemwatch. All Rights Reserved

	flammable gases (DGC 4.3)	with water, producing flammable gases in dangerous quantities. Examples: sodium and calcium carbide.	

Dangerous Goods **Class 5: Oxidizing Agents**



DG Diamonds	DG Class	Description	Definition
	Class 5.1 Oxidizing Substances (DGC 5.1)	Oxygen is generally provided in a reactive form or is liberated to cause an oxidation process. High reactivity may lead to explosion or fire if in contact with combustible materials. Examples: Hydrogen peroxide and ammonium nitrate.	Contribute to the combustion of other materials.
	Class 5.2 Organic Peroxides (DGC 5.2)	Substances with the ability to undergo exothermic self-accelerating decomposition as the substance contains its own oxygen in the chemical structure. Decomposition of organic peroxides can lead to flammable and toxic gases being generated. Many organic peroxides also burn rapidly and are very sensitive to impact or friction. Examples: dibenzoyl peroxide and methyl ethyl ketone peroxide.	Thermally unstable substances.

Dangerous Goods **Class 6: Toxic and Infectious Substances**



DG Diamonds	DG Class	Description	Definition
	Class 6.1 Toxic Substances (DGC 6.1)	These substances have the common nature of being able to cause death or serious injury if inhaled or in contact with the skin. Examples: Calcium cyanide and lead arsenate.	Cause death or serious injury and are also classified as hazardous chemicals.
	Class 6.2 Infectious Substances (DGC 6.2)	They are incorporated in the Australian Dangerous Goods Code if they are capable of spreading disease upon exposure. Stringent clothing and personal protective equipment controls are required when handling or in contact with these substances.	Substances containing disease yielding organisms and are not subject to the regulations of the Australian Dangerous Goods Code.

Copyright©2025 by Chemwatch. All Rights Reserved

Dangerous Goods **Class 7: Radioactive Substances**



	Class 7 Radioactive Substances (DGC 7)	This class includes materials or combinations of these that can emit radiation spontaneously. Example: Uranium	Spontaneous radiation due to the radioactive nature of the substance.

Dangerous Goods **Class 8: Corrosive Substances**



DG Diamonds	DG Class	Description	Definition
	Class 8 Corrosive Substances (DGC 8)	Substances that may cause severe burns by chemical action when in contact with living tissue. Examples: Hydrochloric acid, nitric acid and sulfuric acid.	Ability to; damage or destroy goods and materials or cause other hazards.


Dangerous Goods **Class 9: Miscellaneous Dangerous Goods**



DG Diamonds	DG Class	Description	Definition
	Class 9 Miscellaneous (DGC 9)	Class 9 substances have separate storage and transport requirements. Examples: dry ice and asbestos. Aerosols are no longer Class 9 dangerous goods. They are Class 2.1 or 2.2 (gases) depending on flammability.	Substances and articles that present a danger especially during transport, not covered by other dangerous goods classes
	Subsidiary Class	There may also be referred to as the Secondary risk or Subrisk. The subsidiary risk label is represented as the normal label with the number deleted.	Subsidiary risk categories are assigned to dangerous goods that pose more than the risk that is denoted by their class.

Copyright©2025 by Chemwatch. All Rights Reserved

Manifest Hazards Filters and Descriptions



The system's manifest hazards filter defaults to "No Hazards Filter", which means that the manifest list is displayed as per the available hazard classification of the materials based on the availability of Chemwatch Gold SDS and/or Vendor Gold Data extracted for those respective products.


Background Information about the Manifest and Classification Data

The manifest module in the system automatically calculates the risk codes and hazard codes classification. The risk or hazard column displays the respective risk/hazard statements using classification codes. The Manifest Hazards Filters enable users to filter materials located in folders to find any chemicals that fall under the selected filter. The following table provides summary descriptions of the available filters from the system's Manifest Hazards Filter menu shown below.

Copyright©2025 by Chemwatch. All Rights Reserved

What is a “hazardous chemical”?

Hazard chemicals are those that, following worker exposure, can have an adverse effect on health and the environment. Examples of hazardous chemicals include poisons, toxins, chemicals that cause burns or skin and eye irritation and those may cause cancer. Many hazardous chemicals are also classified as dangerous goods.



Hazards Filter Descriptions

Main Filter	Description
No Hazards Filter	Default is set to “No Hazards Filter”
Hazards-All filters all classified hazardous chemicals. Note that materials that do not have a Gold SDS will not be filtered out unless data extraction is conducted for that specific material.	
Carcinogens	Filter for any chemical that is classified as a hazardous chemical that can cause cancer due to ability to damage the genome or disruption of cellular metabolic processes.
Mutagens	Filter for any chemical agent that changes the genetic material of an organism and increases the frequency of mutations above natural level.
Sensitisers	Filter for any chemical that causes allergic reaction in normal tissue after exposure.
Corrosives	Filter for any chemical that will destroy and damage living tissue and other substances during contact. Corrosive substances cause chemical burns on contact.
Peroxide Formers	Filter for materials that are susceptible to peroxide formation, which are ones that typically react with air, moisture or impurities and produce a change in their chemical composition in normal storage.
	Certain organic solvents are susceptible to peroxide formation and can form potentially explosive peroxides over time. Peroxide forming chemicals are divided into three classes:
	Class A: Chemicals that form explosive levels of peroxides without concentration. These are the most hazardous and can form explosive peroxide levels even if not opened.
	Class B: Chemicals that form explosive levels of peroxides when concentrated through distillation, evaporation or exposure to air after opening.
	Class C: Chemicals which are a hazard due to peroxide initiation of polymerization.
Reprotoxins	Filter for any hazardous substance associated with interference of the sexual reproductive system, fertility in adults and offspring.
Embryotoxins	Filter for any toxic chemical with adverse effects on the embryo.
	When this substance enters the maternal system and crosses the placental barrier; the effects of the substance may be expressed as embryonic death or abnormal development of one or more body systems and can be deleterious to maternal health.

Copyright©2025 by Chemwatch. All Rights Reserved

Main Filter	Description
Neurotoxins	Filter for any class of exogenous chemical neurological insult (cause of physical or mental injury) which can adversely affect bodily function and the nervous tissue.
Cardiotoxins	Filter for any chemical that may induce cardiac failure.
	Cardiotoxicity is the occurrence of heart electrophysiology or muscle damage. When the heart is affected by cardiotoxins, it becomes weaker and inefficient in pumping blood and hence affects blood circulation such as heavy metals or incorrectly administered drugs.
Liver Toxins	Filter for any chemical that may cause injury to the liver, which may manifest as abnormal liver enzyme or be the cause of liver failure.
Kidney Toxins	Filter for any chemical that bare poisonous toxic effect on kidneys (also known as nephrotoxicity). This sort of chemicals may include specific drugs used for medication purposes
Cytotoxins	Filter for any chemical that has the quality of being toxic to cells. Cytotoxins are chemical weapons that Killer T-cells use to destroy infected cells. For example, cytotoxic drugs are hazardous substances (refer to COSHH Regulations) and widely used in healthcare settings. Cytotoxic drugs also known as antineoplastics, describe a group of medicines that contain chemicals which are toxic to cells, preventing their replication or growth and are used in cancer treatment, rheumatoid arthritis and multiple sclerosis. Certain activities may result in exposure through skin contact/absorption, inhalation of aerosols, ingestion, etc. Pregnant workers are at risk as some drugs may be harmful to the unborn child. Some examples of Hazardous cytotoxic antineoplastics are; azacitidine, azathioprine, bendamustine, lomustine, ifosfamide, bleomycin.
Hazard-Health	Filter by any chemical that is classified as a health hazard.
	These types of chemicals will affect human health such as carcinogens, etc.
Hazard-Environment	Filter by any chemical that is classified as an environmental hazard.
	These types of chemicals will affect the environment
Hazard-Physical	Filter by any chemical that is classified as a physical hazard.
	These types of chemicals are considered to flammable to some degree, etc.
Dangerous Goods-All	Filter by any chemical that is classified as a dangerous good.
	Dangerous goods are substances, mixtures or articles that, because of their physical, chemical (physico-chemical) or acute toxicity properties, present an immediate hazard/danger to people, property or the environment.
Dangerous Goods Specific	
Corrosives	**Filter for a chemical that is classified to destroy or damage living tissue by direct contact. Some acids, bases, dehydrating agents, oxidizing agents, and organics are corrosives.**
	Concentrated acids can cause painful burns that are often superficial. Inorganic hydroxides, however, can cause serious damage to skin tissues because a protective protein layer does not form. Even a dilute solution such as sodium or potassium hydroxide can saponify fat and attack skin. At first, skin contact with phenol may not be painful, but the exposed area may turn white due to the severe burn. Systemic poisoning may also result from dermal exposure
Explosive Flammables	**Filter for a hazard chemical, dangerous good classified as explosive flammable.**

Copyright©2025 by Chemwatch. All Rights Reserved

Main Filter	Description
	These are hazardous chemicals that may cause an explosion by heating, severe projection, explosion, a blast or fire or may mass explode in fire. Explosive substances can form an explosive atmosphere of gas, vapour or dust. This class also includes substances and articles produced for an explosive or pyrotechnic effect. Flammable chemicals are classified according to flashpoint, boiling point, ignition temperature. Flashpoint (FP) is the lowest temperature at which a flammable liquid gives off sufficient vapour to ignite. Boiling point (BP) is the temperature at which the vapour pressure of a liquid is equal to the atmospheric pressure under which the liquid vaporizes. Flammable liquids with low BP's generally present special fire hazards. The FP's and BP's of certain chemicals are closely linked to their ignition temperature — the lowest temperature at which a chemical will ignite and burn independently of its heat source.
Miscellaneous	Filter for substances and articles that present a danger especially during transport, not covered by other dangerous goods classes other than DG Class9.
Oxidisers	**Filter for dangerous materials which act as an oxidizing agent.**
	A substance that is not necessarily combustible, but may, generally by yielding oxygen, cause or contribute to the combustion of other material. By this definition some materials that are classified as oxidising agents by analytical chemists but are not classified as oxidising agents in a dangerous materials sense.
Toxic/Harmful	**Filter for dangerous materials that are classified as toxic/harmful.**
	Toxic materials have a specific degree of damage and have adverse effects on a substructure of an organism exposed to these types of substances. Chemical toxicants include inorganic substances such as lead, mercury, hydrofluoric acid, and chlorine gas, and organic compounds such as methyl alcohol, most medications, and poisons from living things. Radioactive chemicals are not poisonous because of their chemical nature, but because radiations emitted by nuclei are highly energetic, and destroy cells and tissues, but radioactive toxicity should not be comprehended in chemical toxicity.
Radioactive	Filter for any substance classified as a radioactive, e.g., plutonium, uranium. These types of substances emit radiation upon decay. Radioactive decay random at single atom levels and difficult to predict when an atom will decay even though the decay rate or activity is characterized by constant quantities; its half-life, decay constant, mean time. The genetic and biological effects of radiation include cancer.
Water-Reactive	Filter for any chemical that undergoes spontaneous reaction when in contact with water molecules, notably alkali metals from sodium through cesium. Some water reactive substances are also considered to be pyrophoric (substances that ignite in contact with air at or below 54.55°C (130.19° C). Alkali metals are usually stored in containers with oil to protect the metal as a barrier to prevent a reaction between water and these metals.
None-Hazardous	Filter for any substance classified as non-hazardous.
None -Dangerous	Filter for any substance classified as non-dangerous.
Reducing Agents	Filter for any substance or compound that is a reducer or reductant. A reducer is an electron donor and notably, strong reducing agents easily lose or donate electrons in redox reactions (reduction-oxidation); and are subsequently oxidized. Examples of reducing agents include the earth metals, formic acid, and sulfite compounds.
Chemicals of concern-DHS	Filter for chemicals of concern based on the United States Department of Homeland Security list of chemicals covered under the EPA program, Chemicals Weapons Convention, hazardous materials such as gases poisonous by inhalation and explosives regulated by Department of Transport.

Copyright©2025 by Chemwatch. All Rights Reserved

Main Filter	Description
Chemicals of concern-LoC	Filter for chemicals of concern by Level of Concern (Loc), which is based on a threshold value of a hazard (toxicity, flammability, thermal radiation or over exposure) – US Department of Commerce: Office of Response and Restoration
Health Surveillance Filter	Filter for chemicals requiring health surveillance as part of an integrated approach to the control of hazardous substances, where; exposure poses significant risk to health.
Biological Monitoring	Filter for chemicals requiring biological exposure monitoring. Biological exposure monitoring is the measuring and evaluation of the chemical or its metabolites in body tissues, body fluids (urine, blood) or exhaled breath.
SARA (Superfund Amendments and Reauthorization Act of 1986).	Filter a list of all chemicals and hazardous substances (United States SARA Reporting) required according to the threshold quantities, including: Common name, Chemical Abstract Services (CAS) number, Physical state, Physical and/or Health Hazards – these are divided into five categories. Physical hazards are Fire, Sudden Release of Pressure and Reactivity. Health hazards are Immediate (Acute) or Delayed (Chronic). This act amended the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA), commonly known as Superfund. Inventory Information – this includes the maximum daily amount, the average daily amount and the number of days on site. Storage Information – this includes container type, pressure, temperature, specific information on storage amounts and locations. Certification – The owner or operator or the officially designed representative of the owner or operator must certify that all information included in the Tier II submission is true, accurate and complete. See more at: emergency Planning and Community Right to Know Act
Phase-out	Filter for any “Phase-out” materials.
	These materials are products that contain ingredients in the manifest that have been marked as phase out. The phase-out menu option is available in “Own” inventory and its subject to pure substances that are marked in the Chemwatch database with respect to Annex XIV substances and those that are manually marked by user through the mouse click context menu. Annex XIV substances are those substances that are marked by default as they appear in the List of Substances subject to Authorization in accordance with the European Regulation (EC) No 1907/2006.
COMAH	Filter for products that are listed in the COMAH database.
	COMAH products are those substances that contain at least one ingredient from the "UK The Control of Major Accident Hazards Regulations (COMAH) - Dangerous Substances and Threshold Quantities") with respect to the calculation of ingredient amount in mixture/product.
VOC	(The Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management was enacted in 1999 for the purposes of promoting an improvement of voluntary management of chemical substances by business operators and preventing any impediment to the preservation of the environment).
	Filter for ingredients that are classed as “Volatile Organic Compounds”. Notably. VOC products are derived from boing point threshold and if there’s no boiling point or a range. Consideration is prioritized to lowest value in the boiling point range if product has a boiling point.

Copyright©2025 by Chemwatch. All Rights Reserved

Main Filter	Description
Japan PRTR Law	Filter for substances classified as Class 1 or Class 2 based on the disclosure percentage (%) of ingredients within a mixture as per the Japan PRTR requirements. If there are products in the Manifest that do not have volumes assigned to them, then the system will provide the relevant message.
	Class I Substances
	Designated Chemical Substances are chemical substances that may harm human health, may pose a risk of interfering with the inhabitation and/or growth of flora and fauna, and may deplete the ozone layer, and that are considered to be persistent over a substantially extensive area in the environment considered from the physical and chemical properties, the amount manufactured, imported, and used. Substances are designated in Article 1 of the Order for Enforcement of the Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof, based on Paragraph (2) of Article 2 of the same Act.
	Class II Substances
	Designated Chemical Substances are chemical substances that may have the same requirements as the Class I Designated Chemical Substances considering the increases in amounts manufactured, imported, or used. Substances are designated in Article 2 of the Order for Enforcement of the Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof, based on Paragraph (3) of Article 2 of the same Act.
Health Surveillance Report	Report for Filter for chemicals requiring health surveillance as part of an integrated approach to the control of hazardous substances where exposure poses significant risk to health.

Copyright©2025 by Chemwatch. All Rights Reserved

Main Filter	Description
Incompatibility Report	Filter by this type of report to compare compatibility of dangerous goods in an Area\Section\Location. The report provides DG classes' compatibility or segregation required as per the materials in a location in your Manifest. **Notes for consideration** In most cases materials of the same class will be compatible. However, not all materials with different UN Numbers will always be compatible. The SDS should be checked. In many cases the goods will be compatible. Must check for subsidiary risk compatibility and the SDS. If one of the goods present is also a fire risk substance (one of class 2.1, 3, 4, 5, a combustible liquid or has a subsidiary risk of one of these) or elevated temperature goods, segregation is required by at least 3 m or more. Sub-risk MUST be considered. Other exceptions apply. Check the SDS. Not all class 5.1 goods are compatible as follows: Ammonium nitrate is not compatible with tetranitromethane, dichloroisocyanuric acid, any bromate, chlorate, chlorite, hypochlorite, or chloroisocyanurate, or any inorganic nitrate. Calcium hypochlorite (and its mixtures) is incompatible with dichloroisocyanuric acid, ammonium nitrate, or any chloroisocyanurate. Organic peroxides are highly reactive materials. Please check the SDS to ensure compatibility. Where one of the goods to be stored together is a concentrated strong acid and the other a concentrated strong alkali, they should be deemed incompatible. Class 4.3 goods must not be stored next to goods that are in a solution containing water, or where water or foam is the chosen firefighting/spill/leak dispersal or suppression media for the storage area. Note: Except where the class 6.1 is cyanide and the class 8 an acid. Check the SDS
REACH Uses (Registration, Evaluation, Authorisation and Restriction of Chemicals in the European Union)	**Filter by REACH Uses.** REACH is the regulation of the European Union, which was adopted to improve the protection of human health and the environment from potential risks by chemicals. REACH applies to all chemical substances used in industry and daily activities, chemicals such as cleaning products, paints, articles – clothes, furniture, electrical appliances and many more. The Manifest module, when in folder view mode, contains a "No Hazard Filter" button in the Manifest Toolbar, which by default shows button - No Hazard Filter. REACH will also force the use of substances to be phased out, especially toxic substances in products other than those ingested.
Major Hazard Facility	Filter by Major Hazard Facility rules for materials stored in large quantities, which are vital for Australian regulators when checking for compliance requirements, especially in prevention of major accidents and near misses, minimize the hazardous effects to the PCBU, people and the surrounding environment.
Pending Data Extraction	**Filter by for materials that have pending data extraction.** These are materials that are not designated with a VGD (Vendor Gold Data) icon in the materials list and have not yet been full extracted for classification data.
Tags	**Filter by Tags** Tags filter is solely depended on already created tags and mapped against a criterion to tag materials based on user requirements.

Copyright©2025 by Chemwatch. All Rights Reserved

Main Filter	Description
Manifest Quantity Report	The Chemwatch Manifest Quantity Report will simplify the process of monitoring your inventory and enhance the notification process for our Australian clients while maintaining compliance with the requirements of Schedule 12 by taking into consideration the quantities of hazardous chemicals and their notification thresholds specified in Schedule 11 of the WHS Regulations.
International Fire Code	**International Fire Code (IFC)** Chemwatch has developed an "International Fire Code Filter Functionality" for storage indoor inventory; which can filter chemicals for **Health Hazard Indoor** and **Physical Hazard Indoor.** Materials in the Chemwatch Database are classified and grouped by hazard classes (where applicable) and physical states. The IFC grid (table) will display one row per hazard class and each hazard class contains a sub-grid with respective list of volume/weight data per material (chemical or substance) located in that particular IFC folder or location within the manifest folder tree structure based on the site map. It is also imperative to note that depending on your jurisdiction, federal or local regulations may also apply.
National Fire Emergency	**National Fire Emergency (NFPA)** This filter functionality has been developed using the 2018 version of the NFPA 1 Code, which contains the summary requirements from 45 other NFPA codes. Permits Amounts, Hazardous Material Classification and Maximum Allowable Quantities (MAQ) and Specific Occupancy restraint are embedded in the filter. It will help your organisation meet the requirements for; • Hazardous materials classification for **Physical** and **Health** hazards • Identification of not permitted Hazard Materials for each specific occupancy • Detailed inventory of the physical and health classes per location • Hazardous materials storage limits not exceeding the Maximum Allowable Quantities (MAQ)
Pending Data Extraction	This filter enables users to filter all the materials in the Manifest folder/location that do not have Chemwatch Classification or user defined classification (DET). These are the materials that have a question mark icon ? in the hazard column.
Placarding Report	This filter provides a report on all the hazardous chemicals that meet the Placarding Quantity Threshold (WHS, Australia).
Manifest Quantity Report	This filter provides a report on all the hazardous chemicals that meet the Manifest Quantity Threshold (WHS, Australia).
DG Summary Report	This filter provides a summary report (graphical) on all the hazardous chemicals that meet the criteria for Unregulated Quantity, Placarding Quantity and Manifest Quantity Thresholds (WHS, Australia) based on current and maximum volume/weight.


Copyright©2025 by Chemwatch. All Rights Reserved

Approvals Form Fields Descriptions (Risk Assessments)

Field	Name	Description and Use
Code	Type a code (can be alpha-numeric)	Attributed to an existing job based on risk assessment task (optional) and may be related to a project or work activity
Job name	Type text (can be alpha-numeric) for the job	Any relevant job name for the task, may be attributed to safe operating procedure or standard operating procedure or project or work activity
Assessed By	Name of the assessor	The (full) name of the person conducting the risk assessment
Signature	Assessor's signature	Applicable to users who have been granted privilege and permission to upload a soft signature file to a risk assessment report
Approved By	Approver's signature	Applicable to users permitted to approve a risk assessment and are granted the rights to upload a soft signature file to a risk assessment report
Persons Exposed	Names of persons involved with the work activity	The (full) names of the persons involved some form or fashion with the risk assessment or somewhat exposed to allowable levels
Operating Procedure	Operating procedure	Type the text or insert a link on the respective operating procedure. *An operating procedure is what guides users on work activity requirements to comply with expected outputs of the tasks carried out to ensure health safety of the risk assessor and people at the workplace including the environmental impact*
Added	Added on (dd/mm/yy)	Set a risk assessment date (dd/mm/yy) using the calendar icon 
Review	Review date (dd/mm/yy)	Set a risk assessment review date (dd/mm/yy) using the calendar icon  . Generally, an SDS is due for review every 5 years upon manufacture of the chemical.


Copyright©2025 by Chemwatch. All Rights Reserved

A Guide to Classification (Wall Chart Graphics)



Copyright©2025 by Chemwatch. All Rights Reserved

GHS A4 Portrait Label



Copyright©2025 by Chemwatch. All Rights Reserved

DG Class Segregation Categories

DGC Segregation Class	There are 5 Segregation (S) classes utilized (S1, S2, S3, S4, S5). See summary below.

Segregation Class	Segregation Guidance Notes
S1	Segregate these goods by 3m or more in a well-ventilated area. For liquid dangerous goods the distance is measured from the edge of the spill catchment area. See supplementary notes 6 and 7.
S2	Segregate by 5 m or more. If one of the dangerous goods is a liquid, measure the distance from the edge of the spill catchment area. Liquid dangerous goods should be located within a separate spill catchment area. See supplementary notes 6 and 7.
S3	Segregate by 3 m or more for PG III goods and 5m or more for PG II, PG I goods or where the goods may react dangerously. If both are solids then a minimum of 1m separation may be used. Where one of the goods is a liquid the distance is measured from the edge of the spill catchment area. See supplementary notes 6 and 7.
S4	Segregation preferred by the use of fire-rated partitioned areas. Consider use of separate detached building for organic peroxides and for highly pyrophoric class 4.2 goods.
S5	Segregation of class 4.3 preferred by use of a separate, detached building without water based fire suppression system.

Copyright©2025 by Chemwatch. All Rights Reserved

1. Class 2 dangerous goods (i.e., gases) are generally not recommended to be stored with any *other* class of dangerous goods particularly flammable dangerous goods due to the risk of flame impingement and over pressurization of cylinders. Corrosive goods can cause corrosion damage to the gas cylinder walls and thus should be kept away from class 2. In a fire situation, gas cylinders need to have copious quantities of water applied to keep them cool. Toxic gases are stored away from other gases to minimize the release of toxic gases in a fire with other gases.
2. Class 6.1 dangerous goods are not recommended to be stored with fire risk goods or gas cylinders. In the event of a fire, the toxic material will be liberated and may be spread more effectively due to the heat of the fire or explosion of gas cylinders.
3. Two or more goods within the same class with incompatible subsidiary risk should be kept apart.
4. The packing group (PG) of dangerous goods denotes the magnitude of danger the material poses from its hazard. PG I is most dangerous. PG II these are more dangerous than PG III. If one of the incompatible materials is a PG I or II dangerous goods it is recommended that a greater segregation distance or other means of segregation is employed.
5. If class 4.3 dangerous goods are stored or handled care needs to be taken to segregate these away from all containers of aqueous (water containing) solutions even if the solutions are not dangerous goods. The areas these materials are stored in must not be serviced by a water-based fire suppression system.
6. If one of the incompatible goods is a liquid OR a solid that is likely to melt from the heat of a fire, separate spill catchment systems or means of separating the incompatible goods must be considered. Solid dangerous goods should not be stored in direct contact with floor surface to avoid contact with liquids.
7. Fire rated walls constructed of appropriate impervious, chemically resistant materials may be used if provided with an FRL of 240/240/240. Timber structures are not appropriate barriers.
8. In the case of incompatible gases in cylinders intended for use in welding (such as acetylene and oxygen), these gases may be stored together in a purpose-built cradle and separated when not in use for extended periods of time.
9. For oxidizing agents: Although only dangerous goods and combustible liquids feature in the compatibility chart care must also be taken to segregate oxidizers from those dangerous goods and other materials that are combustible in nature (e.g., polymeric beads, cotton bales, excess packing materials). Chlorine and some other halogens are considered potent oxidizers even though their class and assigned with any oxidizing agent subsidiary risk under the dangerous goods classification system.

Copyright©2025 by Chemwatch. All Rights Reserved

Query Builder Search Options

The table below provides summary descriptions of the search options for creating a query using the query builder mode.

Search Option	Description	Use (Search by)
Cat or Material Name	Name of Material or Catalog Name	Create a query by using the Name of the Material or Catalog Name.
Vendor	Search for material using Vendor	Create a query by using the Vendor name to look for materials or products produced by that particular vendor name (Manufacturer, Supplier).
CW No	Chemwatch Number	Chemwatch numbers are assigned to all materials registered in the Chemwatch database for both pure and non-pure substances. Create a query to look up for materials by a specific CW No.
CAS No	Chemical Abstract Substance Number	Create a query by using the CAS No to look up for specific materials associated with that a particular CAS No. The CAs No is a unique numeric identifier in the CAS REGISTRY designated to a known substance.
DG Class	Dangerous Goods Class	Create a query by using the DG Class to look up for materials that are classified as dangerous goods for the particular DG Class of interest. DG Classes 1 to 9 are listed to choose the primary class field.
Packing Group field (PKG)	Packing Group as per DG classification	Create a query by using the Packing Group option to look up for dangerous goods associated with that particular packing group (level of danger). The table below shows a list of packing group by level of danger for reference. PG — Level of Danger I — Greater danger II — Medium danger III — Minor danger
R-Code	Risk Code	Create a query by using the R-Code from the system of hazard classification codes. Risk code is a hazard classification used to classify a substance (old system of classification).
H-Code	Hazard Code (GHS)	Create a query by using the H-Code from the system of hazard classification codes based on GHS.
Sub Risk	Sub Risk	Create a query by dangerous good Sub Risk as per the DG classification (Transport).
UN No	United Nations Number	Create a query by using UN No. A UN No is a four-digit identity number that identifies a hazardous substance in the international transport framework.

Copyright©2025 by Chemwatch. All Rights Reserved

Search Option	Description	Use (Search by)
EINECS	EINECS number used in European countries	European Inventory of Existing Commercial Chemical Substances. These are substances considered phase-in substances under the REACH Regulation. Create a query by using the EINECS number option.
User Part No,	User dependent Part Number,	Create a query to search by User Part number assigned to a product by a user.
Vendor Part No	Vendor Part Number	Create a query to search by Vendor Part number assigned to a product.
Poison Schedule	Classification of Medicines and Poisons in Australia	Poison schedule number between 1 and 10 to find available materials scheduled as medicines and poisons in the database. Create a query by using a Poison Schedule number to look up for materials classified by SUSMP.
Form Builder	Form created through the Form Builder method	Create a query based on a FORM created using the Form Builder module. Choose the form name from an existing list of forms and assign the applicable form data point to look for materials associated with the form fields. Refer to section 12 of this guide on how to create a form.
My Reach Uses	REACH Regulations Use Descriptions	Create a query based on My REACH Use description to look up for associated materials.
Vendor Reach Uses Codes	REACH Regulations Use Descriptions	Create a query based on a Vendor (Manufacturer) REACH Use description to look-up for associated materials.
My Reach Uses Advised Against	REACH Regulations Use Descriptions	Create a query based on My REACH Use Advised Against to look up for associated materials.
Vendor Reach Uses Advised Against	REACH Regulations Use Descriptions	Create a query based on a Vendor (Manufacturer) REACH Use Advised Against to look up for associated materials.
Regulatory List	List of National or International Regulations for Chemicals	Create a query based on a specific Regulatory List to identify chemical or substances that fall under that specific regulatory list.
Chemical Family	Chemical family general names based on grouping similar chemical properties	Create a query to look up for materials that are categorized in the same chemical family based on chemical properties. Refer to the IUPAC chart in the appendix for the names of element families per group. In order to assign the name of the chemical family, simply type the chemical name in the text field and the system will display a drop-down list of associated chemical names through a word wheel.

Copyright©2025 by Chemwatch. All Rights Reserved

Search Option	Description	Use (Search by)
Sunset Date	Feature to mark Phase Out Substances	Create a query to assign sunset date to mark Phase Out Substances as described in the REACH Authorization process.
eSDS	Chemwatch Extended SDS	Create a query to identify materials that have a Chemwatch Extended SDS (eSDS). These types of SDS communicate to the downstream users about the REACH Exposure Scenarios (ES) or condition of safe use in the supply chain and substances that are hazardous and manufactured/imported.

NFPA Diamonds

NFPA Diamonds and Colour Coding



The four divisions are typically color-coded, with blue indicating level of health hazard, red indicating, flammability, yellow (chemical) reactivity, and white containing special codes for unique hazards. Each of health, flammability and reactivity is rated on a scale from 0 (no hazard) to 4 (severe risk). For more information, visit http://www.nfpa.org/.

Section 2 of Gold SDS will depict the applicable NFPA diamond where applicable. Note that, the SDS Settings panel will have to be checked/marked for this diamond or graphic to show in the SDS.

Health (Blue)		Flammability (Red)	
0	Poses no health hazard, no precautions necessary and would offer no hazard beyond that of ordinary combustible materials (e.g., water)	0	Materials that will not burn under typical fire conditions (e.g., carbon dioxide), including intrinsically non-combustible materials such as concrete, stone and sand. (Materials that will not burn in air when exposed to a temperature of 816°C (1500°F) for a period of 5 minutes.)
1	Exposure would cause irritation with only minor residual injury (e.g., acetone)	1	Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion can occur (e.g., mineral oil). Includes some finely divided suspended solids that do not require heating before ignition can occur. (Flash point at or above 93.4°C (200°F)
2	Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g., diethyl ether)	2	Must be moderately heated or exposed to relatively high ambient temperature before ignition can occur (e.g., diesel fuel) and some finely divided suspended solids that do not require heating before ignition can occur.

Copyright©2025 by Chemwatch. All Rights Reserved

			Flash point between 38°C (100°F) and 93°C (200°F)
3	Short exposure could cause serious temporary or moderate residual injury (e.g., chlorine)	3	Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions (e.g., gasoline). Liquids having a flash point below 23°C (73°F) and having a boiling point at or above 38°C (100°F) or having a flash point between 23°C (73°F) and 38°C (100°F)
4	Very short exposure could cause death or major residual injury (e.g., hydrogen cyanide, phosphine, carbon monoxide, sarin)	4	Will rapidly or completely vaporize at normal atmospheric pressure and temperature, or is readily dispersed in air and will burn readily (e.g., acetylene, diethylzinc). Includes pyrophoric substances. Flash point below 23°C (73°F)
Special (White)		**Instability/Reactivity (Yellow)**	
The white "special notice" area can contain several symbols. The following symbols are defined by the NFPA 704 standard.		0	Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium)
OX	Oxidizer (e.g., potassium perchlorate, ammonium nitrate, hydrogen peroxide)	1	Normally stable, but can become unstable at elevated temperatures and pressures (e.g. propene)
~~W~~	Reacts with water in an unusual or dangerous manner (e.g., cesium, sodium, sulfuric acid)	2	Undergoes violent chemical change at elevated temperatures and pressures, reacts violently with water, or may form explosive mixtures with water (e.g., white phosphorus, potassium, sodium)
SA	Simple asphyxiant gas. Specifically limited to the following gases: nitrogen, helium, neon, argon, krypton and xenon.	3	Capable of detonation or explosive decomposition but requires a strong initiating source, must be heated under confinement before initiation, reacts explosively with water, or will detonate if severely shocked (e.g. ammonium nitrate, chlorine trifluoride)
		4	Readily capable of detonation or explosive decomposition at normal temperatures and pressures (e.g., nitroglycerin, chlorine azide, chlorine dioxide)

Copyright©2025 by Chemwatch. All Rights Reserved

IUPAC Chart for the Names of Element Families

In chemistry, a family is a group of elements with similar chemical properties. Chemical families are commonly associated with the columns on the period table. The chart below shows the IUPAC number of element groups, chemical family name and trivial name.

IUPAC Group	1	2	3	4	5	6	7	8	9	10	11	12	13
Family	lithium	beryllium	scandium	titanium	vanadium	chromium	manganese	iron	cobalt	nickel	copper	zinc	boron
Trivial Name	alkali metals	alkaline earth metals									coinage metals	volatile metals	icosagens
CAS Group	IA	IIA	IIIB	IVB	VB	VIB	VIIB	VIIIB	VIIIB	VIIIB	IB	IIB	IIIA

14	15	16	17	18
carbon	nitrogen	oxygen	fluorine	helium or neon
crystallogens	pnictogens	chalcogens	halogens	noble gases
IVA	VA	VIA	VIIA	VIIIA

Chemwatch Elearning

Chemwatch Elearning is available for the following applications.

Backpack Lite Elearning (Relevant to Basic Users)

The Backpack Lite system is our introductory package that allows users to learn how to navigate the system and search for material SDS from their organisation's inventory. Click on the image below to access this elearning.



Copyright©2025 by Chemwatch. All Rights Reserved

Backpack

The Backpack application allows organisations to maintain a simple inventory of their pure or mixed chemicals and SDS. This elearning delivers information on how to operate the Backpack system. Click on the image below to access this elearning.



Note: You may need to clear your browser cache and cookies if you are still seeing the old elearning. For more information, send us an email to training@chemwatch.net.

Terms and Abbreviations

Article means a manufactured item, other than a fluid or particle, that is formed into a particular shape or design during manufacture and has hazard properties and a function that are wholly or partly dependent on the shape or design.

Bioaccumulative potential is the potential for a chemical to accumulate in biota and possibly pass through the food chain.

Biological monitoring means the measurement and evaluation of a substance, or its metabolites, in the body tissue, fluids or exhaled air of a person exposed to that substance.

Chemical Identity means a name, in accordance with the nomenclature systems of the International Union of Pure and Applied Chemistry or the Chemical Abstracts Service, or a technical name, that gives a chemical a unique identity.

Class of dangerous goods, means the number assigned to the goods in the ADG Code indicating the hazard, or most predominant hazard, exhibited by the goods.

Combustible liquid means a liquid, other than a flammable liquid, that has a flash point, and a fire point less than its boiling point.

Combustible substance means a substance that is combustible and includes dust, fibres, fumes, mists or vapours produced by the substance.

Container means anything in or by which a hazardous chemical is, or has been, wholly or partly covered, enclosed or packed, including anything necessary for the container to perform its function as a container.

Correct classification means the set of hazard classes and hazard categories assigned to a hazardous chemical when it is correctly classified.

Division of dangerous goods, means a number, in a class of dangerous goods, to which the dangerous goods are assigned in the *ADG Code.*

Exposure standard means an exposure standard published by Safe Work Australia in the Workplace Exposure Standards for Airborne Contaminants.

Copyright©2025 by Chemwatch. All Rights Reserved

Note: The Workplace Exposure Standards for Airborne Contaminants will replace the Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOSHC:1003(1995)].

Flammable Liquid means a flammable liquid within the meaning of the GHS that has a flashpoint of less than 93°C.

Flash point means the lowest temperature (corrected to a standard pressure of 101.3 kPa) at which the application of an ignition source causes the vapours of a liquid to ignite under specified test conditions.

Generic Name means a name applied to a group of chemicals having a similar structure and properties.

Genuine research means systematic investigative or experimental activities that are carried out for either acquiring new knowledge (whether or not the knowledge will have a specific practical application) or creating new or improved materials, products, devices, processes or services.

GHS means the 'Globally Harmonized System of Classification and Labelling of Chemicals, 3rd Revised Edition', published by the United Nations.

Hazard means a situation or thing that has the potential to harm people, property or the environment. The GHS covers physicochemical, health and environmental hazards for hazardous chemicals.

Hazard Category means a division of criteria within a hazard class in the GHS.
Hazard class means the nature of a physical, health or environmental hazard under the GHS.

Hazard pictogram means a graphical composition, including a symbol plus other graphical elements, that is assigned in the *GHS* to a hazard class or hazard category.

Hazard Statement means a statement assigned to a hazard class or hazard category describing the nature of the hazards of a hazardous chemical including, if appropriate, the degree of hazard.

Hazchem Code means 'Hazchem Code' under the ADG Code, also known as the Emergency Action Code.

Health Surveillance, of a person, means monitoring the person to identify changes in the person's health status as a result of exposure to a hazardous chemical.

Import means to bring into the jurisdiction from outside Australia.

Label means written, printed or graphical information elements concerning a hazardous chemical that is affixed to, printed on or attached to the container of a hazardous chemical.

Manifest *means a written summary of the hazardous chemicals used, handled or stored at a workplace.*

Manifest quantity*, in relation to a Schedule 11 hazardous chemical, means the manifest quantity referred to in Schedule 11, table 11.1, column 5 for that hazardous chemical.*

Manufacture includes the activities of packing, repacking, formulating, blending, mixing, making, remaking and synthesizing of the chemical.

Mixture means a combination of or a solution composed of two or more substances that do not react with each other.

Placard *means a sign or notice displayed or intended for display in a prominent place or next to a container or storage area for hazardous chemicals at a workplace and that contains information about the hazardous chemical stored in the container or storage area.*

Copyright©2025 by Chemwatch. All Rights Reserved

***Placarding quantity**, in relation to a Schedule 11 hazardous chemical, means the placard quantity referred to in Schedule 11, table 11.1 column 4 for the Schedule 11 hazardous chemical.*

Physicochemical means the physical properties of a chemical.

Precautionary Statement means a phrase prescribed by the *GHS* that describes recommended measures to be taken to prevent or minimise the adverse effects of exposure to a hazardous chemical or the improper handling of a hazardous chemical.

Product Identifier means the name or number used to identify a product on a label or in a safety data sheet (SDS). [1]

Proper shipping name means a proper shipping name under the *ADG Code*.

Research chemical means a substance or mixture that is manufactured in a laboratory for genuine research and is not for use or supply for a purpose other than analysis or genuine research.

***Signal word** means the word 'danger' or 'warning' used on a label to indicate to a label reader the relative severity level of a hazard and to alert the reader to a potential hazard, under GHS.*

Substance means a chemical element or compound in its natural state or obtained or generated by a process:

- including any additive necessary to preserve the stability of the element or compound and any impurities deriving from the process; but
- excluding any solvent that may be separated without affecting the stability of the element, compound, or changing its composition.

Supply includes selling or transferring ownership or responsibility for a chemical.

Technical name means a name that is: ordinarily used in commerce, regulations and codes to identify a substance or mixture, other than an International Union of Pure and Applied Chemistry or Chemical Abstracts Service name and recognised by the scientific community.

[1] The term 'product name' has previously been used for 'product identifier'.
[2] UN Numbers are published in the UN Recommendations on the Transport of Dangerous Goods – Model Regulation, and in the ADG Code

Copyright©2025 by Chemwatch. All Rights Reserved



IT'S NOT THE HAZARD
IT'S THE RISK!

Chemwatch
1227 Glen Huntly Road
Glen Huntly
Victoria 3163, Australia
Telephone: +61 3 9573 3100
Facsimile: +61 3 9572 4777
Email: info@chemwatch.net
Website: www.chemwatch.net

Copyright©2025 by Chemwatch. All Rights Reserved